

# **Strand Woven Bamboo Outdoor Decking (Specs and Wholesale Pricing)**


- Carefully selected bamboo strips
- Heat treated, special mildew-proof treatment
- Super density  $\geq 1250\text{kg/m}^3$
- FSC Certified
- Breakthrough innovation, stronger and more durable than wood decking and regular strand bamboo decking without sacrificing beauty or functionality
- Particular softening strips technology
- Easy and flexible installation for screw down or fastener installation
- Oiled version (special German outdoor oil) and unfinished version are available
- Dimensionally stable and durable
- Slip resistant, UV tolerant
- Termite & White Ant resistant
- Fire retardant
- Size: 1850x140x20mm (5.5"x72.8"x.79")
- Color: dark coffee

## **Technical characteristics**

- **Durability: Class 1 in accordance with EN113 / EN350-1**  
**Class 4 in accordance with EN 335 (usage Class)**
- **Surface fungus resistance: Class 0 in accordance with EN152**
- **Dimensional stability: 24hours submerging in water 20 degrees Celsius:**  
**length: + 0,1 % / width: + 0,9 %**

- Density: appr. 1200 kgr / m3
- Hardness (EN1534): 9,5 kg / mm2 (Brinell )
- Elasticity Modulus (EN408): 10737 N/mm2
- Breaking strength (EN408): 50,30 N/mm2
- Strength class (EN338): D50



| Number | Product  | Size               | Wholesale Price | Note       |
|--------|--|--------------------|-----------------|------------|
| SBD    |  | 73" x 5.5" x 0.75" | \$6.50 / sf     | Pre-finish |

All materials are grade A.  
 Lead time: 30 days.  
 Terms: 50% deposit, balance to ship.

# **Guarantee**

- 1. We guarantee that when properly installed and maintained, the decking will for a period of ten (10) years from the date of installation be free from delamination and rot.**
- 2. The outdoor decking is a natural forest product, which can vary in color, grain and appearance. Color will change over time depending on the maintenance schedule.**
- 3. Manufacturer's liability under this guarantee is limited solely and exclusively to replacement of defective decking. Under no circumstances shall the manufacturer be liable for labor, installation, reinstallation, freight, taxes or any other charge related to any claim.**