



Distributed by: Eco-\$mart, Inc. (888)329-2705 ph / (941)377-9460 fx / info@eco-smart.com (as of 4/1/2012)

*Note # 1: This is an unofficial quoting tool, used for pricing exercises only, and is **NOT** meant to replace official quotes via HBA Technical Services and/or HBA Controls.*

*Note # 2: Prior to ordering products, agent must verify **COLOR** of products and **VOLTAGE** requirements, if necessary.*

*Note # 3: Any unauthorized changes made to this pricing tool, other than quantities of specific items, will **NOT** be accepted nor allowed for quoting or ordering purposes.*

Note # 4: HBA PRICING NOT FOR PUBLICATION.

| QTY | HBA CATALOG # | PRODUCT DESCRIPTION (For specs, see www.hubbell-automation.com) | COLOR | Wholesale Pricing |
|--|----------------|---|-------|-------------------|
| LIGHTING CONTROL PANELS - LX SERIES | | | | |
| 1 | LXENDM | LX Enclosure for DIN Rail Device Modules | | \$ 58.33 |
| LIGHTING CONTROL PANELS - LK SERIES | | | | |
| 1 | TC44120 | TC Lighting Control Panel, 4 relay, 120 VAC | | \$ 733.33 |
| 1 | TC44277 | TC Lighting Control Panel, 4 relay, 277 VAC | | \$ 733.33 |
| 1 | TC881P120277 | TC Lighting Control Panel, 8 1-Pole 120/277VAC 20Amp relays, 120/277V | | \$ 1,097.44 |
| 1 | TC8D42P480 | TC Lighting Control Panel, 4 2-Pole 480VAC 20Amp relays, 120/277V | | \$ 1,720.51 |
| 1 | TCPCINDOOR | TC Indoor Photocell | | \$ 250.00 |
| 1 | TCPCOUTDOOR | TC Outdoor Photocell | | \$ 250.00 |
| WALL SWITCH SENSORS | | | | |
| 1 | LHIRS1I | Lighthawk Passive Infrared Wall Switch Sensor with IntellADAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft. Photocell, Ivory | I | \$ 91.67 |
| 1 | LHIRS1W | Lighthawk Passive Infrared Wall Switch Sensor with IntellADAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft. Photocell, White | W | \$ 91.67 |
| 1 | LHUSS1I | Lighthawk Ultrasonic Wall Switch Sensor with IntellADAPT, Single Circuit, One Button, 120/277VAC, 400 Sq. Ft. Photocell, Ivory | I | \$ 94.67 |
| 1 | LHUSS1W | Lighthawk Ultrasonic Wall Switch Sensor with IntellADAPT, Single Circuit, One Button, 120/277VAC, 400 Sq. Ft. Photocell, White | W | \$ 94.67 |
| 1 | LHMTS1I | Lighthawk Multi-Technology Wall Switch Sensor with IntellADAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft. Photocell, Ivory | I | \$ 148.00 |
| 1 | LHMTS1W | Lighthawk Multi-Technology Wall Switch Sensor with IntellADAPT, Single Circuit, One Button, 120/277VAC, 1000 Sq. Ft. Photocell, White | W | \$ 148.00 |
| 1 | LHM2D2I | Lighthawk Multi-Technology Wall Switch Sensor with IntellADAPT, Dual Circuit, Two Button, 120/277VAC, 1000 Sq. Ft. Photocell, Ivory | I | \$ 153.33 |
| 1 | LHM2D2W | Lighthawk Multi-Technology Wall Switch Sensor with IntellADAPT, Dual Circuit, Two Button, 120/277VAC, 1000 Sq. Ft. Photocell, White | W | \$ 153.33 |
| 1 | IWSZP3PI | Passive Infrared Wall Switch Sensor - Auto ON/Auto OFF, 120/277VAC, 900 Sq. Ft., Ivory | I | \$ 61.33 |
| 1 | IWSZP3PW | Passive Infrared Wall Switch Sensor - Auto ON/Auto OFF, 120/277VAC, 900 Sq. Ft., White | W | \$ 61.33 |
| 1 | IWSZPMI | Passive Infrared Wall Switch Sensor - Manual ON/Auto OFF, 120/277VAC, 900 Sq. Ft., Ivory | I | \$ 45.00 |
| 1 | IWSZPMW | Passive Infrared Wall Switch Sensor - Manual ON/Auto OFF, 120/277VAC, 900 Sq. Ft., White | W | \$ 45.00 |
| 1 | TD200 | Digital Programmable Timer, 120/277 VAC, White | W | \$ 86.67 |
| CEILING MOUNT SENSORS | | | | |
| 1 | OMNIDT2000RP | OMNI Passive Infrared & Ultrasonic Ceiling Sensor with IntellADAOT, 2000 sq. ft., Relay & Photocell | W | \$ 172.17 |
| 1 | OMNIDT500RP | OMNI Passive Infrared & Ultrasonic Ceiling Sensor with IntellADAPT, 500 sq. ft. Relay & Photocell | W | \$ 125.67 |
| 1 | CU15002000P120 | Passive Infrared & Ultrasonic Ceiling Sensor with Self-Contained Power Supply, 2000 Sq. Ft. , 120V | W | \$ 188.83 |
| 1 | CU15002000P277 | Passive Infrared & Ultrasonic Ceiling Sensor with Self-Contained Power Supply, 2000 Sq. Ft. , 277V | W | \$ 188.83 |
| 1 | OMNIUS2000RP | OMNI Ultrasonic ceiling sensor with IntellADAPT, 2000 sq. ft., Relay & Photocell | W | \$ 159.25 |
| 1 | OMNIUS500RP | OMNI Ultrasonic ceiling sensor with IntellADAPT, 500 sq. ft., Relay & Photocell | W | \$ 117.67 |
| 1 | C5002000P120 | Ultrasonic ceiling sensor with self-contained power supply, 2000 sq. ft., 120V | W | \$ 142.11 |
| 1 | C5002000P277 | Ultrasonic ceiling sensor with self-contained power supply, 2000 sq. ft., 277V | W | \$ 142.11 |
| 1 | OMNIIRRP | OMNI Passive Infrared Ceiling Sensor with IntellADAPT, 450 Sq. ft., Relay & Photocell | W | \$ 98.58 |
| 1 | OMNIIRLRP | OMNI Passive Infrared Ceiling Sensor with IntellADAPT, 1500 Sq. ft., Relay & Photocell | W | \$ 98.58 |
| 1 | PIR10P | Passive Infrared Ceiling Sensor, 1500 Sq. Ft., 120/277/347V | W | \$ 113.33 |



| QTY | HBA CATALOG # | PRODUCT DESCRIPTION | COLOR | WHL Pricing |
|---|-------------------|---|-------|-------------|
| HIGH BAY LIGHTING CONTROLS - FLUORESCENT | | | | |
| 1 | WSPERM24VLTWT | HBA WASP2 Fl. High Bay Sensor with Daylighting, End Mnt, 24VDC (Power Pack Required), Form C Relay, Low Temp, Water Tight | W | \$ 46.67 |
| 1 | WSPERMUNVLTWT | HBA WASP2 Fl. High Bay Sensor with Daylighting, End Mnt, 1 SPST Output, 120/277/347VAC, Low Temp, Water Tight | W | \$ 54.67 |
| 1 | WSPERMUNV2RLTWT | HBA WASP2 Fl. High Bay Sensor with Daylighting, End Mnt, 2 SPST Outputs, 120/277/347VAC, Low Temp, Water Tight | W | \$ 64.00 |
| 1 | WSPERM208LTWT | HBA WASP2 Fl. High Bay Sensor with Daylighting, End Mnt, 1 DPST Output, 208/240VAC, Low Temp, Water Tight | W | \$ 60.00 |
| 1 | WSPERM480LTWT | HBA WASP2 Fl. High Bay Sensor with Daylighting, End Mnt, 1 DPST Output, 480VAC, Low Temp, Water Tight | W | \$ 60.00 |
| HIGH BAY LIGHTING CONTROLS - LED | | | | |
| 1 | WSPSM24VLTWT | HBA WASP2 Fl. High Bay Sensor with Daylighting, Surface Mnt, 24VDC (Power Pack Required), Form C Relay, Low Temp, Water Tight | W | \$ 46.67 |
| 1 | WSPSMUNVLTWT | HBA WASP2 Fl. High Bay Sensor with Daylighting, Surface Mnt, 1 SPST Output, 120/277/347VAC, Low Temp, Water Tight | W | \$ 54.67 |
| 1 | WSPSMUNV2RLTWT | HBA WASP2 Fl. High Bay Sensor with Daylighting, Surface Mnt, 2 SPST Outputs, 120/277/347VAC, Low Temp, Water Tight | W | \$ 64.00 |
| 1 | WSPSM208LTWT | HBA WASP2 Fl. High Bay Sensor with Daylighting, Surface Mnt, 1 DPST Output, 208/240VAC, Low Temp, Water Tight | W | \$ 60.00 |
| 1 | WSPSM480LTWT | HBA WASP2 Fl. High Bay Sensor with Daylighting, Surface Mnt, 1 DPST Output, 480VAC, Low Temp, Water Tight | W | \$ 60.00 |
| HIGH BAY LIGHTING CONTROLS - LENS | | | | |
| 1 | WSPLENS360LTWT | HBA WASP2 Fl. High Bay Sensor Lens, 360 Degree Coverage Area, Low Temp, Water Tight | W | \$ 6.67 |
| 1 | WSPLENSAISLELTWT | HBA WASP2 Fl. High Bay Sensor Lens, Aisle Coverage Area, Low Temp, Water Tight | W | \$ 6.67 |
| 1 | WSPLENSHALFLTWT | HBA WASP2 Fl. High Bay Sensor Lens, 180 Degree Coverage Area, Low Temp, Water Tight | W | \$ 6.67 |
| 1 | WSPLENSHAISLELTWT | HBA WASP2 Fl. High Bay Sensor Lens, Half Aisle Coverage Area, Low Temp, Water Tight | W | \$ 6.67 |



Distributed by: Eco-\$mart, Inc. (888)329-2705 ph / (941)377-9460 fx / info@eco-smart.com (as of 4/1/2012)

*Note # 1: This is an unofficial quoting tool, used for pricing exercises only, and is **NOT** meant to replace official quotes via HBA Technical Services and/or HBA Controls.*

*Note # 2: Prior to ordering products, agent must verify **COLOR** of products and **VOLTAGE** requirements, if necessary.*

*Note # 3: Any unauthorized changes made to this pricing tool, other than quantities of specific items, will **NOT** be accepted nor allowed for quoting or ordering purposes.*

Note # 4: HBA PRICING NOT FOR PUBLICATION.

| QTY | HBA CATALOG # | PRODUCT DESCRIPTION (For specs, see www.hubbell-automation.com) | COLOR | Wholesale Pricing |
|-------------------------------------|-----------------|--|-------|-------------------|
| WALL MOUNT SENSORS | | | | |
| 1 | LODTRP | LightOWL Passive Infrared & Ultrasonic Wall Sensor with IntellADAPT, 1600 Sq. ft., Relay & Photocell | W | \$ 176.33 |
| 1 | LOIRWVRP | LightOWL Passive Infrared Wall Sensor with IntellADAPT, 2500 Sq. ft., Relay & Photocell | W | \$ 127.25 |
| 1 | LOIRHBRP | LightOWL Passive Infrared Wall Sensor with IntellADAPT, 50' at 30' Height, Relay & Photocell | W | \$ 127.25 |
| POWER PACKS FOR SENSORS | | | | |
| 1 | UVPP | Universal Voltage Power Pack, 100-277VAC | B | \$ 34.51 |
| 1 | MPSA | Power switch pack slave relay | B | \$ 27.50 |
| DAYLIGHT HARVESTING CONTROLS | | | | |
| 1 | LUXSTATOCM | Luxstat ON/OFF Control Module, 3 Channel, 24V DC, DIN Rail Mount | W | \$ 366.67 |
| 1 | LUXSTATDCM | Luxstat 0-10V Dimming Control Module, 3 Channel, 24V DC, DIN Rail Mount | W | \$ 366.67 |
| 1 | LUXSTATPPP | Luxstat Power Pack for Luxstat Control Modules, 3 Relays, 120 to 277 VAC, DIN Rail Mount | W | \$ 183.33 |
| 1 | LUXSTATOCMIZ120 | Luxstat ON/OFF Control Module, Single Zone, 120VAC | W | \$ 166.67 |
| 1 | LUXSTATOCMIZ277 | Luxstat ON/OFF Control Module, Single Zone, 277VAC | W | \$ 166.67 |
| 1 | LUXSTATDNM120 | Luxstat Day/Night Control Module with Clock, 120VAC, DIN Rail Mount | W | \$ 183.33 |
| 1 | LUXSTATDNM277 | Luxstat Day/Night Control Module with Clock, 277VAC, DIN Rail Mount | W | \$ 183.33 |
| 1 | LUXSTATLS | Luxstat Light Sensor for Luxstat Control Modules, 3 to 6000 FC, Indoor | W | \$ 83.33 |
| 1 | LUXSTATLSO | Luxstat Light Sensor for Luxstat Control Modules, 3 to 6000 FC, Outdoor | W | \$ 83.33 |
| 1 | LUXSTATSW1IV | 1-Button Momentary Switch for Luxstat, Decorator Style, Ivory | I | \$ 36.67 |
| 1 | LUXSTATSW1WH | 1-Button Momentary Switch for Luxstat, Decorator Style, White | W | \$ 36.67 |
| 1 | LUXSTATSW4IV | 4-Button Automatic / Manual ON-OFF and Dimming Control Switch for Luxstat, Decorator Style, Ivory | I | \$ 50.00 |
| 1 | LUXSTATSW4WH | 4-Button Automatic / Manual ON-OFF and Dimming Control Switch for Luxstat, Decorator Style, White | W | \$ 50.00 |
| 1 | DLC7 | Continuous dimming daylighting control for 0-10V dimming ballasts | W | \$ 250.00 |



Distributed by: Eco-Smart, Inc. (888)329-2705 ph / (941)377-9460 fx / info@eco-smart.com

*Note # 1: This is an unofficial quoting tool, used for pricing exercises only, and is **NOT** meant to replace official quotes via HBA Technical Services and/or HBA Controls.*

*Note # 2: Prior to ordering products, agent must verify **COLOR** of products and **VOLTAGE** requirements, if necessary.*

*Note # 3: Any unauthorized changes made to this pricing tool, other than quantities of specific items, will **NOT** be accepted nor allowed for quoting or ordering purposes.*

Note # 4: HBA PRICING NOT FOR PUBLICATION.

| QTY | HBA CATALOG # | PRODUCT DESCRIPTION (For specs, see www.hubbell-automation.com) | COLOR | Wholesale Pricing |
|--|----------------|--|-------|-------------------|
| WALL SWITCH SENSORS | | | | |
| 1 | TD200 | Digital Programmable Timer, 120/277 VAC, White | W | \$ 69.33 |
| RESIDENTIAL WALL SWITCH SENSORS | | | | |
| 1 | RWSOSCFL120IV | Residential Wall Switch Occupancy Sensor for Incandescent and CFL Lighting, 120VAC, Ivory | I | \$ 25.33 |
| 1 | RWSOSCFL120WH | Residential Wall Switch Occupancy Sensor for Incandescent and CFL Lighting, 120VAC, White | W | \$ 25.33 |
| 1 | RWSOSINC120AL | Residential Wall Switch Occupancy Sensor for Incandescent Lighting, 120VAC, Almond | A | \$ 29.33 |
| 1 | RWSOSINC120IV | Residential Wall Switch Occupancy Sensor for Incandescent Lighting, 120VAC, Ivory | I | \$ 29.33 |
| 1 | RWSOSINC120LA | Residential Wall Switch Occupancy Sensor for Incandescent Lighting, 120VAC, Lt. Almond | Lt. A | \$ 29.33 |
| 1 | RWSOSINC120WH | Residential Wall Switch Occupancy Sensor for Incandescent Lighting, 120VAC, White | W | \$ 29.33 |
| 1 | RWSOSDINC120AL | Residential Wall Switch Occupancy Sensor with Dimmer for Incandescent Lighting, 120VAC, Almond | A | \$ 29.33 |
| 1 | RWSOSDINC120IV | Residential Wall Switch Occupancy Sensor with Dimmer for Incandescent Lighting, 120VAC, Ivory | I | \$ 29.33 |
| 1 | RWSOSDINC120LA | Residential Wall Switch Occupancy Sensor with Dimmer for Incandescent Lighting, 120VAC, Lt. Almond | Lt. A | \$ 29.33 |
| 1 | RWSOSDINC120WH | Residential Wall Switch Occupancy Sensor with Dimmer for Incandescent Lighting, 120VAC, White | W | \$ 29.33 |
| 1 | RWSVSCFL120IV | Residential Wall Switch Vacancy Sensor for Incandescent and CFL Lighting, 120VAC, Ivory | I | \$ 25.33 |
| 1 | RWSVSCFL120WH | Residential Wall Switch Vacancy Sensor for Incandescent and CFL Lighting, 120VAC, White | W | \$ 25.33 |
| 1 | RWSVSINC120AL | Residential Wall Switch Vacancy Sensor for Incandescent Lighting, 120VAC, Almond | A | \$ 29.33 |
| 1 | RWSVSINC120IV | Residential Wall Switch Vacancy Sensor for Incandescent Lighting, 120VAC, Ivory | I | \$ 29.33 |
| 1 | RWSVSINC120LA | Residential Wall Switch Vacancy Sensor for Incandescent Lighting, 120VAC, Lt. Almond | Lt. A | \$ 29.33 |
| 1 | RWSVSINC120WH | Residential Wall Switch Vacancy Sensor for Incandescent Lighting, 120VAC, White | W | \$ 29.33 |
| 1 | RWSVSDINC120AL | Residential Wall Switch Vacancy Sensor with Dimmer for Incandescent Lighting, 120VAC, Almond | A | \$ 29.33 |
| 1 | RWSVSDINC120IV | Residential Wall Switch Vacancy Sensor with Dimmer for Incandescent Lighting, 120VAC, Ivory | I | \$ 29.33 |
| 1 | RWSVSDINC120LA | Residential Wall Switch Vacancy Sensor with Dimmer for Incandescent Lighting, 120VAC, Lt. Almond | Lt. A | \$ 29.33 |
| 1 | RWSVSDINC120WH | Residential Wall Switch Vacancy Sensor with Dimmer for Incandescent Lighting, 120VAC, White | W | \$ 29.33 |