



Eco-Smart, Inc
(888) 329-2705 ph (941) 377-9460 fx
www.eco-smart.com

LED Replacement Lamps









(Wholesale Prices)

NOTE: All lamps are warranted for indoor use only unless "waterproof" or "IP" rated is indicated
 * = 50 piece minimum order, or add 5% for sample/small orders

LED Tube Light (T10 and T8)




Revised 11/04/2013

Product No	Picture	Length	Beam Angle	LED Q'ty	Input Voltage	Color	Color Temp.	Power (W)	Lumens (LM)	Warranty	Price (<100pcs)	Price (>100pcs)
ECO-Tube10-2FT (UL Listed)*		24"	DIP 60 / 120	160 DIP / 120 SMD LEDs	AC 100 to 277V	WW	3000K	10W	800 Lumens	5Years	US\$29.22	US\$26.56
		24"	SMD 120			CW	4200K		900 Lumens	5Years	US\$29.22	US\$26.56
		24"				DL	6000K		900 Lumens	5Years	US\$29.22	US\$26.56
ECO-Tube10-3FT (UL Listed)*		36"	DIP 60 / 120	220 DIP / 220 SMD LEDs	AC 100 to 277V	WW	3000K	12W	1200 Lumens	5Years	US\$38.18	US\$34.71
		36"	SMD 120			CW	4200K		1300 Lumens	5Years	US\$38.18	US\$34.71
		36"				DL	6000K		1300 Lumens	5Years	US\$38.18	US\$34.71
ECO-Tube10-4FT (UL Listed)* Available with Internal Driver or External 2-Lamp Driver		48"	DIP 60 / 120	280 DIP / 290 SMD LEDs	AC 100 to 277V	WW	3000K	18W	1600 Lumens	5Years	US\$41.62	US\$37.84
		48"	SMD 120			CW	4200K		1800 Lumens	5Years	US\$41.62	US\$37.84
		48"				DL	6000K		1800 Lumens	5Years	US\$41.62	US\$37.84
ECO-Tube10-4FT-DIM (UL Listed, Dimmable)*		48"	SMD 120	120 3014 SMD LEDs	AC 110 to 130V	WW	3000K	18W	1650 Lumens	5 Years	US\$45.80	US\$41.64
		48"				CW	4200K		1700 Lumens	5 Years	US\$45.80	US\$41.64
		48"				DL	6000K		1700 Lumens	5 Years	US\$45.80	US\$41.64
ECO-Tube10-2FT-DIM (UL Listed, Dimmable)*		24"	SMD 120	290 3528 SMD LEDs	AC 110 to 130V	WW	3000K	10W	750 Lumens	5 Years	US\$33.00	US\$30.00
		24"				CW	4200K		825 Lumens	5 Years	US\$33.00	US\$30.00
		24"				DL	6000K		900 Lumens	5 Years	US\$33.00	US\$30.00
ECO-22W-002 (T8, External 2 Lamp Driver, UL, DLC)*		48"	SMD 120	120pcs S2323 SMD LEDs (LM80)	AC 100 to 277V	WW	3000K	23W	2100 Lumens	5 Years	US\$57.10	US\$51.91
		48"				CW	4200K		2150 Lumens	5 Years	US\$57.10	US\$51.91
		48"				DL	6000K		2200 Lumens	5 Years	US\$57.10	US\$51.91
ECO-CPS-2,3,4,5,6, 8 (T8, Internal Power Supply, UL, CE, FCC, ROHS Listed)		24"	120 Clear, Stripped or Frosted Cover	3014 SMD LEDs	AC 90 to 305V	3000 to 6000K		10W	900 Lumens	5 Years	US\$26.67	US\$24.00
		36"				3000 to 6000K		15W	1350 Lumens	5 Years	US\$30.89	US\$27.80
		48"				3000 to 6000K		19W	1710 Lumens	5 Years	US\$35.11	US\$31.60
		60"				3000 to 6000K		22W	1980 Lumens	5 Years	US\$39.56	US\$35.60
		72"				3000 to 6000K		30W	2700 Lumens	5 Years	US\$48.00	US\$43.20
		94"				3000 to 6000K		38	3400 Lumens	3 Years	US\$66.67	US\$60.00
ECO-AL-2,3,4,5-G13 (T8, Internal Power Supply, UL, CE, FCC, ROHS Listed)		24"	180 Clear, Stripped or Frosted Cover	3014 SMD LEDs	AC 100 to 277V	3000 to 6000K		10W	1100 Lumens	5 Years	US\$23.00	US\$20.91
		36"				3000 to 6000K		15W	1670 Lumens	5 Years	US\$29.00	US\$26.36
		48"				3000 to 6000K		20W	2100 Lumens	5 Years	US\$35.00	US\$31.82
		60"				3000 to 6000K		25W	2400 Lumens	5 Years	US\$40.00	US\$36.36
ECO-AL-AL1 (T8, Internal Power Supply, UL, DLC, CE, FCC, ROHS Listed)		48"	180 (Clear, Stripped or Frosted Cover)	176 3014 SMD LEDs	AC 100 to 277V	WW	3000K	24W	2200 Lumens	5 Years	US\$43.00	US\$39.09
		48"				CW	4200K		2300 Lumens	5 Years	US\$43.00	US\$39.09
		48"				DL	6000K		2400 Lumens	5 Years	US\$43.00	US\$39.09
ECO-A-2G3-I (T8, Internal Power Supply, ARRA, UL Listed)		24"	120	40 SMD LEDs	AC 100 to 277V	WW	3000K	9W	800 Lumens	5 Years	US\$37.83	US\$34.92
		24"				CW	4200K		890 Lumens	5 Years	US\$37.83	US\$34.92
		24"				DL	6000K		890 Lumens	5 Years	US\$37.83	US\$34.92
ECO-A-4G3-I (T8, Internal Power Supply, ARRA, UL Listed)		48"	120	80 SMD LEDs	AC 100 to 277V	WW	3000K	18W	1700 Lumens	5 Years	US\$58.53	US\$54.03
		48"				CW	4200K		1800 Lumens	5 Years	US\$58.53	US\$54.03
		48"				DL	6000K		1800 Lumens	5 Years	US\$58.53	US\$54.03
ECO-A-5G3-I (T8, Internal Power Supply, ARRA, UL Listed)		60"	120	100 SMD LEDs	AC 100 to 277V	WW	3000K	21W	2000 Lumens	5 Years	US\$66.35	US\$61.25
		60"				CW	4200K		2100 Lumens	5 Years	US\$66.35	US\$61.25
		60"				DL	6000K		2100 Lumens	5 Years	US\$66.35	US\$61.25
ECO-A-2G5-E (T8, External Power Supply - 1Lamp Driver, ARRA, UL Listed)		24"	120	32 SMD LEDs	AC 100 to 277V	WW	3000K	9W	800 Lumens	5 Years	US\$36.77	US\$33.94
		24"				CW	4200K		890 Lumens	5 Years	US\$36.77	US\$33.94
		24"				DL	6000K		890 Lumens	5 Years	US\$36.77	US\$33.94
ECO-A-4G5-E (T8, External Power Supply - 1Lamp Driver, ARRA, UL Listed)		48"	120	64 SMD LEDs	AC 100 to 277V	WW	3000K	18W	1700 Lumens	5 Years	US\$55.83	US\$51.54
		48"				CW	4200K		1800 Lumens	5 Years	US\$55.83	US\$51.54
		48"				DL	6000K		1800 Lumens	5 Years	US\$55.83	US\$51.54
ECO-A-ED12L3 (T8, External Power Supply - 1Lamp Driver, ARRA, UL, DLC)		48"	120	64 SMD LEDs	AC 100 to 277V	WW	3000K	16W	1500 Lumens	5 Years	US\$52.83	US\$48.77
		48"				CW	4200K		1600 Lumens	5 Years	US\$52.83	US\$48.77
		48"				DL	6000K		1600 Lumens	5 Years	US\$52.83	US\$48.77
ECO-A-5G5-E (T8, External Power Supply - 1Lamp Driver, ARRA, UL Listed)		60"	120	80 SMD LEDs	AC 100 to 277V	WW	3000K	21W	2000 Lumens	5 Years	US\$64.00	US\$59.08
		60"				CW	4200K		2100 Lumens	5 Years	US\$64.00	US\$59.08
		60"				DL	6000K		2100 Lumens	5 Years	US\$64.00	US\$59.08







ECO-DG02-2-I (T8, Internal Power Supply, ETL Listed)		24"	120	40 SMD LEDs	AC 100 to 277V	WW	3000K	10W	900 Lumens	5 Years	US\$28.17	US\$26.00	
	24"	CW				4200K	1000 Lumens		5 Years	US\$28.17	US\$26.00		
	24"	DL				6000K	1000 Lumens		5 Years	US\$28.17	US\$26.00		
ECO-DG02-4-I (T8, Internal Power Supply, ETL Listed)		48"	120	80 SMD LEDs	AC 100 to 277V	WW	3000K	18W	1700 Lumens	5 Years	US\$41.67	US\$38.46	
	48"	CW				4200K	1800 Lumens		5 Years	US\$41.67	US\$38.46		
	48"	DL				6000K	1800 Lumens		5 Years	US\$41.67	US\$38.46		
ECO-DG02-5-I (T8, Internal Power Supply, ETL Listed)		60"	120	100 SMD LEDs	AC 100 to 277V	WW	3000K	24W	2300 Lumens	5 Years	US\$53.33	US\$49.23	
	60"	CW				4200K	2400 Lumens		5 Years	US\$53.33	US\$49.23		
	60"	DL				6000K	2400 Lumens		5 Years	US\$53.33	US\$49.23		
ECO-DG02-2-E (T8, External 2 Lamp Driver, ETL Listed)		24"	120	40 SMD LEDs	AC 100 to 277V	WW	3000K	10W	900 Lumens	5 Years	US\$27.33	US\$25.23	
	24"	CW				4200K	1000 Lumens		5 Years	US\$27.33	US\$25.23		
	24"	DL				6000K	1000 Lumens		5 Years	US\$27.33	US\$25.23		
ECO-DG02-4-E (T8, External 2 Lamp Driver, ETL Listed)		48"	120	80 SMD LEDs	AC 100 to 277V	WW	3000K	18W	1700 Lumens	5 Years	US\$43.33	US\$40.00	
	48"	CW				4200K	1800 Lumens		5 Years	US\$43.33	US\$40.00		
	48"	DL				6000K	1800 Lumens		5 Years	US\$43.33	US\$40.00		
ECO-DG02-5-E (External Power Supply - 2Lamp Driver, ETL Listed)		60"	120	100 SMD LEDs	AC 100 to 277V	WW	3000K	24W	2300 Lumens	5 Years	US\$55.00	US\$50.77	
	60"	CW				4200K	2400 Lumens		5 Years	US\$55.00	US\$50.77		
	60"	DL				6000K	2400 Lumens		5 Years	US\$55.00	US\$50.77		
ECO-T8-360-2,3,4 (-2=2', -3=3', -4=4', T8, CE, ROHS)		24"	360	330 Epistar LEDs	AC 100 to 277V		2700-6700K	20W	2200 Lumens	3 Years	US\$47.12	US\$43.49	
	36"	480 Epistar LEDs		30W					3200 Lumens	3 Years	US\$70.67	US\$65.23	
	48"	660 Epistar LEDs		40W					4200 Lumens	3 Years	US\$94.23	US\$86.98	
ECO-U-18W600 (T8, Internal Driver, UL and DLC Listed) (Clear / Frosted)		24"	120	SMD 3528	CRI > 80	AC 100 to 277V	WW	3000K	18W	1700 / 1500 Lumens	3 Years	US\$35.80	US\$32.55
	24"	CW					4200K	1750 / 1550 Lumens		3 Years	US\$35.80	US\$32.55	
	24"	DL					6000K	1800 / 1600 Lumens		3 Years	US\$35.80	US\$32.55	

LED Strip and Tube Light (T5)

For all T5 Lamps, add \$4.00 for dimmable, subtract \$2.00 for lamp / driver only (no strip fixture). Red, green, or blue also available (no extra cost)

ECO-T5-0.6M-8W (External driver if ordered as tube only)		21.6"	110	120 Super bright SMD LEDs	AC 100 to 240V	WW	3000K	8W	700 Lumens	3 Years	US\$31.00	US\$28.62
	21.6"	CW				4200K	730 Lumens		3 Years	US\$31.00	US\$28.62	
	21.6"	DL				6000K	800 Lumens		3 Years	US\$31.00	US\$28.62	
ECO-T5-1.2M-16W (External driver if ordered as tube only)		47.2"	110	216 Super bright SMD LEDs	AC 100 to 240V	WW	3000K	16W	1420 Lumens	3 Years	US\$35.83	US\$33.08
	47.2"	CW				4200K	1530 Lumens		3 Years	US\$35.83	US\$33.08	
	47.2"	DL				6000K	1600 Lumens		3 Years	US\$35.83	US\$33.08	
ECO-T5-1.2M-20W (External driver if ordered as tube only)		47.2"	110	240 Super bright SMD LEDs	AC 100 to 240V	WW	3000K	20W	1650 Lumens	3 Years	US\$39.17	US\$36.15
	47.2"	CW				4200K	1750 Lumens		3 Years	US\$39.17	US\$36.15	
	47.2"	DL				6000K	1810 Lumens		3 Years	US\$39.17	US\$36.15	

LED Globe and Capsule Light, High Output Can Replacement

Product No	Picture	Base	Beam Angle	LED Q'ty	Input Voltage	Color	Color Temp.	Power (W)	Lumens (LM)	Warranty	Price (<100pcs)	Price (>100pcs)
LED-A19-3-Red-HO		E27 E26 B22	160	21 LEDs Superbright LED	AC 85V to 265V	RED (Turtle)	635 Nanometer	3W	150 Lumens	3 Years	US\$24.95	US\$21.95
LED-A19-3-Amber-HO						Amber (Turtle)	585 Nanometer		150 Lumens	3 Years	US\$24.95	US\$21.95
LED-A19-3-WW-HO						Warm White	2600-3700K		210 Lumens	3 Years	US\$19.95	US\$16.95
LED-A19-3-DW-HO						Daylight White	5000-7000K		210 Lumens	3 Years	US\$19.95	US\$16.95
ECO-DP-A-9W (2.6" dia. X 5.3" L)		B22 or E26	300	SMD5630	AC 100 to 240V, or 277V	Warm White to Daylight	2800-6500K	9W	875 Lumens	3 Years	US\$23.00	US\$20.91
ECO-DP-A-12W (2.6" dia. X 5.3" L)								12.7W	1150 Lumens	3 Years	US\$24.80	US\$22.55
ECO-DP-60-13W		E26	120	SMD5630	AC 100 to 240V, or 277V	Warm White to Daylight	2800-6500K	13.2W	1300 Lumens	3 Years	US\$24.60	US\$22.36
FP60-80LED-001 MINIMUM ORDER: 50		E27	160	80 LEDs Superbright LED	AC 85V to 265V	Warm White Daylight White	2600-3700K 5000-7000K	5W	300 Lumens	3 Years	US\$20.00	US\$18.46
									300 Lumens	3 Years	US\$20.00	US\$18.46
FP60-150LED-001 MINIMUM ORDER: 50		E27 B22	160	150 LEDs Superbright LED	AC 85V to 265V	Warm White Daylight White	2600-3700K 5000-7000K	8W	500 Lumens	3 Years	US\$23.33	US\$21.54
									500 Lumens	3 Years	US\$23.33	US\$21.54
ECO-36-024 (Dimmable Can Replacement)		2 Wire (5.2" Dia. x 3" Depth, 4.8" Ceiling Hole)	8*15*30*45*60°	12pcs Edison SMD LED	AC 100 to 240V or AC 277V	Warm White / NW	2700K-4800K	36W	2800 Lumens	3 Years	US\$51.90	US\$47.18
				12pcs Edison SMD LED		Daylight White	5500K-6000K (Y/R/G/B avail.)		3000 Lumens	3 Years	US\$51.90	US\$47.18





Interior Decorative and PAR / R LED Lamps

Product No	Picture	Base	Beam Angle	LED Q'ty	Input voltage(V)	Color	Color Temp.	Power (W)	Lumens (LM)	Warranty	Price (<100pcs)	Price (>100pcs)	
ECO-CAND-10A (Dimmable) Clear or Frosted		E12, E14, E17, E26, E27 Dimensions: 1.5" x 4"	320	1pcs Samsung LED	AC 110 to 130V AC 220 to 240V	Warm White	2500-3000K	4.5	290 Lumens	2 Years	US\$17.00	US\$15.69	
						Daylight White	4700-5200		360 Lumens	2 Years	US\$17.00	US\$15.69	
ECO-CAND-10B (Dimmable) Clear or Frosted		E12, E14, E17, E26, E27 Dimensions: 2" x 3.6"	320	1pcs Samsung LED	AC 110 to 130V AC 220 to 240V	Warm White	2500-3000K	4.5	290 Lumens	2 Years	US\$17.00	US\$15.69	
						Daylight White	4700-5200		360 Lumens	2 Years	US\$17.00	US\$15.69	
ECO-CAND-3A (Dimmable) Clear or Frosted CE, ROHS		E12, E14, E27 Dimensions: 1.7" x 4.9"	360	Epistar LED	AC 90 to 130V AC 176 to 254V	Warm White	2600-3500K	3 W	210 Lumens	2 Years	US\$12.00	US\$10.00	
						Daylight White	4700-5200		255 Lumens	2 Years	US\$12.00	US\$10.00	
ECO-CAND-3B (Dimmable) Clear or Frosted CE, ROHS		E12, E14, E27 Dimensions: 1.7" x 4.9"	360	Epistar LED	AC 90 to 130V AC 176 to 254V	Warm White	2600-3500K	3 W	210 Lumens	2 Years	US\$12.00	US\$10.00	
						Daylight White	4700-5200		255 Lumens	2 Years	US\$12.00	US\$10.00	
QP60-7WA (Dimmable) CE, UL, ROHS, FCC		E27, E26, GU10, B22 Dimensions: (2.4" x 4.7")	120	Samsung LEDs	AC 120V AC 240V	Warm White	2600-3500K	7W	420 Lumens	3 Years	US\$17.50	US\$16.15	
						Natural White	4000-4500K		480 Lumens	3 Years	US\$17.50	US\$16.15	
						Daylight White	5800-6300K		530 Lumens	3 Years	US\$17.50	US\$16.15	
A19-10A (Dimmable - Except for Amber) CE, ROHS		E27, E26, GU10, B22 Dimensions: (2.4" x 4.7")	120	Samsung LEDs	AC 120V AC 240V	Warm White	2600-3500K	9.5W	600 Lumens	3 Years	US\$25.83	US\$23.85	
						Natural White	4000-4500K		650 Lumens	3 Years	US\$25.83	US\$23.85	
						Daylight White	5800-6300K		690 Lumens	3 Years	US\$25.83	US\$23.85	
						Amber (Turtle)	588 NM		490 Lumens	3 Years	US\$29.95	US\$27.95	
FP60-80LED-002 (Dimmable) MINIMUM ORDER: 50		E27	160	80 LEDs Superbright LED	AC 120V AC 240V	Warm White	2700K-3200K	4.5W	300 Lumens	3 Years	US\$20.00	US\$18.46	
						Daylight White	5500K-6000K		300 Lumens	3 Years	US\$20.00	US\$18.46	
FP60-150LED-002 (Dimmable) MINIMUM ORDER: 50		E27 B22	160	150 LEDs Superbright LED	AC 120V AC 240V	Warm White	2700K-3200K	7.5W	500 Lumens	3 Years	US\$33.33	US\$30.77	
						Daylight White	5500K-6000K		500 Lumens	3 Years	US\$33.33	US\$30.77	
PAR20-7E (Dimmable) CE, UL, ROHS, FCC		E26/E27 Dimensions: (2.4" x 3.3")	15 / 20 / 40 / 100	Samsung LEDs	AC 120V AC 240V 277V	AC	Warm White	2700K-3200K	7 W	330 Lumens	3 Years	US\$16.67	US\$15.38
				Samsung LEDs			Daylight White	5500K-6000K		470 Lumens	3 Years	US\$16.67	US\$15.38
PAR20-E912 Waterproof (IP65) (Dimmable) CE, UL, ROHS, FCC, Energy Star		E26, G24 Dimensions: (Dia2.5" x 3.6"H)	25 / 40	3pcs Cree XPE	AC 120V AC 240V 277V	AC	Warm White	3000K	7W	350 Lumens	3 Years	US\$35.83	US\$33.08
				3pcs Cree XPE			Daylight White	5500K		430 Lumens	3 Years	US\$35.83	US\$33.08
BR20-7E (Dimmable) CE, UL, ROHS, FCC		E26/E27 Dimensions: (2.6" x 4.9")	120	Epistar LED	AC 120V AC 240V AC 277V (Min. 100 pcs)	AC	Warm White	2700K-3200K	7W	550 Lumens	5 Years	US\$16.67	US\$15.38
				Epistar LED			Daylight White	5500K-6000K		600 Lumens	5 Years	US\$16.67	US\$15.38
PAR30-12E (Dimmable) CE, UL, ROHS, FCC, Energy Star		E26/E27 Dimensions: (3.7" x 4.2")	15 / 20 / 40 / 100	7pcs P3 Cree LEDs	AC 120V AC 240V 277V	AC	Warm White	2700K-3200K	12W	750 Lumens	5 Years	US\$29.17	US\$26.92
				7pcs Q3 Cree LEDs			Daylight White	5500K-6000K		850 Lumens	5 Years	US\$29.17	US\$26.92
PAR30-E925 Waterproof (IP65) (Dimmable) CE, UL, ROHS, FCC, Energy Star		E26, G24 Dimensions: (Dia3.7" x 3.6"H)	25 / 40	5pcs Cree XPE	AC 120V AC 240V 277V	AC	Warm White	3000K	13W	660 Lumens	5 Years	US\$46.33	US\$42.77
				5pcs Cree XPE			Daylight White	5500K		820 Lumens	5 Years	US\$46.33	US\$42.77
BR30-12E (Dimmable) CE, UL, ROHS, FCC, Energy Star		E26/E27 Dimensions: (3.9" x 5.9")	120	Epistar LED	AC 120V AC 240V	AC	Warm White	2700K-3200K	12W	800 Lumens	5 Years	US\$26.67	US\$24.62
				Epistar LED			Daylight White	5500K-6000K		850 Lumens	5 Years	US\$26.67	US\$24.62
R30-11WA-Amber CE, UL, ROHS, FCC				Epistar LED			Amber (Turtle)	588 NM	11W	690 Lumens	3 Years	US\$32.95	US\$29.95
PAR38-E933 Waterproof (IP65) (Dimmable) CE, UL, ROHS, FCC, Energy Star		E26, G24 Dimensions: (Dia4.7" x 5.2"H)	25 / 40	7pcs Cree XPE	AC 120V AC 240V 277V	AC	Warm White	3000K	17W	880 Lumens	3 Years	US\$55.83	US\$51.54
				7pcs Cree XPE			Daylight White	5500K		1120 Lumens	3 Years	US\$55.83	US\$51.54
PAR38-17E (Dimmable) CE, UL, ROHS, FCC, Energy Star		E26/E27 Dimensions: (4.7" x 4.8")	15 / 20 / 40 / 100	9pcs P3 Cree LEDs	AC 120V AC 240V 277V (Min. 100 pcs)	AC	Warm White	2700K-3200K	17W	1100 Lumens	5 Years	US\$45.83	US\$42.31
				9pcs Q3 Cree LEDs			Daylight White	5500K-6000K		1350 Lumens	5 Years	US\$45.83	US\$42.31



LED MR16 and GU10 Spotlight (Warranty: Cree LEDs - 3 Years, Others - 2 Years)

Model	Picture	Size (mm)	Voltage	Power (W)	Dimming	Base	Beam Angle	Color	LED Qty / Brand	Luminous Flux	10 to 99 Pieces	100+ Pieces
MR16-8W			12vac/dc	8W	Dimmable	GU5.3	17/22/40°	2700K to 6000K	4pcs CREE XPE	390lm, 2700K 500lm, 6000K	\$21.00	\$19.00
MR16-7W			12vac/dc	7W	Dimmable	GU5.3	17/22/40°	2700K to 6000K	4pcs CREE XPE	330lm, 2700K 370lm, 6000K	\$20.00	\$18.00
MR16-6W			12vac/dc	6W	Dimmable	GU5.3	15/25/35/45/60/90°	2700K to 6000K	3pcs CREE XPE	300lm, 2700K 330lm, 6000K	\$17.20	\$16.80
MR16-5W, GU10-5W			12vac/dc	5W	Non-Dimmable	GU5.3 or GU10	60°	2700K to 6000K	1pc Epistar	320lm, 2700K 360lm, 6000K	\$14.40	\$13.60
MR16-3W MR16-4W			12vac/dc	3W	Dimmable	GU5.3	15/25/35/45/60/90°	2700K to 6000K	3pcs Epistar	210lm 2700K / 300lm 6000K	\$10.60	\$9.60
				4W					3pcs Taiwan	210lm 2700K / 300lm 6000K	\$7.40	\$7.00
MR16-3W MR16-4W			12vac/dc	3W	Dimmable	GU5.3	15/25/35/45/60/90°	2700K to 6000K	3pcs Everlight	210lm 2700K / 300lm 6000K	\$10.40	\$9.40
									3pcs Taiwan	210lm 2700K / 300lm 6000K	\$7.20	\$6.80
									3pcs CREE XPE	250lm 2700K / 360lm 6000K	\$14.40	\$13.60
GU10-3W GU10-4W (Both Available with E11 Base)			85-265Vac	3w	Non-Dimmable (Add \$3.00 for Dimming)	GU10	15/25/35/45/60/90°	2700K to 6000K	3pcs Epistar	210lm 2700K / 300lm 6000K	\$10.40	\$9.40
									3pcs Taiwan	210lm 2700K / 300lm 6000K	\$7.20	\$6.80
									3pcs CREE XPE	250lm 2700K / 360lm 6000K	\$14.40	\$13.60
GU10-6W			85-265Vac	6w	Non-Dimmable (Add \$3.00 for Dimming)	GU10	15/25/35/45/60/90°	2700K to 6000K	3pcs CREE XPE	300lm, 2700K 330lm, 6000K	\$17.20	\$16.80
MR11-3W (34W x 33H mm)			85-265Vac	3W	Non-Dimmable (Add \$3.00 for Dimming)	MR11	25/45	2700K to 6000K	3pcs CREE XPE	200lm, 2700K 250lm, 6000K	\$14.60	\$14.20

LED Flat Panel (UL Listed Driver)

ECO-LED-Panel-12x12-18W		12" x 12"	160	240pcs 3020 SMD LED	AC 110-277V	Warm White	2700-3200K	18W	1200 Lumens	3 Years	US\$63.33	US\$58.46
		12" x 12"				Daylight White	5800-6300K		1400 Lumens	3 Years	US\$63.33	US\$58.46
ECO-LED-Panel-24x24-35W		24" x 24"	160	192pcs 3014 SMD LEDs	AC 110-277V	Warm White	2700-3200K	45W	3100 Lumens	3 Years	US\$143.33	US\$132.31
		24" x 24"				Daylight White	5800-6300K		3350 Lumens	3 Years	US\$143.33	US\$132.31
ECO-LED-Panel-12x48-28W		12" x 48"	160	192pcs 3014 SMD LEDs	AC 110-277V	Warm White	2700-3200K	45W	3100 Lumens	3 Years	US\$151.67	US\$140.00
		12" x 48"				Daylight White	5800-6300K		3600 Lumens	3 Years	US\$151.67	US\$140.00
ECO-LED-Panel-24x48-72W		24" x 48"	160	324pcs Samsung SMD LED	AC 110-277V	Warm White	2700-3200K	80W	5600 Lumens	3 Years	US\$265.00	US\$244.62
		24" x 48"				Daylight White	5800-6300K		5800 Lumens	3 Years	US\$265.00	US\$244.62

G24 LED bulb

FG24-24LED-001		G24 (2 or 4 Pin)	160	24pcs 5050 SMD LED	AC 110-277V	Warm White	2700-3200K	5W	360 Lumens	3 Years	US\$16.67	US\$15.38
		G24 (2 or 4 Pin)				Daylight White	5800-6300K		420 Lumens	3 Years	US\$16.67	US\$15.38
G24-CLA-SMD36		G24 (2 or 4 Pin)	360 out, 120 down	36pcs 5050 SMD LED	AC 110-265V	Warm White	2700-3200K	8W	540 Lumens	2 Years	US\$24.67	US\$22.77
		G24 (2 or 4 Pin)				Daylight White	5800-6300K		600 Lumens	2 Years	US\$24.67	US\$22.77

LED Light Bar - No controller required

Item	Length	Voltage	Beam Angle	CCT	Power (W)	Warranty	Price
Double Side 68'	1730mm	DC24V	180	4100/3500K	32W	3 Years	US\$153.33
Right Side 68'	1730mm	DC24V	90	4100/3500K	16W	3 Years	US\$96.00
Left Side 68'	1730mm	DC24V	90	4100/3500K	16W	3 Years	US\$96.00
Double Side 56'	1420mm	DC24V	180	4100/3500K	26W	3 Years	US\$136.27
Right Side 56'	1420mm	DC24V	90	4100/3500K	13W	3 Years	US\$86.80
Left Side 56'	1420mm	DC24V	90	4100/3500K	13W	3 Years	US\$86.80



Note: 1 driver required for every 70W - \$43.20 each


LED Candelabra, G4, BA15, Globe Lamps (UL Listed) - Wholesale Prices

Light Series	Item number	Picture	Description	Body Color	Certificates	Lumens @ CCT	WhL Price
Candelabra	ECO-250DC		Candelabra LED lamp 2W Cree LED Voltage: 110-120V Dimmable Base: E12 and E12 to E26 adapter CCT: 2700K ~ 6500K Beam spread: 300° Omni Lamp type: Blunt tip / Flame tip	Silver	FCC RoHS UL CUL LM80	85lm @ 2700K 120lm @ 6000K	\$14.60
	ECO-251DC		Candelabra LED lamp 4W Cree LED Voltage: 110-120V Dimmable Base: E12 and E12 to E26 adapter CCT: 2700K ~ 6500K Beam spread: 300° Omni Lamp type: Blunt tip / Flame tip	Silver	FCC RoHS UL CUL LM80	180lm @ 2700K 250lm @ 6000K	\$20.00
G4	ECO-270F (long version)		G4 Decorative LED lamp Long version 2W Cree LED Voltage: 12V AC/DC Non-dimmable Base: G4 CCT: 2700K ~ 6500K Beam spread: 300° Omni	Silver	FCC RoHS LM80	120lm @ 3000K	\$12.60
	ECO-272F (short version)		G4 Decorative LED lamp Short version 2W Cree LED Voltage: 12V AC/DC Non-dimmable Base: G4 CCT: 2700K ~ 6500K Beam spread: 300° Omni	Silver	FCC RoHS UL CUL LM80	120lm @ 3000K	\$12.60
BA15 Landscape Light	ECO-680F		Landscape decorative LED lamp 2W Cree LED Voltage: 12V AC/DC Non-dimmable Base: BA15 CCT: 2700K ~ 6500K Beam spread: 300° Omni	Silver	FCC RoHS UL CUL LM80	120lm @ 3000K	\$12.60
Globe Bulbs	ECO-2152DC		A60 Decorative LED Globe Bulb 5W CREE LED Voltage: 110-120V Dimmable Base: E26 CCT: 2700K / 3000K / 3500K / 4000K Beam spread: 300° Omni	Silver	FCC RoHS UL CUL LM80	225lm @ 3000K	\$25.00
	ECO-2162DC		G80 Decorative LED Globe Bulb 7W CREE LED Voltage: 110-120V Dimmable Base: E26 CCT: 2700K / 3000K / 3500K / 4000K Beam spread: 300° Omni	Black / White	FCC RoHS UL CUL Energy Star LM79 / LM80	320lm @ 3500K	\$27.00

Warranty: 3 Years

Freight is additional

Mini LED 360 Degree Lamps - Wholesale Prices

Item Number	Description				Picture
ECO-HJD-6W8S	1) Light Source: 95PCS 2835 LED / Epistar LED Chip 2) Luminous Flux: 650LM 3) Rated Wattage: 6W 4) Base: E27 E26 E14 G24D 5) Rated Voltage: 85-265VAC , 50/60Hz 6) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K) 7) Beam Angle: 360°		8) Lifetime: 50,000Hours 9) Size: \varnothing 1.6*3.9" (E27) \varnothing 1.7*4.3" (G24D) 10) Net weight: 0.06 KG 11) CE, ROHS approved 12) Body Temperature: <55 °C @Ta=25 °C 13) Recommended Replaced bulb: 18W CFL		
	1~49pcs US\$13.01	Price for 50-500PCS US\$12.69	Price for 501-1000pcs US\$12.38	Price for above 1000pcs US\$12.08	
ECO-HJD-13W8S	1) Light Source: 180PCS 2835 LED / Epistar LED Chip 2) Luminous Flux: 1300LM 3) Rated Wattage: 13W 4) Base: E27 E26 5) Rated Voltage: 85-265VAC , 50/60Hz 6) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K) 7) Beam Angle: 360°		8) Lifetime: 50,000Hours 9) Size: \varnothing 2.1*5.5" 10) Net weight: 0.1 KG 11) CE, ROHS approved 12) Body Temperature: <55 °C @Ta=25 °C 13) Recommended Replaced bulb: 35W CFL 14) PF>0.95		
	1~49pcs US\$25.44	Price for 50-500PCS US\$24.82	Price for 501-1000pcs US\$24.21	Price for above 1000pcs US\$23.62	
ECO-HJD-13W6S	1) Light Source: 105PCS 2835 LED / Epistar LED Chip 2) Luminous Flux: 1300LM 3) Rated Wattage: 13W 4) Base: E27 E26 5) Rated Voltage: 85-265VAC or 277V , 50/60Hz 6) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K) 7) Beam Angle: 360°		8) Lifetime: 50,000Hours 9) Size: \varnothing 2.4*5.5" 10) Net weight: 0.16 KG 11) CE, ROHS approved 12) Body Temperature: <55 °C @Ta=25 °C 13) Recommended Replaced bulb: 35W CFL 14) PF>0.95 15) Aluminum heat sink		
	1~49pcs US\$23.71	Price for 50-500PCS US\$23.02	Price for 501-1000pcs US\$22.35	Price for above 1000pcs US\$21.70	
ECO-HJD-16W6S	1) Light Source: 140PCS 2835 LED / Epistar LED Chip 2) Luminous Flux: 1600LM 3) Rated Wattage: 16W 4) Base: E27 E26 5) Rated Voltage: 85-265VAC or 277V , 50/60Hz 6) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K) 7) Beam Angle: 360°		8) Lifetime: 50,000Hours 9) Size: \varnothing 2.4*5.9" 10) Net weight: 0.18 KG 11) CE, ROHS approved 12) Body Temperature: <55 °C @Ta=25 °C 13) Recommended Replaced bulb: 45W CFL 14) PF>0.95 15) Aluminum heat sink		
	1~49pcs US\$28.67	Price for 50-500PCS US\$27.84	Price for 501-1000pcs US\$27.03	Price for above 1000pcs US\$26.24	

Remark;

1. 3 Year Manufacturer's Warranty.
2. Freight is additional.
3. 5 to 7 day production lead time for samples, quoted for larger orders.
4. Not for unvented fixtures
5. Installation: bypass fluorescent or HID ballast, run power directly to socket, screw in.

LED High Output 360 Degree Screw-Based Lamps

New generation led corn bulb
20W/30W/40W/50W/60W









80W corn bulb





WHL Price (3 Yr Warranty):	\$79	\$92	\$120	\$136	\$152	\$202
WHL Price (5 Yr Warranty):	\$90	\$110	\$144	\$170	\$192	N/A
Item No.	ECO-STN-20W	ECO-STN-30W	ECO-STN-40W	ECO-STN-50W	ECO-STN-60W	ECO-STN-80W
Light Source SMD3528	300pcs	486pcs	660pcs	780pcs	900pcs	1160pcs
LED Initial Flux	2200lm	3300lm	4600lm	5600lm	6600lm	9000lm
Replacement	75W HID	125W HID	175W HID	200W HID	250W HID	320W HID
Lamp Base	E40 E39 E27 E26					
Beam Angle	360degree					
Luminous Efficiency	>100lm/w					
Lamp's Efficiency (%)	>95 %					
Color Temperature	Warm white: 2700-3500k; Natural white: 4000-5000k; Cold white: 5500-6700k					
Input Voltage	AC100-300V / 50-60Hz					
LED Emitter Life	50,000hrs					
PF	>0.95					
Power Efficiency	>87%					
Working Voltage	33VDC ±5%					
Operating Temperature	-40 ~ 45°C					
Color Rendering Index	Ra>85					
Dimensions	Φ3.5"×9"	Φ3.5"×9"	Φ3.5"×9.4"	Φ3.5"×10.2"	Φ3.5"×11.2"	Φ4.13"* 11.4"
N.W	420g	420g	490g	500g	570g	670g
Packing	18pcs/Carton	18pcs/Carton	12pcs/Carton	12pcs/Carton	12pcs/Carton	12pcs/Carton

Freight is additional

LED 360 Degree 14 Sided Screw-Based Lamps (Type III) - Wholesale Prices

Item No.	Description				Picture
ECO-15W14S	1) Light Source: 238PCS 3528 LED / Epistar LED Chip 2) Luminous Flux: 1600LM 3) Rated Wattage: 16W 4) Base: E40 E39 E27 E26 5) Rated Voltage: 85-300VAC , 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) Beam Angle: 360°		8) Lifetime: 50,000Hours 9) Size: ϕ 3.5"7.3" 10) Net weight: 0.4 KG 11) CE,ROHS approved 12) Body Temperature: <70 °C @Ta=25 °C 13) Recommended Replaced bulb : 50W HID		
	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs	
	US\$61.63	US\$58.70	US\$55.90	US\$53.24	
With UL External Driver	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs	
	US\$101.63	US\$98.70	US\$102.42	US\$100.20	
ECO-20W14S	1) Light Source: 340PCS 3528 LED / Epistar LED Chip 2) Luminous Flux: 2200LM 3) Rated Wattage: 22W 4) Base: E40 E39 E27 E26 5) Rated Voltage: 85-300VAC , 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) Beam Angle: 360°		8) Lifetime: 50,000Hours 9) Size: ϕ 3.5"7.3" 10) Net weight: 0.45KG 11) CE,ROHS approved 12) Body Temperature: <70 °C @Ta=25 °C 13) Recommended Replaced bulb : 75W HID		
	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs	
	US\$77.54	US\$73.85	US\$70.33	US\$66.98	
With UL External Driver	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs	
	US\$117.54	US\$113.85	US\$114.43	US\$111.65	
ECO-30W14S	1) Light Source: 480PCS 3528 LED / Epistar LED Chip 2) Luminous Flux: 3200LM 3) Rated Wattage: 32W 4) Base: E40 E39 E27 E26 5) Rated Voltage: 85-300VAC , 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) Beam Angle: 360°		8) Lifetime: 50,000Hours 9) Size: ϕ 3.5"7.9" 10) Net weight: 0.47KG 11) CE,ROHS approved 12) Body Temperature: <70 °C @Ta=25 °C 13) Recommended Replaced bulb : 100W HID		
	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs	
	US\$101.55	US\$96.71	US\$92.11	US\$87.72	
With UL External Driver	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs	
	US\$141.55	US\$136.71	US\$132.58	US\$128.93	
ECO-40W14S	1) Light Source: 620PCS 3528 LED / Epistar LED Chip 2) Luminous Flux: 4300LM 3) Rated Wattage: 43W 4) Base: E40 E39 E27 E26 5) Rated Voltage: 85-300VAC , 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) Beam Angle: 360°		8) Lifetime: 50,000Hours 9) Size: ϕ 3.5"9.4" 10) Net weight: 0.5KG 11) CE,ROHS approved 12) Body Temperature: <70 °C @Ta=25 °C 13) Recommended Replaced bulb : 150W HID		
	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs	
	US\$118.17	US\$112.54	US\$107.18	US\$102.08	
With UL External Driver	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs	
	US\$158.17	US\$152.54	US\$145.15	US\$140.90	
ECO-50W14S	1) Light Source: 760PCS 3528 LED / Epistar LED Chip 2) Luminous Flux: 5300LM 3) Rated Wattage: 54W 4) Base: E40 E39 E27 E26 5) Rated Voltage: 85-300VAC , 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) Beam Angle: 360°		8) Lifetime: 50,000Hours 9) Size: ϕ 3.5"10.2" 10) Net weight: 0.53KG 11) CE,ROHS approved 12) Body Temperature: <70 °C @Ta=25 °C 13) Recommended Replaced bulb : 175W HID		
	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs	
	US\$136.65	US\$130.14	US\$123.94	US\$118.04	
With UL External Driver	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs	
	US\$176.65	US\$170.14	US\$159.12	US\$154.20	
ECO-60W14S	1) Light Source: 900PCS 3528 LED / Epistar LED Chip 2) Luminous Flux: 6300LM 3) Rated Wattage: 65W 4) Base: E40 E39 E27 E26 5) Rated Voltage: 85-300VAC , 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) Beam Angle: 360°		8) Lifetime: 50,000Hours 9) Size: ϕ 3.5"10.2" 10) Net weight: 0.57 KG 11) CE,ROHS approved 12) Body Temperature: <70 °C @Ta=25 °C 13) Recommended Replaced bulb : 200W HID		
	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs	
	US\$162.48	US\$154.75	US\$147.38	US\$140.36	
With UL External Driver	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs	
	US\$202.48	US\$194.75	US\$178.65	US\$172.80	

ECO-80W14S	1) Light Source: 900PCS 2835 LED 2) Luminous Flux: 8300LM 3) Rated Wattage: 82W 4) Base: E40 E39 E27 E26 5) Rated Voltage: 85-300VAC, 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) Beam Angle: 360°		8) Lifetime: 50,000Hours 9) Size: ϕ 4.1" * 11.2" 10) Net weight: 0.61KG 11) CE, ROHS approved 12) Body Temperature: <70 °C @Ta=25 °C 13) Recommended Replaced bulb : 250W HID					
	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs				
	US\$221.55	US\$211.00	US\$200.95	US\$191.38				
With UL External Driver	1-49pcs		Price for 50-500PCS		Price for 501-1000pcs		Price for above 1000pcs	
	US\$261.55	US\$251.00	US\$240.95	US\$231.38				
ECO-90W14S	1) Light Source: 900PCS 2835 LED 2) Luminous Flux: 9300LM 3) Rated Wattage: 93W 4) Base: E40 E39 E27 E26 5) Rated Voltage: 85-300VAC, 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) Beam Angle: 360°		8) Lifetime: 50,000Hours 9) Size: ϕ 4.1" * 11.2" 10) Net weight: 0.65KG 11) CE, ROHS approved 12) Body Temperature: <70 °C @Ta=25 °C 13) Recommended Replaced bulb : 300W HID					
	1-49pcs	Price for 50-500PCS	Price for 501-1000pcs	Price for above 1000pcs				
	US\$246.97	US\$235.21	US\$224.01	US\$213.34				
With UL External Driver	1-49pcs		Price for 50-500PCS		Price for 501-1000pcs		Price for above 1000pcs	
	US\$286.97	US\$275.21	US\$264.01	US\$253.34				

Remark :

Freight is additional, quoted

Terms: prepaid


3 Year Warranty (50,000 hour life expectancy)

Lead time: 10 to 20 working days

Notice: Does not need ballast - remove the traditional ballast before installation

Could not be installed in the inside unventilated fitting ;







All the above LED lighting products comply with CE and RoHS certificates.



LED 360 Degree 80W to 250W Wholesale Prices

Item No.	Power	Picture	Specifications	Price	Qty	
ECO-GL-C250	250W		Power: 250W±10% Material: PBT+ Fan+AL CRI: >70Ra Socket Type: E40/E39 Voltage: AC100-300V Beam Angle: 360° Power factor: ≥0.90 Lift Time(hr): ≥35,000hrs	Luminous flux: 24500Lm±10% LED quantity: 714pcs 5630 Dimensions (mm): ϕ*L =128*365mm Operating temperature: -20 ~ +40°C Replacement: 720W CFL Color Temperature: 6000/4000/3000K ±10% External UL Driver - 5 Year Warranty	\$550.83	1-200
ECO-GL-C200	200W		Power: 200W±10% Material: PBT+ Fan+AL CRI: >70Ra Socket Type: E40/E39 Voltage: AC100-300V Beam Angle: 360° Power factor: ≥0.90 Lift Time(hr): ≥35,000hrs	Luminous flux: 20000Lm±10% LED quantity: 546pcs 5630 Dimensions (mm): ϕ*L =128*335mm Operating temperature: -20 ~ +40°C Replacement: 600W CFL Color Temperature: 6000/4000/3000K ±10% Internal Driver - 3 Year Warranty	\$402.78	1-200
ECO-GL-C150	150W		Power: 150W±10% Material: PBT+ Fan+AL CRI: >70Ra Socket Type: E40/E39 Voltage: AC100-300V Beam Angle: 360° Power factor: ≥0.90 Lift Time(hr): ≥35,000hrs	Luminous flux: 15000Lm±10% LED quantity: 378pcs 5630 Dimensions (mm): ϕ*L =128*315mm Operating temperature: -20 ~ +40°C Replacement: 450W CFL Color Temperature: 6000/4000/3000K ±10% Internal Driver - 3 Year Warranty	\$355.00	1-200
ECO-GL-C120	120W		Power: 120W±10% Material: PBT+ Fan+AL CRI: >70Ra Socket Type: E40/E39 Voltage: AC100-300V Beam Angle: 360° Power factor: ≥0.90 Lift Time(hr): ≥35,000hrs	Luminous flux: 12000Lm±10% LED quantity: 728pcs 2835 Dimensions (mm): ϕ*L =128*295mm Operating temperature: -20 ~ +40°C Replacement: 360W CFL Color Temperature: 6000/4000/3000K ±10% Internal Driver - 3 Year Warranty	\$331.66	1-200
ECO-GL-C100	100W		Power: 100W±10% Material: PBT+ Fan+AL CRI: >70Ra Socket Type: E40/E39 Voltage: AC100-300V Beam Angle: 360° Power factor: ≥0.90 Lift Time(hr): ≥35,000hrs	Luminous flux: 10000Lm±10% LED quantity: 618pcs 2835 Dimensions (mm): ϕ*L=106* 312 Operating temperature: -20 ~ +40°C Replacement: 300W CFL Color Temperature: 6000/4000/3000K ±10% Add \$5.00 for clear end cover Internal Driver - 3 Year Warranty	\$196.66 \$213.34	200-500 1-200
ECO-GL-C080	80W		Power: 80W±10% Material: PBT+ Fan+AL CRI: >70Ra Socket Type: E40/E39 Voltage: AC100-300V Beam Angle: 360° Power factor: ≥0.90 Lift Time(hr): ≥35,000hrs	Luminous flux: 8000Lm±10% LED quantity: 490pcs 2835 Dimensions (mm): ϕ*L=106* 281 Operating temperature: -20 ~ +40°C Replacement: 240W CFL Color Temperature: 6000/4000/3000K ±10% Add \$5.00 for clear end cover Internal Driver - 3 Year Warranty	\$150.00 \$160.00 \$173.60	500+ 200-500 1-200

LED 360 Degree Lamps - IP64 - Wholesale Prices

Item No.	Power	Picture	Specifications			Price	
ECO-BQ-C120A	120W		Power:	120W±10%	Luminous flux:	12000Lm±10%	\$322.67
			Material:	PC+ Al	LED quantity:	336pcs 5630	
			CRI:	>70Ra	Dimensions (mm):	∅*L=120*365mm	
			Socket Type:	E40/E39	Operating temperature:	-20 ~ +40℃	
			Voltage:	AC100-300V	UL External Driver		
			Beam Angle:	360°	Color Temperature(1):	6000K±10%	
			Power factor:	≥0.90	Color Temperature(2):	4000K±10%	
			Lift Time(hr):	≥35,000hrs	Color Temperature(3):	3000K±10%	
ECO-BQ-C100A	100W		Power:	100W±10%	Luminous flux:	10000Lm±10%	\$292.50
			Material:	PC+ Al	LED quantity:	300pcs 5630	
			CRI:	>70Ra	Dimensions (mm):	∅*L=120*330mm	
			Socket Type:	E40/E39	Operating temperature:	-20 ~ +40℃	
			Voltage:	AC100-300V	UL External Driver		
			Beam Angle:	360°	Color Temperature(1):	6000K±10%	
			Power factor:	≥0.90	Color Temperature(2):	4000K±10%	
			Lift Time(hr):	≥35,000hrs	Color Temperature(3):	3000K±10%	
ECO-BQ-C080A	80W		Power:	80W±10%	Luminous flux:	8000Lm±10%	\$276.33
			Material:	PC+ Al	LED quantity:	240pcs 5630	
			CRI:	>70Ra	Dimensions (mm):	∅*L=120*295mm	
			Socket Type:	E40/E39	Operating temperature:	-20 ~ +40℃	
			Voltage:	AC100-300V	UL External Driver		
			Beam Angle:	360°	Color Temperature(1):	6000K±10%	
			Power factor:	≥0.90	Color Temperature(2):	4000K±10%	
			Lift Time(hr):	≥35,000hrs	Color Temperature(3):	3000K±10%	
ECO-BQ-C060A	60W		Power:	60W±10%	Luminous flux:	6000Lm±10%	\$159.17
			Material:	PC+ Al	LED quantity:	144pcs 5630	
			CRI:	>70Ra	Dimensions (mm):	∅*L=94*278	
			Socket Type:	E40/E39/E27/E26	Operating temperature:	-20 ~ +40℃	
			Voltage:	AC100-300V	UL External Driver		
			Beam Angle:	360°	Color Temperature(1):	6000K±10%	
			Power factor:	≥0.90	Color Temperature(2):	4000K±10%	
			Lift Time(hr):	≥35,000hrs	Color Temperature(3):	3000K±10%	
ECO-BQ-C040A	40W		Power:	40W±10%	Luminous flux:	4000Lm±10%	\$131.67
			Material:	PC+Al	LED quantity:	96pcs 5630	
			CRI:	>70Ra	Dimensions (mm):	∅*L=94*248	
			Socket Type:	E40/E39/E27/E26	Operating temperature:	-20 ~ +40℃	
			Voltage:	AC100-300V	UL External Driver		
			Beam Angle:	360°	Color Temperature(1):	6000K±10%	
			Power factor:	≥0.90	Color Temperature(2):	4000K±10%	
			Lift Time(hr):	≥35,000hrs	Color Temperature(3):	3000K±10%	
ECO-BQ-C030A	30W		Power:	30W±10%	Luminous flux:	3100Lm±10%	\$110.50
			Material:	PC+Al	LED quantity:	72pcs 5630	
			CRI:	>70Ra	Dimensions (mm):	∅*L=94*218	
			Socket Type:	E40/E39/E27/E26	Operating temperature:	-20 ~ +40℃	
			Voltage:	AC100-300V	UL External Driver		
			Beam Angle:	360°	Color Temperature(1):	6000K±10%	
			Power factor:	≥0.90	Color Temperature(2):	4000K±10%	
			Lift Time(hr):	≥35,000hrs	Color Temperature(3):	3000K±10%	

1. Freight is additional
2. Terms: prepaid by credit card, check or wire transfer
3. 3 Year Warranty
4. Notice: Pls remove the traditional ballast before installation
5. Air space required equal to 2 x lamp size for longest life

LED 360 Degree High Output Low Profile Lamps

Specifications and Wholesale Prices

Full product name	Description				Picture
ECO-27W-360-SQ	1) Light Source: 430PCS 3528 SMD LED 2) Luminous Flux: 2700LM±10% 3) Epistar LED Chip(90~100Lm/LED) 4) Rated Wattage: 27W±10% 5)Base: E26 (Medium) or E39 (Mogul) 6) Rated Voltage: 100~300VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)		8) Beam Angle: 360 ° 9) Lifetime: 50,000Hours 10) Size: Dia 5.0" x L 7.1" 11) Net weight: 275g /PCS 12) CE . ROHS approved 13) Body Temperature: < 70° 14)24VDC for solar power system is available 15) Recommended replace up to 125W HID		
	Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	
	\$84.00	\$79.00	\$74.40	\$70.04	
ECO-33W-360-SQ	1) Light Source: 510PCS 3528 SMD LED 2) Luminous Flux: 3600LM±10% 3) Epistar LED Chip(90~100Lm/LED) 4) Rated Wattage: 33W±10% 5)Base: E26 (Medium) or E39 (Mogul) 6) Rated Voltage: 100~300VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)		8) Beam Angle: 360 ° 9) Lifetime: 50,000Hours 10) Size: Dia 5.0" x L 7.1" 11) Net weight: 0.44KG /PCS 12) CE . ROHS approved 13) Body Temperature: < 70° 14)24VDC for solar power system is available 15) Recommended replace up to 150W HID		
	Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	
	\$117.00	\$112.20	\$107.00	\$102.40	
ECO-43W-360-SQ	1) Light Source: 430PCS 2833 SMD LED 2) Luminous Flux: 4400LM±10% 3) Epistar LED Chip(90~100Lm/LED) 4) Rated Wattage: 43W±5% 5)Base: E26 (Medium) or E39 (Mogul) 6) Rated Voltage: 100~300VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)		8) Beam Angle: 360 ° 9) Lifetime: 50,000Hours 10) Size: Dia 5.0" x L 7.1" 11) Net weight: 275g /PCS 12) CE . ROHS approved 13) Body Temperature: < 70° 14)24VDC for solar power system is available 15) Recommended replace up to 175W HID		
	Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	
	\$130.60	\$125.20	\$120.20	\$117.20	
ECO-55W-360-SQ	1) Light Source: 510PCS 2833 SMD LED 2) Luminous Flux: 5500LM±10% 3) Epistar LED Chip(90~100Lm/LED) 4) Rated Wattage: 55W±5% 5)Base: E26 (Medium) or E39 (Mogul) 6) Rated Voltage: 100~300VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)		8) Beam Angle: 360 ° 9) Lifetime: 50,000Hours 10) Size: Dia 5.0" x L 7.1" 11) Net weight: 275g /PCS 12) CE . ROHS approved 13) Body Temperature: < 70° 14)24VDC for solar power system is available 15) Recommended replace up to 250W HID		
	Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	
	\$156.40	\$152.20	\$148.52	\$144.60	
ECO-63W-360-SQ	1) Light Source: 510PCS 2833 SMD LED 2) Luminous Flux: 6300LM±10% 3) Epistar LED Chip(90~100Lm/LED) 4) Rated Wattage: 63W±5% 5)Base: E26 (Medium) or E39 (Mogul) 6) Rated Voltage: 100~300VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)		8) Beam Angle: 360 ° 9) Lifetime: 50,000Hours 10) Size: Dia 5.0" x L 7.1" 11) Net weight: 275g /PCS 12) CE . ROHS approved 13) Body Temperature: < 70° 14)24VDC for solar power system is available 15) Recommended replace up to 350W HID		
	Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	
	\$165.00	\$160.46	\$157.80	\$152.60	

Notes:

3 Year Warranty

Power Factor is 0.95

LED 120 Degree Beam Angle "Side Light" Screw-Based High Output Street Lamp / Wall Pack Light Bulbs

Picture	 	 	 	 	 
Daylight (5,000-Neutral (4,000-Warm(3,000-3,500K)	ECO-120-SL30W-DC ECO-120-SL30W-NC ECO-120-SL30W-SC	ECO-120-SL40W-DC ECO-120-SL40W-NC ECO-120-SL40W-SC	ECO-120-SL50W-DC ECO-120-SL50W-NC ECO-120-SL50W-SC	ECO-120-SL60W-DC ECO-120-SL60W-NC ECO-120-SL60W-SC	ECO-120-SL80W-DC ECO-120-SL80W-NC ECO-120-SL80W-SC
Size	3.5" (ø) x 8.4" (L)	3.5" base (ø) x 8.4" (L) (overall) 4.2" (W) x 6.0" (L) (LEDs)	3.5" base (ø) x 10.1" (L) (overall) 5.4" (W) x 7.9" (L) (LEDs)	3.5" base (ø) x 10.1" (L) (overall) 5.4" (W) x 7.9" (L) (LEDs)	3.5" (ø) x 12.6" (L)
LED	CREE XPE; 23pcs	CREE XPE LED; 30pcs	CREE XPE LED; 35pcs	CREE XPE; 40pcs	CREE XPC LED; 60pcs
Power Consumption	30w	40w	50w	60w	80w (UL External driver)
Replacements	HPS & MH 150W	HPS & MH 175W	HPS & MH 175W	HPS & MH 250W	HPS & MH 250W, 400W
Voltage	AC100-305V	AC100-305V	AC100-305V	AC100-305V	AC90-305V
Option for Solar	12Vdc; 24Vdc	12Vdc; 24Vdc	12Vdc; 24Vdc	12Vdc; 24Vdc	12Vdc; 24Vdc
Amperage	700A	750mA	750mA	1.0A	1.3A
PF	>0.95	>0.95	>0.95	>0.95	>0.95
Power Efficiency	>90%	>90%	>90%	>90%	>90%
HD	<20%	<20%	<20%	<20%	<20%
LM (Daylight)	2000-2500 lm	3000-3500 lm	3500-4000 lm	5000-5500 lm	6500-7000 lm
Base	E39/ E40	E39/ E40	E39/ E40	E39/ E40	E39/ E40
IP Rating	IP33	IP33	IP33	IP33	IP33
Net. Weight	0.75kg	0.75kg	1.35kg	0.87kg	1.25kg
Material	Pure Aluminum + PC	Pure Aluminum + PC Lens	Pure Aluminum + PC Lens	Pure Aluminum + PC Lens	Pure Aluminum + PC Lens
Life Time	≥ 50,000Hrs	≥ 50,000Hrs	≥ 50,000Hrs	≥ 50,000Hrs	≥ 50,000Hrs
Warranty	3 Years	3 Years	3 Years	3 Years	3 Years
Certificates	CE, ROHS	CE, ROHS	CE, ROHS	CE, ROHS	CE, ROHS
<20	US\$125.00	US\$166.67	US\$176.67	US\$216.67	US\$350.00
20-100pcs	US\$116.67	US\$158.33	US\$168.33	US\$200.00	US\$333.33
101-500pcs	US\$108.33	US\$153.33	US\$163.33	US\$183.33	US\$308.33
501-1000pcs	US\$103.33	US\$150.00	US\$155.00	US\$166.67	US\$292.92
>1000pcs	US\$96.67	US\$143.33	US\$146.67	US\$158.33	US\$278.27

LED High Output 160 Degree "Wide" Screw-Based Lamps

Wholesale Prices and Specifications



Wholesale Price	\$190	\$210	\$252
Model No.	ECO-STW-50	ECO-STW-60	ECO-STW-80
Power	50W	60W	80W
Light Source Power	45*1W	54*1W	72*1W
Equal to HID	200W	250W	320W
Net Weight	1.5KG	1.5KG	1.5KG
Specifications	10.8" L x 5.9" W	10.8" L x 5.9" W	10.8" L x 5.9" W
Interface	E39/E40/E27	E39/E40/E27	E39/E40/E27
Light Source Lumious Flux	4250LM	5100LM	6800LM
Light Angle	Horizontal:160degree Vertical: 160degree	Horizontal:160degree Vertical: 160degree	Horizontal:160degree Vertical: 160degree
Color temperature	Warm white 2800K-4500K Pure white 5000-6000K, Cold white: 6500-8000k		
Input Voltage	AC85V-265V, or 90 to 277V (5pc minimum)		
Input Frequency	50 to 60HZ		
Driving Power Factor	>0.90		
Driving Power Transformation Efficiency	>85%		
Luminous Decay	(within 1000hs) <3%		
CRI	>80		
Life Span	>50000hs, 3 Year Warranty		
Working Temperature Scope	From -30 to 50C		
Radiation Range	6M : 10Mx20M	6M : 10Mx20M	6M : 10Mx20M
	8M : 20Mx40M	8M : 20Mx40M	8M : 20Mx40M
Illuminance	6M : >56LUX	6M : >62LUX	6M : >70LUX
	8M : >21LUX	8M : >40LUX	8M : >38LUX





High Power LED Side Light - Screw Base with Remote Driver





Picture	Emitting Color	Model	Description	Qty(pcs)	3 Year Warr.	5 Year Warr.
	Daylight White	ECO-G-L90Dxx-X	Watt: 90W LED Qty: CREE XTE 32pcs (CRI:75-80) Lumen: 7000-7500 lm Voltage: AC100-277V	Samples <20pcs	\$253.33	\$298.83
	Nuetral White	ECO-G-L90Nxx--X	UL Listed External Power Supply Base: E40/E39/E26/E27 E39 Size: 6" Dia. x 10" L	20-500	\$245.00	\$287.83
	Warm White	ECO-G-L90Sxx--X	E26 Size: 6" Dia. x 9.4" L CCT: 3000-6000K Beam Angle: 15°/25°/45°/60°/120° (Clear Dome Lens)	501-1000	\$236.67	\$278.67
	Daylight White	ECO-G-L90Dxx-X	Watt: 90W LED Qty: CREE XTE 32pcs (CRI:75-80) Lumen: 7000-7500 lm Voltage: AC100-305V	Samples <20pcs	\$271.67	\$298.83
	Nuetral White	ECO-G-L90Nxx--X	UL Listed External Power Supply Base: E40/E39/E26/E27 E39 Size: 6" Dia. x 10" L	20-500	\$261.67	\$287.83
	Warm White	ECO-G-L90Sxx--X	E26 Size: 6" Dia. x 9.4" L CCT: 3000-6000K Beam Angle: 15°/25°/45°/60°/120° (Clear Dome Lens)	501-1000	\$253.33	\$278.67
	Daylight White	ECO-G-L120Dxx-X	Watt: 120W LED Qty: CREE XTE 48pcs (CRI:75-80) Lumen: 9000-10000 lm Voltage: AC100-277V	Samples <20pcs	\$300.00	\$348.33
	Nuetral White	ECO-G-L120Nxx--X	UL Listed External Power Supply Base: E40/E39/E26/E27 E39 Size: 6" Dia. x 10" L	20-500	\$291.67	\$339.17
	Warm White	ECO-G-L120Sxx--X	E26 Size: 6" Dia. x 9.4" L CCT: 3000-6000K Beam Angle: 15°/25°/45°/60°/120° (Clear Dome Lens)	501-1000	\$283.33	\$330.00
	Daylight White	ECO-G-L120Dxx-X	Watt: 120W LED Qty: CREE XTE 48pcs (CRI:75-80) Lumen: 9000-10000 lm Voltage: AC100-305V	Samples <20pcs	\$316.67	\$348.33
	Nuetral White	ECO-G-L120Nxx--X	UL Listed External Power Supply Base: E40/E39/E26/E27 E39 Size: 6" Dia. x 10" L	20-500	\$308.33	\$339.17
	Warm White	ECO-G-L120Sxx--X	E26 Size: 6" Dia. x 9.4" L CCT: 3000-6000K Beam Angle: 15°/25°/45°/60°/120° (Clear Dome Lens)	501-1000	\$300.00	\$330.00
	Daylight White	ECO-G-L150Dxx-X	Watt: 150W LED Qty: CREE XTE 64pcs (CRI:75-80) Lumen: 12000-13000 lm Voltage: AC100-277V	Samples <20pcs	\$391.67	\$449.17
	Nuetral White	ECO-G-L150Nxx--X	UL Listed External Power Supply Base: E40/E39/E26/E27 E39 Size: 6" Dia. x 10" L	20-500	\$383.33	\$440.00
	Warm White	ECO-G-L150Sxx--X	E26 Size: 6" Dia. x 9.4" L CCT: 3000-6000K Beam Angle: 15°/25°/45°/60°/120° (Clear Dome Lens)	501-1000	\$375.00	\$430.83
	Daylight White	ECO-G-L150Dxx-X	Watt: 150W LED Qty: CREE XTE 64pcs (CRI:75-80) Lumen: 12000-13000 lm Voltage: AC100-305V	Samples <20pcs	\$408.33	\$449.17
	Nuetral White	ECO-G-L150Nxx--X	UL Listed External Power Supply Base: E40/E39/E26/E27 E39 Size: 6" Dia. x 10" L	20-500	\$400.00	\$440.00
	Warm White	ECO-G-L150Sxx--X	E26 Size: 6" Dia. x 9.4" L CCT: 3000-6000K Beam Angle: 15°/25°/45°/60°/120° (Clear Dome Lens)	501-1000	\$391.67	\$430.83
	Daylight White	ECO-G-L200Dxx-X	Watt: 200W LED Qty: CREE XTE 72pcs (CRI:75-80) Lumen: 17000-18000 lm Voltage: AC100-277V	Samples <20pcs	\$513.33	\$586.67
	Nuetral White	ECO-G-L200Nxx--X	UL Listed External Power Supply Base: E40/E39/E26/E27 E39 Size: 6" Dia. x 10" L	20-500	\$505.00	\$577.50
	Warm White	ECO-G-L200Sxx--X	E26 Size: 6" Dia. x 9.4" L CCT: 3000-6000K Beam Angle: 15°/25°/45°/60°/120° (Clear Dome Lens)	501-1000	\$496.67	\$568.33
	Daylight White	ECO-G-L200Dxx-X	Watt: 200W LED Qty: CREE XTE 72pcs (CRI:75-80) Lumen: 17000-18000 lm Voltage: AC100-305V	Samples <20pcs	\$533.33	\$586.67
	Nuetral White	ECO-G-L200Nxx--X	UL Listed External Power Supply Base: E40/E39/E26/E27 E39 Size: 6" Dia. x 10" L	20-500	\$525.00	\$577.50
	Warm White	ECO-G-L200Sxx--X	E26 Size: 6" Dia. x 9.4" L CCT: 3000-6000K Beam Angle: 15°/25°/45°/60°/120° (Clear Dome Lens)	501-1000	\$516.67	\$568.33

Remarks:
 Freight is additional
 Operating temperature: -40F to 125F
 Lead time: 7-10 working days for samples; quoted for large quantities
 Quotation is valid till to notice from us.
 480V option available for 90 and 120W models only: \$45.00 adder





LED High Output 360 Degree and PAR Screw Based Lamps - UL Listed

Quotation and Specification for Street Lamps / High & Low Bay Bulbs / Gas Station Lamps												
Picture												
Daylight (5,000-5,500K)	G120-S65DXT			G120-S60DX			G80-S45DX			G80-S35DX		
Neutral white (4,000-4,500K)	G120-S65NXT			G120-S60NX			G80-S45NX			G80-S35NX		
Soft Warm (3,000-3,500K)	G120-S65SXT			G120-S60DSX			G80-S45SX			G80-S35SX		
Size	122.26 (ϕ) x 260 (L) mm			122.26 (ϕ) x 234.40 (L) mm			80 (ϕ) x 243.8 (L) mm			80 (ϕ) x 233.8 (L) mm		
Power	65w			60w			45w			35w		
Replacements	HPS & MH 250W-400W			HPS & MH 250W, 400W			HPS & MH 175W			HPS & MH 175W		
Voltage	AC100-305V			AC100-305V			AC100-305V			AC100-305V		
Beam Angle												
Amperage	900mA/ 470mA			700mA/ 450mA			710mA			350mA		
Power Factor	>0.95			>0.95			>0.95			>0.95		
Power Efficiency	>90%			>90%			>90%			>90%		
HD	<20%			<20%			<20%			<20%		
Luminous Flux	5500-6000 lm			4600-4800lm			3500-3800lm			3000-3300lm		
Base	E26 / E39			E26 / E39			E26 / E39			E26 / E39		
IP Rating	IP33			IP33			IP33			IP33		
Net. Weight	0.91			0.87kg			0.65kg			0.6kg		
Material	Pure Aluminum + PC lens			Pure Aluminum + PC Lens			Pure Aluminum + PC Lens			Pure Aluminum + PC Lens		
Warranty	3 Years			3 Years			3 Years			3 Years		
Certificates	CE, ROHS, FCC, UL, cUL			CE, ROHS, FCC, UL, cUL, GS, TUV(No. 50171381)			CE, ROHS, LM79, UL, cUL			CE, ROHS, LM79, UL, cUL		
LED	CREE	Nichia		CREE	Nichia		Samsung	LG		Samsung	LG	
<20	\$308.33	\$275.00		\$276.67	\$251.67		\$131.67	\$115.00		\$118.33	\$103.33	
20-100pcs	\$291.67	\$258.33		\$263.33	\$238.33		\$121.67	\$98.33		\$106.67	\$91.67	
101-500pcs	\$283.33	\$250.00		\$258.33	\$233.33		\$118.33	\$95.00		\$100.00	\$85.00	
501-1000pcs	\$280.00	\$246.67		\$250.00	\$225.00		\$115.00	\$91.67		\$96.67	\$81.67	
>1000pcs	\$275.00	\$241.67		\$241.67	\$216.67		\$101.67	\$90.00		\$93.33	\$78.33	

Quotation and Specification for Street Lamps / High & Low Bay Bulbs / Gas Station Lamps												
Picture												
Daylight (5,000-5,500K)	PAR38-L33DCX-X			PAR38-L33DCX-X			PAR38-L45DCX-X			PAR38-L45DCX-X		
Neutral white (4,000-4,500K)	PAR38-L33NCX-X			PAR38-L33NCX-X			PAR38-L45NCX-X			PAR38-L45NCX-X		
Soft Warm (3,000-3,500K)	PAR38-L33SCX-X			PAR38-L33SCX-X			PAR38-L45SCX-X			PAR38-L45SCX-X		
Size	121 (ϕ) x 182 (L) mm			121 (ϕ) x 198 (L) mm			121 (ϕ) x 182 (L) mm			121 (ϕ) x 198 (L) mm		
Power	33w			33w			45w			45w		
Replacements	HPS & MH 100W-175W			HPS & MH 100W-175W			HPS & MH 175W-250W			HPS & MH 175W-250W		
Voltage	AC100-305V			AC100-305V			AC100-305V			AC100-305V		
Beam Angle	25/45/60 degree			Milky/ Clear Dome Len			25/45/60 degree			Milky/ Clear Dome Len		
Amperage	530mA			530mA			710mA			710mA		
Power Factor	>0.95			>0.95			>0.95			>0.95		
Power Efficiency	>90%			>90%			>90%			>90%		
HD	<20%			<20%			<20%			<20%		
LM (Daylight)	2500-2900 lm			2500-2900 lm			3500-4000 lm			3500-4000 lm		
Base	E26/ E26 / E39			E26/ E26 / E39			E26/ E26 / E39			E26/ E26 / E39		
IP Rating	IP33			IP33			IP33			IP33		
Net. Weight	1.05kg			1.05kg			1.05kg			1.05kg		
Material	Pure Aluminum + PC lens			Pure Aluminum + PC lens			Pure Aluminum + PC lens			Pure Aluminum + PC lens		
Warranty	3 Years			3 Years			3 Years			3 Years		
Certificates	FCC, UL, cUL			FCC, UL, cUL			FCC, UL, cUL			FCC, UL, cUL		
EXW \$	CREE	APT		CREE	APT	Nichia	CREE	APT		CREE	APT	Nichia
<20	\$125.00	\$113.33		\$125.00	\$113.33	\$120.00	\$175.00	\$141.67		\$175.00	\$141.67	\$163.33
20-100pcs	\$120.00	\$108.33		\$120.00	\$108.33	\$115.00	\$163.33	\$136.67		\$163.33	\$136.67	\$151.67
101-500pcs	\$115.00	\$103.33		\$115.00	\$103.33	\$110.00	\$156.67	\$131.67		\$156.67	\$131.67	\$145.00
501-1000pcs	\$111.67	\$100.00		\$111.67	\$100.00	\$106.67	\$153.33	\$128.33		\$153.33	\$128.33	\$141.67
>1000pcs	\$108.33	\$96.67		\$108.33	\$96.67	\$103.33	\$150.00	\$125.00		\$150.00	\$125.00	\$138.33

Quotation and Specification for Street Lamps / High & Low Bay Bulbs / Gas Station Lamps

Picture				
Daylight (5,000-5,500K)	PAR38-L60DCX-X	PAR38-L60DN90-X		
Neutral white (4,000-4,500K)	PAR38-L60NCX-X	PAR38-L60NN90-X		
Soft Warm (3,000-3,500K)	PAR38-L60SCX-X	PAR38-L60SN90-X		
Size	121 (ϕ) x 182 (L) mm	121 (ϕ) x 198 (L) mm		
Power	60w	60w		
Replacements	HPS & MH 250W-400W	HPS & MH 250W-400W		
Voltage	AC100-305V	AC100-305V		
Beam Angle	25/45/60 degree	Milky/ Clear Dome Len		
Amperage	600mA	480mA		
Power Factor	>0.95	>0.95		
Power Efficiency	>90%	>90%		
HD	<20%	<20%		
LM (Daylight)	5000-5500 lm	5000-5500 lm		
Base	E26/ E26 / E39	E26/ E26 / E39		
IP Rating	IP33	IP33		
Net. Weight	1.05kg	1.05kg		
Material	Pure Aluminum + PC lens	Pure Aluminum + PC lens		
Warranty	3 Years	3 Years		
Certificates	FCC, UL, cUL	FCC, UL, cUL		
	CREE XTE	CREE	Nichia	
<20	\$200.00	\$200.00	\$186.67	
20-100pcs	\$191.67	\$191.67	\$178.33	
101-500pcs	\$188.33	\$188.33	\$175.00	
501-1000pcs	\$185.00	\$185.00	\$171.67	
>1000pcs	\$180.00	\$180.00	\$166.67	

3 year warranty, internal power supply








PAR48 LED Light - 45W and 60W Models are Dimmable						
Picture	Emitting Color	Model	Description	Packing	Qty(pcs)	Wholesale Price
	Daylight White	PAR48-L45Dxx-X	Watt: 45W LED Qty: CREE U.S. Made XPE 32pcs Lumen: 3500-4000 lm Voltage: AC90-305V UL Listed Dimmable External Power Supply	10pcs / CTN / 330*300*760mm	Samples <20pcs	\$198.33
	Nuetral White	PAR48-L45Nxx--X	Three in one dimming function (1-10Vdc or PWM Signal or resistance) Base: E40/E39/E26/E27		20-500	\$193.33
	Warm White	PAR48-L45Sxx--X	E39 Size: 152 (φ) x 299(L) mm E26 Size: 152 (φ) x 213(L) mm CCT: 3000-6000K Beam Angle: 15°/25°/45°/60°/120 degree		501-1000	\$185.00
					>1000	\$178.33
	Daylight White	PAR48-L60Dxx-X	Watt: 60W LED Qty: CREE U.S. Made XTE 32pcs Lumen: 5000-5500 lm Voltage: AC90-305V UL Listed Dimmable External Power Supply	10pcs / CTN / 330*300*760mm	Samples <20pcs	\$220.00
	Nuetral White	PAR48-L60Nxx--X	Three in one dimming function (1-10Vdc or PWM Signal or resistance) Base: E40/E39/E26/E27		20-500	\$215.00
	Warm White	PAR48-L60Sxx--X	E39 Size: 152 (φ) x 299(L) mm E26 Size: 152 (φ) x 213(L) mm CCT: 3000-6000K Beam Angle: 15°/25°/45°/60°/120 degree		501-1000	\$206.67
					>1000	\$200.00
	Daylight White	PAR48-L90Dxx-X	Watt: 90W LED Qty: CREE U.S. Made XTE 32pcs Lumen: 7000-7500 lm Voltage: AC100-277V UL Listed External Power Supply	10pcs / CTN / 330*300*760mm	Samples <20pcs	\$253.33
	Nuetral White	PAR48-L90Nxx--X	Base: E40/E39/E26/E27 E39 Size: 152 (φ) x 299(L) mm E26 Size: 152 (φ) x 213(L) mm CCT: 3000-6000K		20-500	\$245.00
	Warm White	PAR48-L90Sxx--X	Beam Angle: 15°/25°/45°/60°/120 degree		501-1000	\$236.67
					>1000	\$228.33
	Daylight White	PAR48-L90Dxx-X	Watt: 90W LED Qty: CREE U.S. Made XTE 32pcs Lumen: 7000-7500 lm Voltage: AC100-305V UL Listed External Power Supply	10pcs / CTN / 330*300*760mm	Samples <20pcs	\$271.67
	Nuetral White	PAR48-L90Nxx--X	Base: E40/E39/E26/E27 E39 Size: 152 (φ) x 299(L) mm E26 Size: 152 (φ) x 213(L) mm CCT: 3000-6000K		20-500	\$261.67
	Warm White	PAR48-L90Sxx--X	Beam Angle: 15°/25°/45°/60°/120 degree		501-1000	\$253.33
					>1000	\$245.00
	Daylight White	PAR48-L120Dxx-X	Watt: 120W LED Qty: CREE U.S. Made XTE 48pcs Lumen: 9000-10000 lm Voltage: AC100-277V UL Listed External Power Supply	10pcs / CTN / 330*300*760mm	Samples <20pcs	\$300.00
	Nuetral White	PAR48-L120Nxx--X	Base: E40/E39/E26/E27 E39 Size: 152 (φ) x 299(L) mm E26 Size: 152 (φ) x 213(L) mm CCT: 3000-6000K		20-500	\$291.67
	Warm White	PAR48-L120Sxx--X	Beam Angle: 15°/25°/45°/60°/120 degree		501-1000	\$283.33
					>1000	\$275.00
	Daylight White	PAR48-L120Dxx-X	Watt: 120W LED Qty: CREE U.S. Made XTE 48pcs Lumen: 9000-10000 lm Voltage: AC100-305V UL Listed External Power Supply	10pcs / CTN / 330*300*760mm	Samples <20pcs	\$316.67
	Nuetral White	PAR48-L120Nxx--X	Base: E40/E39/E26/E27 E39 Size: 152 (φ) x 299(L) mm E26 Size: 152 (φ) x 213(L) mm CCT: 3000-6000K		20-500	\$308.33
	Warm White	PAR48-L120Sxx--X	Beam Angle: 15°/25°/45°/60°/120 degree		501-1000	\$300.00
					>1000	\$291.67
	Daylight White	PAR48-L150Dxx-X	Watt: 150W LED Qty: CREE U.S. Made XTE 64pcs Lumen: 12000-13000 lm Voltage: AC100-277V UL Listed External Power Supply	10pcs / CTN / 330*300*760mm	Samples <20pcs	\$391.67
	Nuetral White	PAR48-L150Nxx--X	Base: E40/E39/E26/E27 E39 Size: 152 (φ) x 299(L) mm E26 Size: 152 (φ) x 213(L) mm CCT: 3000-6000K		20-500	\$383.33
	Warm White	PAR48-L150Sxx--X	Beam Angle: 15°/25°/45°/60°/120 degree		501-1000	\$375.00
					>1000	\$366.67
	Daylight White	PAR48-L150Dxx-X	Watt: 150W LED Qty: CREE U.S. Made XTE 64pcs Lumen: 12000-13000 lm Voltage: AC100-305V UL Listed External Power Supply	10pcs / CTN / 330*300*760mm	Samples <20pcs	\$408.33
	Nuetral White	PAR48-L150Nxx--X	Base: E40/E39/E26/E27 Size: 152 (φ) x 299/197.8 (L) mm CCT: 3000-6000K		20-500	\$400.00
	Warm White	PAR48-L150Sxx--X	Beam Angle: 15°/25°/45°/60°/120 degree		501-1000	\$391.67
					>1000	\$383.33
	Daylight White	PAR48-L200Dxx-X	Watt: 200W LED Qty: CREE U.S. Made XTE 72pcs Lumen: 17000-18000 lm Voltage: AC100-277V UL Listed External Power Supply	10pcs / CTN / 330*300*760mm	Samples <20pcs	\$513.33
	Nuetral White	PAR48-L200Nxx--X	Base: E40/E39/E26/E27 E39 Size: 152 (φ) x 299(L) mm E26 Size: 152 (φ) x 213(L) mm Weight: 1.20kg CCT: 3000-6000K		20-500	\$505.00
	Warm White	PAR48-L200Sxx--X	Beam Angle: 15°/25°/45°/60°/120 degree		501-1000	\$496.67
					>1000	\$488.33
	Daylight White	PAR48-L200Dxx-X	Watt: 200W LED Qty: CREE U.S. Made XTE 72pcs Lumen: 17000-18000 lm Voltage: AC100-305V UL Listed External Power Supply	10pcs / CTN / 330*300*760mm	Samples <20pcs	\$533.33
	Nuetral White	PAR48-L200Nxx--X	Base: E40/E39/E26/E27 E39 Size: 152 (φ) x 299(L) mm E26 Size: 152 (φ) x 213(L) mm Weight: 1.20kg CCT: 3000-6000K		20-500	\$525.00
	Warm White	PAR48-L200Sxx--X	Beam Angle: 15°/25°/45°/60°/120 degree		501-1000	\$516.67
					>1000	\$508.33

3 Year Warranty, 75 to 80 CRI

Freight is additional

Distributed by: Eco-Smart, Inc. (888)329-2705 ph / (941)377-9460 fx / info@eco-smart.com

LED High Output Screw Based Lights (For DownLight / HighBay Applications)

Model No.	Specification		Unit price (\$)
 <p>RoHS CE</p>	Power(W) : 60W	PF: >0.98	US\$106.20
	LED Brand : CREE	Beam angle: 60°/80°/100°/120°/140°/160°	
	Lumen: >6000lm	Lamp dimension(MM): 9.8" x 11.7"	
	CRI (Ra): >80	IP Rating: IP67	
	CCT: 2700-9000K	Lamp base: E39/E40/hook	
	Power supply : Meanwell UL	Material: Fins aluminum	
	Voltage: AC85-330V,50-60Hz	Warranty time: 5 years	
 <p>RoHS CE</p>	Power(W) : 80W	PF: >0.98	US\$143.80
	LED Brand : CREE-XML	Beam angle: 60°/80°/100°/120°/140°/160°	
	Lumen: >8000lm	Lamp dimension(MM): 9.8" x 11.7"	
	CRI (Ra): >80	IP Rating: IP67	
	CCT: 2700-9000K	Lamp base : E39/E40/hook	
	Power supply : Meanwell UL	Material: Fins aluminum	
	Voltage: AC85-330V,50-60Hz	Warranty time: 5 years	
 <p>RoHS CE</p>	Power(W) : 100W	PF: >0.98	US\$189.60
	LED Brand : CREE-XML	Beam angle: 60°/80°/100°/120°/140°/160°	
	Lumen: >10000lm	Lamp dimension(MM): 9.8" x 11.7"	
	CRI (Ra): >80	IP Rating: IP67	
	CCT: 2700-9000K	Lamp base : E39/E40/hook	
	Power supply : Meanwell UL	Material: Fins aluminum	
	Voltage: AC85-330V,50-60Hz	Warranty time: 5 years	
 <p>RoHS CE</p>	Power(W) : 120W	PF: >0.98	US\$217.60
	LED Brand : CREE-XML	Beam angle: 60°/80°/100°/120°/140°/160°	
	Lumen: >12000lm	Lamp dimension(MM): 9.8" x 11.7"	
	CRI (Ra): >80	IP Rating: IP67	
	CCT: 2700-9000K	Lamp base : E39/E40/hook	
	Power supply : Meanwell UL	Material: Fins aluminum	
	Voltage: AC85-330V,50-60Hz	Warranty time: 5 years	
 <p>RoHS CE</p>	Power(W) : 150W	PF: >0.98	US\$271.00
	LED Brand : CREE-XML	Beam angle: 60°/80°/100°/120°/140°/160°	
	Lumen: >15000lm	Lamp dimension(MM): 9.8" x 11.7"	
	CRI (Ra): >80	IP Rating: IP67	
	CCT: 2700-9000K	Lamp base ; E39/E40/hook	
	Power supply : Meanwell UL	Material: Fins aluminum	
	Voltage: AC85-330V,50-60Hz	Warranty time: 5 years	
 <p>RoHS CE</p>	Power(W) : 200W	PF: >0.98	US\$366.60
	LED Brand : CREE-XML	Beam angle: 60°/80°/100°/120°/140°/160°	
	Lumen: >20000lm	Lamp dimension(MM): 13.8" x 16.3"	
	CRI (Ra): >80	IP Rating: IP67	
	CCT: 2700-9000K	Lamp base : E39/E40/hook	
	Power supply : Meanwell UL	Material: Fins aluminum	
	Voltage: AC85-330V,50-60Hz	Warranty time: 5 years	
 <p>RoHS CE</p>	Power(W) : 250W	PF: >0.98	US\$439.80
	LED Brand : CREE-XML	Beam angle: 60°/80°/100°/120°/140°/160°	
	Lumen: >25000lm	Lamp dimension(MM): 13.8" x 16.3"	
	CRI (Ra): >80	IP Rating: IP67	
	CCT: 2700-9000K	Lamp base ; E39/E40/hook	
	Power supply : Meanwell UL	Material: Fins aluminum	
	Voltage: AC85-330V,50-60Hz	Warranty time: 5 years	


Notes :

- 1.Freight is additional.
- 2.Payment Terms: Prepaid by credit card or check
- 3.Delivery time: 5-7 days after order confirmed.

LED Round Panel Screw-Based Retrofit Light - Wholesale Prices

Item Number	Description	Picture						
ECO-RNDPNL-43W	1) Light Source: 140PCS 5630 LED 2) Luminous Flux: 4000LM±10% 3) 23*45mil Chip(55-60Lm/LED) 4) Rated Wattage: 43W ±5% 5) Base: E40 E39 E27 E26 6) Rated Voltage: 100~305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)							
	8) Beam Angle: 120 ° 9) Lifetime: 50,000Hours 10) Size: Φ 11.8 x 10.2" 11) Net weight: 1.7KG 12) CE . ROHS approved 13) Body Temperature: < 50° 14) Recommended replaced light : 120W HPS							
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-60-36							
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Price for 1~49pcs</td> <td style="width: 25%;">Price for 50-500pcs</td> <td style="width: 25%;">Price for 501-1000pcs</td> <td style="width: 25%;">Price for over 1000pcs</td> </tr> <tr> <td style="text-align: center;">\$154.35</td> <td style="text-align: center;">\$147.00</td> <td style="text-align: center;">\$140.00</td> <td style="text-align: center;">\$133.33</td> </tr> </table>		Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	\$154.35	\$147.00
Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs					
\$154.35	\$147.00	\$140.00	\$133.33					
ECO-RNDPNL-65W	1) Light Source: 240PCS 5630 LED 2) Luminous Flux: 6000LM±5% 3) 23*45mil Chip(55-60Lm/LED) 4) Rated Wattage: 65W ±5% 5) Base: E40 E39 E27 E26 6) Rated Voltage: 100~305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)	 <p style="text-align: center; font-size: small;">back side to view</p>						
	8) Beam Angle: 120 ° 9) Lifetime: 50,000Hours 10) Size: Φ 11.8 x 10.2" 11) Net weight: 1.7KG 12) CE . ROHS approved 13) Body Temperature: < 50° 14) Recommended replaced light : 180W HPS							
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-60-36							
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Price for 1~49pcs</td> <td style="width: 25%;">Price for 50-500pcs</td> <td style="width: 25%;">Price for 501-1000pcs</td> <td style="width: 25%;">Price for over 1000pcs</td> </tr> <tr> <td style="text-align: center;">\$175.26</td> <td style="text-align: center;">\$166.92</td> <td style="text-align: center;">\$158.97</td> <td style="text-align: center;">\$151.40</td> </tr> </table>		Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	\$175.26	\$166.92
Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs					
\$175.26	\$166.92	\$158.97	\$151.40					
ECO-RNDPNL-85W	1) Light Source: 240PCS 5630 LED 2) Luminous Flux: 8000LM±5% 3) 23*45mil Chip(55-60Lm/LED) 4) Rated Wattage: 85W ±5% 5) Base: E40 E39 E27 E26 6) Rated Voltage: 100~305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)	 <p style="text-align: center; font-size: small;">Front and Back to view</p>						
	8) Beam Angle: 120 ° 9) Lifetime: 50,000Hours 10) Size: Φ 11.8 x 10.2" 11) Net weight: 1.7KG 12) CE . ROHS approved 13) Body Temperature: < 50° 14) Recommended replaced light : 200W HPS							
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-100-36							
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Price for 1~49pcs</td> <td style="width: 25%;">Price for 50-500pcs</td> <td style="width: 25%;">Price for 501-1000pcs</td> <td style="width: 25%;">Price for over 1000pcs</td> </tr> <tr> <td style="text-align: center;">\$188.69</td> <td style="text-align: center;">\$179.71</td> <td style="text-align: center;">\$171.15</td> <td style="text-align: center;">\$163.00</td> </tr> </table>		Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	\$188.69	\$179.71
Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs					
\$188.69	\$179.71	\$171.15	\$163.00					
ECO-RNDPNL-105W	1) Light Source: 340PCS 5630 LED 2) Luminous Flux: 10000LM±10% 3) 23*45mil Chip(55-60Lm/LED) 4) Rated Wattage: 105W ±5% 5) Base: E40 E39 E27 E26 6) Rated Voltage: 100~305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)	 <p style="text-align: center; font-size: x-small;">The lamp it work with Meanwell driver. The driver come with UL and CE listed</p>						
	8) Beam Angle: 120 ° 9) Lifetime: 50,000Hours 10) Size: Φ 11.8 x 10.2" 11) Net weight: 1.7KG 12) CE . ROHS approved 13) Body Temperature: < 60° 14) Recommended replaced light : 300W HPS							
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-100-36							
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Price for 1~49pcs</td> <td style="width: 25%;">Price for 50-500pcs</td> <td style="width: 25%;">Price for 501-1000pcs</td> <td style="width: 25%;">Price for over 1000pcs</td> </tr> <tr> <td style="text-align: center;">\$210.63</td> <td style="text-align: center;">\$200.60</td> <td style="text-align: center;">\$191.05</td> <td style="text-align: center;">\$181.95</td> </tr> </table>		Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	\$210.63	\$200.60
Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs					
\$210.63	\$200.60	\$191.05	\$181.95					
ECO-RNDPNL-130W	1) Light Source: 340PCS 5630 LED 2) Luminous Flux: 12000LM±10% 3) 23*45mil Chip(55-60Lm/LED) 4) Rated Wattage: 130W ±5% 5) Base: E40 E39 E27 E26 6) Rated Voltage: 100~305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)	 <p style="text-align: center; font-size: small;">back side to view</p>						
	8) Beam Angle: 120 ° 9) Lifetime: 50,000Hours 10) Size: Φ 11.8 x 10.2" 11) Net weight: 1.7KG 12) CE . ROHS approved 13) Body Temperature: < 60° 14) Recommended replaced light : 350W HPS							
	UL ,TUV Certified Power Supply from Meanwell Model:HLG-120-36							
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Price for 1~49pcs</td> <td style="width: 25%;">Price for 50-500pcs</td> <td style="width: 25%;">Price for 501-1000pcs</td> <td style="width: 25%;">Price for over 1000pcs</td> </tr> <tr> <td style="text-align: center;">\$270.11</td> <td style="text-align: center;">\$257.25</td> <td style="text-align: center;">\$245.00</td> <td style="text-align: center;">\$233.33</td> </tr> </table>		Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	\$270.11	\$257.25
Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs					
\$270.11	\$257.25	\$245.00	\$233.33					

Freight is additional
3 Year Warranty



Optional Short E39 Base
Total Height:
 4.2" base + 1.6" light = 5.8"

LED PAR56 36W and 55W Dimmable - Wholesale Prices






Modle No.	ECO-PAR56 -36W
Power	36w
LED Brand	Bridgelux U.S. Made
Lumen	3600-3960Lm
CRI	>80Ra
Power factor	>0.95
Input Voltage	AC85-265V
Lamp holder	E40/ poyhook
Beam Angle	30/45/60 Degree
Color temperature	2700-9000k,dimmable
Size	9.8" Dia. x 10.7"H
Material shell	Aluminum fins
Power source	MOSO
Gross Weight	2500g
Certification	CE,ROHS,FCC,PSE
Warranty time	2years
Unit price(\$)	\$255.00



Modle No.	ECO-PAR56 -55W
Power	55w
LED Brand	Bridgelux U.S. Made
Lumen	5000-5500Lm
CRI	>80Ra
Power factor	>0.95
Input Voltage	AC85-265V
Lamp holder	E40/ poyhook
Beam Angle	30/45/60 Degree
Color temperature	2700-9000k,dimmable
Size	9.8" Dia. x 10.7"H
Material shell	Aluminum fins
Power source	MOSO
Gross Weight	2500g
Certification	CE,ROHS,FCC,PSE
Warranty time	2years
Unit price(\$)	\$288.33

LED Panel Light (Super-Thin) - ETL Listed - Wholesale Prices

Item name	LED QTY	Size	Lumens	Voltage	Picture	Watts	WHL Price
ECO-PL6060-36W	288pcs	23.6 x 23.6 x 0.43"	2700-2900lm	AC100-277V DC20-43V 800mA		36W	US\$146.00
ECO-PL6060-50W	456pcs	23.6 x 23.6 x 0.43"	3700-4000lm	AC100-277V DC24-43V 1100mA		50W	US\$162.00
ECO-PL30120-50W	456pcs	11.8 x 47.2 x 0.43"	3700-4000lm	AC100-277V DC24-43V 1100mA		50W	US\$176.00
ECO-PL30120-75W	648pcs	11.8 x 47.2 x 0.43"	5400-5800lm	AC100-277V DC24-43V 1670mA		75W	US\$192.00
ECO-PL60120-72W	648pcs	23.6 x 47.2 x 0.43"	5400-5800lm	AC100-277V DC24-43V 1670mA		72W	US\$248.00
Suspension Hardware		For all sizes					US\$10.00
Surface Mounting Hardware (no accessories need for lay-in)	1' x 1'						US\$14.80
	1' x 2'						US\$29.40
	2' x 2'						US\$32.00
	1' x 4'						US\$36.00
	2' x 4'						

All items have CE RoHS ETL, latest Europe test standard EN60968 EN61547 EN55015 EN61000

Color Temperature Options: 2800-3000K, 4000-4500K, 5500-6000K. Beam Angle: 120 Degrees.
3528SMD Epistar chip

Lead time: 10-15 working days

Warranty: 3 years





LED Rectangular Panel Lights - UL / DLC Listed - Wholesale Prices

Item number	Description	Dimmable (Yes or No)	Over-all Size (in) L x W x H	Power (W)	LED Type	LED Q'ty	Lumen output(L M)	Wholesale Price		
								1-100 pcs	101~500 pcs	>501 pcs
ECO-P1-40W CNS (DLC Listed)	4x 1' LED panel light	No	47.2" x 11.8" x .47"	40W	SMD3014	418	2600	\$155.69	\$150.98	\$146.11
ECO-P4-40W CNS (DLC Listed)	2x 2' LED panel light	No	23.7" x 23.7" x .47"	40W	SMD5630	88	2600	\$156.36	\$154.51	\$147.62
ECO-P4-60W CNS (DLC Listed)	2x 2' LED panel light	No	23.7" x 23.7" x .47"	60W	SMD5630	120	3900	\$165.61	\$161.74	\$157.88
ECO-P7-50W CNS (DLC Listed)	4 x 2' LED panel light	No	47.2" x 23.7" x .47"	50W	SMD5630	100	3250	\$239.09	\$229.00	\$218.24
ECO-P7-75W CNS (DLC Listed)	4 x 2' LED panel light	No	47.2" x 23.7" x .47"	75W	SMD5630	140	4875	\$267.50	\$257.75	\$247.32



DESIGNLIGHTS
CONSORTIUM

Installation Instruction



- 1) Color temperature: 2,700K ~ 6,500K
- 2) Voltage range: 100 to 277V AC
- 2) Price including mounting kits and driver case
- 3) Freight is additional (quoted)
- 4) Application: Only for indoor
- 5) Warranty: 3 years



PHOTO

LED PL REPLACEMENT LAMPS (G24 / E27 BASE)

Wholesale Prices (Note: 277V adds \$5.00 extra cost, Dimmable adds \$4.00 Cost) 2 Year Warranty



	<ul style="list-style-type: none"> * Item name * Code * Light output (Lumens) * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT 	3W LED PL Lamp(G24, E27) ECO-PLSMD-01 255 3W 15pcs super bright Epistar chip 5050 SMD LED 40*40*111mm 85-265V or 277V(\$5.00 extra) AC 50-60Hz 0.7 >75 100-120 degrees 2700-7000k
Price:		\$15.00
	<ul style="list-style-type: none"> * Item name * Code * Light output (Lumens) * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT 	4W LED PL Lamp(G24, E27) ECO-PLSMD-02 340 4W 20pcs super bright Epistar chip 5050 SMD LED 40*40*111mm 85-265V or 277V(\$5.00 extra) AC 50-60Hz 0.7 >75 100-120 degrees 2700-7000k
Price:		\$17.00
	<ul style="list-style-type: none"> * Item name * Code * Light output (Lumens) * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT 	5W LED PL Lamp(G24, E27) ECO-PLSMD-03 425 5W 25pcs super bright Epistar chip 5050 SMD LED 35*35*119mm 85-265V or 277V(\$5.00 extra) AC 50-60Hz 0.7 >75 100-120 degrees 2700-7000k
Price:		\$18.36
	<ul style="list-style-type: none"> * Item name * Code * Light output (Lumens) * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT 	7W LED PL Lamp(G24, E27) ECO-PLSMD-031 595 7W 35pcs super bright Epistar chip 5050 SMD LED 35*35*119mm 85-265V or 277V(\$5.00 extra) AC 50-60Hz 0.7 >75 100-120 degrees 2700-7000k
Price:		\$23.00
	<ul style="list-style-type: none"> * Item name * Code * Light output (Lumens) * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT 	8W LED PL Lamp(G24, E27) ECO-PLSMD-032 680 8W 40pcs super bright Epistar chip 5050 SMD LED 35*35*148mm 85-265V or 277V(\$5.00 extra) AC 50-60Hz 0.7 >75 100-120 degrees 2700-7000k
Price:		\$24.60
	<ul style="list-style-type: none"> * Item name * Code * Light output (Lumens) * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT 	10 LED PL Lamp(G24, E27) ECO-PLSMD-033 850 10W 50pcs super bright Epistar chip 5050 SMD LED 35*35*156mm 85-265V or 277V(\$5.00 extra) AC 50-60Hz 0.7 >75 100-120 degrees 2700-7000k
Price:		\$28.60
	<ul style="list-style-type: none"> * Item name * Code * Light output (Lumens) * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT 	12W LED PL Lamp(G24, E27) ECO-PLSMD-034 1020 12W 60pcs super bright Epistar chip 5050 SMD LED 35*35*160mm 85-265V or 277V(\$5.00 extra) AC 50-60Hz 0.7 >75 100-120 degrees 2700-7000k
Price:		\$31.60

	<ul style="list-style-type: none"> * Item name * Code * Light output (Lumens) * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT 	3W LED PL Lamp(G24, E27) ECO-PLHP-01 255 3W 3pcs Epistar chip 1W high power LED 40*40*111mm 85-265V or 277V(\$5.00 extra) AC 50-60Hz 0.7 >75 100-120 degrees 2700-7000k
Price: \$14.80		
	<ul style="list-style-type: none"> * Item name * Code * Light output (Lumens) * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT 	5W LED PL Lamp(G24, E27) ECO-PLHP-02 425 5W 5pcs Epistar chip 1W high power LED 40*40*160mm 85-265V or 277V(\$5.00 extra) AC 50-60Hz 0.7 >75 100-120 degrees 2700-7000k
Price: \$20.20		
	<ul style="list-style-type: none"> * Item name * Code * Light output (Lumens) * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT 	8W LED PL Lamp(G24, E27) ECO-PLHP-03 680 8W 8pcs Epistar chip 1W high power LED 40*40*200mm 85-265V or 277V(\$5.00 extra) AC 50-60Hz 0.7 >75 100-120 degrees 2700-7000k
Price: \$24.60		
	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT *Lamp bases 	7W LED Corn lamp ECO-CL-SMD36 80lm/Watt 7W LED Corn lamp 36pcs high bright 5050 SMD LED 36*110mm 85-265V or 277V(\$5.00 extra) AC >0.75 >70 360 degrees 2800-7000k G24/E27
Price: \$22.00		
	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT *Lamp bases 	8W LED Corn lamp ECO-CL-SMD42 80lm/Watt 8W LED Corn lamp 36pcs high bright 5050 SMD LED 36*110mm 85-265V or 277V(\$5.00 extra) AC >0.75 >70 360 degrees 2800-7000k G24/E27
Price: \$23.00		
	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT *Lamp bases 	9W LED Corn lamp ECO-CL-SMD48 80lm/Watt 9W 48pcs high bright 5050 SMD LED 46*118mm 85-265V or 277V(\$5.00 extra) AC >0.75 >70 360 degrees 2800-7000k G24/E27
Price: \$25.20		
	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT *Lamp bases 	13W LED Corn lamp ECO-CL-SMD60 80lm/Watt 13W 60pcs high bright 5050 SMD LED 35*138mm 85-265V or 277V(\$5.00 extra) AC >0.75 >70 360 degrees 2800-7000k G24/E27
Price: \$27.20		



LED R7S Lamp - Direct Halogen Replacement





Model No:ECO-R7S-5W



Product Picture	Dimmension(mm)	Description	Packing
		Light Power: 5Watts	1.Qty/ctn:181pcs 2.Net weight: 60g /pcs 3.Gross weight:13kgs 4.Canton Size: 480*330*350mm
		LED Source: 5050SMD	
		LED Quantity: 24pcs	
		Input Voltage: 85-265V AC	
		Materials: Extruded aluminum	
		Power Factor: >0.92	
		CCT: 3000/4500/>6000K	
		Luminous: 400-430lm (Equals 40W Halogen)	
		Lamp Base: R7S	
		Beam Angle: 200°	
Lifespan: 50,000hours			
Warranty: 3 years			
Quotation			
\$24			



Model No:ECO-R7S-8W

Product Picture	Dimmension(mm)	Description	Packing
		Light Power: 8Watts	1.Qty/ctn:133pcs 2.Net weight: 120g /pcs 3.Gross weight:17kgs 4.Canton Size: 480*330*350mm
		LED Source: 5050SMD	
		LED Quantity: 36pcs	
		Input Voltage: 85-265V AC	
		Materials: Extruded aluminum	
		Power Factor: >0.92	
		CCT: 3000/4500/>6000K	
		Luminous: 560-640lm (Equals 60W Halogen)	
		Lamp Base: R7S	
		Beam Angle: 200°	
Lifespan: 50,000hours			
Warranty: 3 years			
Quotation			
\$29			

Model No ECO-R7S-10W

Product Picture	Dimmension(mm)	Description	Packing
		Light Power: 10Watts	1.Qty/ctn:133pcs 2.Net weight: 125g /pcs 3.Gross weight:17kgs 4.Canton Size: 480*330*350mm
		LED Source: 5050SMD	
		LED Quantity: 42pcs	
		Input Voltage: 85-265V AC	
		Materials: Extruded aluminum	
		Power Factor: >0.92	
		CCT: 3000/4500/>6000K	
		Luminous: 780-830lm (Equals 80W Halogen)	
		Lamp Base: R7S	
		Beam Angle: 200°	
Lifespan: 50,000hours			
Warranty: 3 years			
Quotation			
\$32			





Model No:ECO-R7S-13W			
Product Picture	Dimmension(mm)	Description	Packing
		Light Power: 13Watts	1.Qty/ctn:80pcs 2.Net weight: 200g /pcs 3.Gross weight:17.5kgs 4.Canton Size: 480*330*350mm
		LED Source: 5050SMD	
		LED Quantity: 60pcs	
		Input Voltage: 85-265V AC	
		Materials: Extruded aluminum	
		Power Factor: >0.92	
		CCT: 3000/4500/>6000K	
		Luminous: 950-1040lm (Equals 110W Halogen)	
		Lamp Base: R7S	
		Beam Angle: 200°	
Lifespan: 50,000hours			
Warranty: 3 years			
Quotation			
\$38			

Model No:ECO-R7S-15W			
Product Picture	Dimmension(mm)	Description	Packing
		Light Power: 15Watts	1.Qty/ctn:80pcs 2.Net weight: 200g /pcs 3.Gross weight:17.5kgs 4.Canton Size: 480*330*350mm
		LED Source: 5050SMD	
		LED Quantity: 72pcs	
		Input Voltage: 85-265V AC	
		Materials: Extruded aluminum	
		Power Factor: >0.92	
		CCT: 3000/4500/>6000K	
		Luminous:1200-1320lm (Equals 130W Halogen)	
		Lamp Base: R7S	
		Beam Angle: 200°	
Lifespan: 50,000hours			
Warranty: 3 years			
Quotation			
\$44			

Installation:



2G11 LED Tube - Wholesale Prices

	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT * Cover 	9W 2G11 LED tube ECO-2G11-9W 800lm 9W 84pcs 3014 SMD LEDs 1.5" x 8.9" 85-265V AC 50-60Hz >0.93 >75 180 degrees 2800-7000k available in frosted, clear, stripes
\$27.60		(For q'ty of 50 pcs above, samples need to add 2usd)
	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT * Cover 	12W 2G11 LED tube ECO-2G11-12W 1050lm 12W 108pcs 3014 SMD LEDs 1.5" x 12.6" 85-265V AC 50-60Hz >0.93 >75 180 degrees 2800-7000k available in frosted, clear, stripes
\$31.60		(For q'ty of 50 pcs above, samples need to add 2usd)
	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT * Cover 	15W 2G11 LED tube ECO-2G11-15W 1400lm 15W 144pcs 3014 SMD LEDs 1.5" x 16.2" 85-265V AC 50-60Hz >0.93 >75 180 degrees 2800-7000k available in frosted, clear, stripes
\$35.60		(For q'ty of 50 pcs above, samples need to add 3usd)
	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT * Cover 	18W 2G11 LED tube ECO-2G11-18W 1700lm 18W 180pcs 3014 SMD LEDs 1.5" x 21.1" 85-265V AC 50-60Hz >0.93 >75 180 degrees 2800-7000k available in frosted, clear, stripes
\$43.60		(For q'ty of 50 pcs above, samples need to add 3usd)
	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT * Cover 	22W 2G11 LED tube ECO-2G11-22W 1700lm 21W 204pcs 3014 SMD LEDs 1.5" x 21.1" 85-265V AC 50-60Hz >0.93 >75 180 degrees 2800-7000k available in frosted, clear, stripes
\$49.60		(For q'ty of 50 pcs above, samples need to add 3usd)

REMARKS:

- 1, This quotation is based on EXW.
- 2, For customer design color box, MOQ should be 1000pcs/item. Film and artwork CD to be provided by buyer.
- 3, Sample delivery time: 7-10 working days; mass production delivery time: 15 to 25 working days
- 4, Payment: Prepaid by check or credit card
- 5, Three years warranty against defects on workmanship or materials used.




LED PAR30 High Output Track Light Wholesale Prices

Model No.	Picture	Specification		Unit price(\$)
ECO-Par30-P30WA		Power(W) : 30W LED Chip : Cree XPE LED QTY : 18pcs CRI (Ra) : >80Ra CCT : 2700-9000K Lumen : 2700~2890lm Beam angle : 35degree	Voltage : AC 100 to 277V PF : >0.96 Holder colors : white,black Size(MM) : H135* 131mm House material : Fins Aluminum With fan : yes Warranty time : 5 years	\$107.72
ECO-Par30-P30WE		Power(W) : 30W LED Chip : Cree XPE LED QTY : 18pcs CRI (Ra) : >80Ra CCT : 2700-9000K Lumen : 2700~2890lm Beam angle : 35degree	Voltage : AC 100 to 277V PF : >0.96 Holder colors : white,black Size(MM) : H135* 131mm House material : Fins Aluminum With fan : yes Warranty time : 5 years	\$114.24
ECO-Par30-P30WB		Power(W) : 30W LED Chip : Cree XPE LED QTY : 18pcs CRI (Ra) : >80Ra CCT : 2700-9000K Lumen : 2700~2890lm Beam angle : 35degree	Voltage : AC 100 to 277V PF : >0.96 Holder colors : white,black Size(MM) : H130* 95mm House material : Fins Aluminum With fan : yes Warranty time : 5 years	\$110.44
ECO-Par30-P30WC		Power(W) : 30W LED Chip : Cree COB LED QTY : 1pc CRI (Ra) : >80Ra CCT : 2700-9000K Lumen : 2700~2890lm Beam angle : 25degree	Voltage : AC 100 to 277V PF : >0.96 Holder colors : white,black Size(MM) : H140* 120mm House material : Fins Aluminum With fan : yes Warranty time : 5 years	\$71.76
ECO-Par30-P30WD		Power(W) : 30W LED Chip : Cree COB LED QTY : 1pc CRI (Ra) : >80Ra CCT : 2700-9000K Lumen : 2700~2890lm Beam angle : 25degree	Voltage : AC 100 to 277V PF : >0.96 Holder colors : white,black Size(MM) : H135* 131mm House material : Fins Aluminum With fan : yes Warranty time : 5 years	\$71.76
ECO-Par30-P60WD		Power(W) : 60W LED Chip : Cree XPE LED QTY : 30pcs CRI (Ra) : >80Ra CCT : 2700-9000K Lumen : 5400-6000lm Beam angle : 35degree	Voltage : AC 100 to 277V PF : >0.96 Holder colors : white,black Size(MM) : H150* 120mm House material : Fins Aluminum With fan : yes Warranty time : 5 years	\$166.86

1. Freight is additional.
2. Payment Terms: Prepaid by check or credit card.
3. Delivery: 3-4 days after order confirmed.
4. MOQ:2pcs

High CRI Frosted Dimmable Downlights

Wholesale Prices


PN	Product Image	Description	Color	Voltage	Unit Price(EXW)			
					1-500 pcs	500-1K pcs	1K-2K pcs	2K-5K pcs
ECO-FBS6-13W-N		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),13 watt.,non-dimmable	warm white white	85-265VAC	\$66.00	\$64.68	\$62.04	\$59.40
ECO-FBS6-13W-D		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),13 watt.,dimmable		110/220VAC	\$68.00	\$66.64	\$63.92	\$61.20
ECO-FBS6-15W-N		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),15 watt.,non-dimmable		85-265VAC	\$72.00	\$70.56	\$67.68	\$64.80
ECO-FBS6-15W-D		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),15 watt.,dimmable		110/220VAC	\$76.00	\$74.48	\$71.44	\$68.40
ECO-FBS6-20W-L		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),20 watt.,non-dimmable		24VAC/DC	\$80.00	\$78.40	\$75.20	\$72.00
ECO-FBS6-20W-D		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),20 watt.,dimmable		110/220VAC	\$90.00	\$88.20	\$84.60	\$81.00
ECO-FBS6-20W-N		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),20 watt.,non-dimmable		85-265VAC	\$84.00	\$82.32	\$78.96	\$75.60
ECO-FBS6-32W-N		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),32 watt.,non-dimmable		85-265VAC	\$94.00	\$92.12	\$88.36	\$84.60
ECO-FBS6-32W-D		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),32 watt., dimmable		110/220VAC	\$100.00	\$98.00	\$94.00	\$90.00
ECO-FBS8-20W-N		ECO-FBS8,Frosted LED down light,D8.1"*H6.0",cut size: 7.1"(180mm),20 watt., non-dimmable	warm white white	85-265VAC	\$80.00	\$78.40	\$75.20	\$72.00
ECO-FBS8-20W-D		ECO-FBS8,Frosted LED down light,D8.1"*H6.0",cut size: 7.1"(180mm),20 watt., dimmable		110/220VAC	\$84.00	\$82.32	\$78.96	\$75.60
ECO-FBS8-26W-N		ECO-FBS8,Frosted LED down light,D8.1"*H6.0",cut size: 7.1"(180mm),26 watt., non-dimmable		85-265VAC	\$90.00	\$88.20	\$84.60	\$81.00
ECO-FBS8-26W-D		ECO-FBS8,Frosted LED down light,D8.1"*H6.0",cut size: 7.1"(180mm),26 watt., dimmable		110/220VAC	\$94.00	\$92.12	\$88.36	\$84.60
ECO-FBS8-32W-N		ECO-FBS8,Frosted LED down light,D8.1"*H6.0",cut size: 7.1"(180mm),32 watt., non-dimmable		85-265VAC	\$94.00	\$92.12	\$88.36	\$84.60
ECO-FBS8-32W-D		ECO-FBS8,Frosted LED down light,D8.1"*H6.0",cut size: 7.1"(180mm),32 watt., dimmable		110/220VAC	\$100.00	\$98.00	\$94.00	\$90.00
ECO-FBS9-20W-N		ECO-FBS9, Frosted LED down light,D9.6"*H6.4",cut size: 8.9"(225mm),20 watt., non-dimmable	warm white white	85-265VAC	\$90.00	\$88.20	\$84.60	\$81.00
ECO-FBS9-20W-D		ECO-FBS9, Frosted LED down light,D9.6"*H6.4",cut size: 8.9"(225mm),20 watt., dimmable		110/220VAC	\$94.00	\$92.12	\$88.36	\$84.60
ECO-FBS9-26W-N		ECO-FBS9, Frosted LED down light,D9.6"*H6.4",cut size: 8.9"(225mm),26 watt., non-dimmable		85-265VAC	\$90.00	\$88.20	\$84.60	\$81.00
ECO-FBS9-26W-D		ECO-FBS9, Frosted LED down light,D9.6"*H6.4",cut size: 8.9"(225mm),26 watt., dimmable		110/220VAC	\$94.00	\$92.12	\$88.36	\$84.60
ECO-FBS9-32W-N		ECO-FBS9, Frosted LED down light,D9.6"*H6.4",cut size: 8.9"(225mm),32 watt., non-dimmable		85-265VAC	\$94.00	\$92.12	\$88.36	\$84.60
ECO-FBS9-32W-D		ECO-FBS9, Frosted LED down light,D9.6"*H6.4",cut size: 8.9"(225mm),32 watt., dimmable		110/220VAC	\$100.00	\$98.00	\$94.00	\$90.00
Remarks:								
1. Color range available: warm white,(2600-2800K),(2800-3200K),(3200-3600K),(3800-4200K),white (5000-6000K)(6000-7000K)								
2. All downlights produce approximately 85 lumens per watt.								
3. The trim available: black, matt white etc... provide customized services for bulk order.								
4. All downlights come with 3 years limited warranty under normal operating conditions. UL Listed								



Eco-Smart, Inc.
 4411 Bee Ridge Rd. #344
 Sarasota, FL 34233
 888-329-2705 ph
 941-377-9460 fx
www.eco-smart.com

LED Downlight and Spotlight - Wholesale Prices
 Updated 08/15/10

	<table border="1"> <thead> <tr> <th>ITEM NAME & NO.</th> <th>7W High Power LED Down Light, TD018G8W007F</th> </tr> </thead> <tbody> <tr> <td colspan="2"> Working Voltage:24V DC - Comes with exterior SMPS adaptor - Power Consumption: 7W - Power factor: depend on adaptor used - Luminous Flux: warm white: 450lm cool white: 600lm - Light Source: 7pcs high power LEDs.A6 - Dimension of the down light (L*W*H):178*178*67.5mm - Ceiling Hole: 136mm - The fixture direction is adjustable, the angle is 30degrees. </td> </tr> <tr> <td colspan="2"> Sample: \$75.00 100 pcs: \$70.00 300 pcs: \$66.67 500 pcs: \$63.33 1000 pcs: \$60.00 </td> </tr> </tbody> </table>	ITEM NAME & NO.	7W High Power LED Down Light, TD018G8W007F	Working Voltage:24V DC - Comes with exterior SMPS adaptor - Power Consumption: 7W - Power factor: depend on adaptor used - Luminous Flux: warm white: 450lm cool white: 600lm - Light Source: 7pcs high power LEDs.A6 - Dimension of the down light (L*W*H):178*178*67.5mm - Ceiling Hole: 136mm - The fixture direction is adjustable, the angle is 30degrees.		Sample: \$75.00 100 pcs: \$70.00 300 pcs: \$66.67 500 pcs: \$63.33 1000 pcs: \$60.00	
ITEM NAME & NO.	7W High Power LED Down Light, TD018G8W007F						
Working Voltage:24V DC - Comes with exterior SMPS adaptor - Power Consumption: 7W - Power factor: depend on adaptor used - Luminous Flux: warm white: 450lm cool white: 600lm - Light Source: 7pcs high power LEDs.A6 - Dimension of the down light (L*W*H):178*178*67.5mm - Ceiling Hole: 136mm - The fixture direction is adjustable, the angle is 30degrees.							
Sample: \$75.00 100 pcs: \$70.00 300 pcs: \$66.67 500 pcs: \$63.33 1000 pcs: \$60.00							
	<table border="1"> <thead> <tr> <th>ITEM NAME & NO.</th> <th>12W High Power LED Down Light TD011G3W001F</th> </tr> </thead> <tbody> <tr> <td colspan="2"> "- Working Voltage: 19V DC - Comes with exterior 19V 700mA constant current adaptor - Power Consumption: 12W - Emitting Color: warm white(3500K) cool white(6500K) - Luminous Flux: warm white: 900lm; cool white: 960lm - Light Source: 1pcs high power Citizen LEDs. - Comes with lens, viewing angle: 45degrees. B43Ceiling hole: 80mm </td> </tr> <tr> <td colspan="2"> Sample: \$68.33 100 pcs: \$65.00 500 pcs: \$61.67 1000 pcs: \$60.00 </td> </tr> </tbody> </table>	ITEM NAME & NO.	12W High Power LED Down Light TD011G3W001F	"- Working Voltage: 19V DC - Comes with exterior 19V 700mA constant current adaptor - Power Consumption: 12W - Emitting Color: warm white(3500K) cool white(6500K) - Luminous Flux: warm white: 900lm; cool white: 960lm - Light Source: 1pcs high power Citizen LEDs. - Comes with lens, viewing angle: 45degrees. B43Ceiling hole: 80mm		Sample: \$68.33 100 pcs: \$65.00 500 pcs: \$61.67 1000 pcs: \$60.00	
ITEM NAME & NO.	12W High Power LED Down Light TD011G3W001F						
"- Working Voltage: 19V DC - Comes with exterior 19V 700mA constant current adaptor - Power Consumption: 12W - Emitting Color: warm white(3500K) cool white(6500K) - Luminous Flux: warm white: 900lm; cool white: 960lm - Light Source: 1pcs high power Citizen LEDs. - Comes with lens, viewing angle: 45degrees. B43Ceiling hole: 80mm							
Sample: \$68.33 100 pcs: \$65.00 500 pcs: \$61.67 1000 pcs: \$60.00							
	<table border="1"> <thead> <tr> <th>ITEM NAME & NO.</th> <th>High power LED down light, TD017G3N070F</th> </tr> </thead> <tbody> <tr> <td colspan="2"> * Working voltage: 24V DC <input type="checkbox"/> Come with SMPS adaptor <input type="checkbox"/> * Light output: 524 lm. * The power consumption: 15W * Fixture material: Alloy aluminum * No. of LEDs strips: 70pcs tri-chip 3528 SMD LEDs * Product dimensions (L*W*H) : 170 x 170 x 80mm * Viewing angle : 140° * Ceiling hole: 136mm </td> </tr> <tr> <td colspan="2"> Sample: \$83.33 100 pcs: \$78.33 300 pcs: \$75.00 500 pcs: \$73.33 1000 pcs: \$70.00 </td> </tr> </tbody> </table>	ITEM NAME & NO.	High power LED down light, TD017G3N070F	* Working voltage: 24V DC <input type="checkbox"/> Come with SMPS adaptor <input type="checkbox"/> * Light output: 524 lm. * The power consumption: 15W * Fixture material: Alloy aluminum * No. of LEDs strips: 70pcs tri-chip 3528 SMD LEDs * Product dimensions (L*W*H) : 170 x 170 x 80mm * Viewing angle : 140° * Ceiling hole: 136mm		Sample: \$83.33 100 pcs: \$78.33 300 pcs: \$75.00 500 pcs: \$73.33 1000 pcs: \$70.00	
ITEM NAME & NO.	High power LED down light, TD017G3N070F						
* Working voltage: 24V DC <input type="checkbox"/> Come with SMPS adaptor <input type="checkbox"/> * Light output: 524 lm. * The power consumption: 15W * Fixture material: Alloy aluminum * No. of LEDs strips: 70pcs tri-chip 3528 SMD LEDs * Product dimensions (L*W*H) : 170 x 170 x 80mm * Viewing angle : 140° * Ceiling hole: 136mm							
Sample: \$83.33 100 pcs: \$78.33 300 pcs: \$75.00 500 pcs: \$73.33 1000 pcs: \$70.00							
	<table border="1"> <thead> <tr> <th>ITEM NAME & NO.</th> <th>High power LED down light, TD017G3N002F</th> </tr> </thead> <tbody> <tr> <td colspan="2"> * Working voltage: 24V DC <input type="checkbox"/> Come with SMPS adaptor <input type="checkbox"/> * Light output: Warm White: 1000 lm, Daylight: 1500 lm, or customer specified * The power consumption: 12W * Fixture material: Alloy aluminum * No. of LEDs strips (Citizen): 2pcs * Product dimensions (L*W*H) : 170 x 170 x 80mm * Viewing angle : 140° * Ceiling hole: 136mm </td> </tr> <tr> <td colspan="2"> Sample: \$120.00 100 pcs: \$115.00 300 pcs: \$111.67 500 pcs: \$108.33 1000 pcs: \$105.00 </td> </tr> </tbody> </table>	ITEM NAME & NO.	High power LED down light, TD017G3N002F	* Working voltage: 24V DC <input type="checkbox"/> Come with SMPS adaptor <input type="checkbox"/> * Light output: Warm White: 1000 lm, Daylight: 1500 lm, or customer specified * The power consumption: 12W * Fixture material: Alloy aluminum * No. of LEDs strips (Citizen): 2pcs * Product dimensions (L*W*H) : 170 x 170 x 80mm * Viewing angle : 140° * Ceiling hole: 136mm		Sample: \$120.00 100 pcs: \$115.00 300 pcs: \$111.67 500 pcs: \$108.33 1000 pcs: \$105.00	
ITEM NAME & NO.	High power LED down light, TD017G3N002F						
* Working voltage: 24V DC <input type="checkbox"/> Come with SMPS adaptor <input type="checkbox"/> * Light output: Warm White: 1000 lm, Daylight: 1500 lm, or customer specified * The power consumption: 12W * Fixture material: Alloy aluminum * No. of LEDs strips (Citizen): 2pcs * Product dimensions (L*W*H) : 170 x 170 x 80mm * Viewing angle : 140° * Ceiling hole: 136mm							
Sample: \$120.00 100 pcs: \$115.00 300 pcs: \$111.67 500 pcs: \$108.33 1000 pcs: \$105.00							
	<table border="1"> <thead> <tr> <th>ITEM NAME & NO.</th> <th>High power LED down light, TD020G3N042E</th> </tr> </thead> <tbody> <tr> <td colspan="2"> * Working voltage: 24V DC <input type="checkbox"/> Come with SMPS adaptor <input type="checkbox"/> * Light output: Warm White: 1000 lm, Daylight: 1500 lm, or customer specified * The power consumption: 12W * Fixture material: Die-cast Zine Alloy. * Aluminum alloy heat sink. * No. of LEDs strips (Citizen) : 2pcs * Product dimensions (L*W*H) : 200 x 200 x 115mm * Viewing angle : 140° * Ceiling Hole: 190mm </td> </tr> <tr> <td colspan="2"> Sample: \$120.00 100 pcs: \$115.00 300 pcs: \$111.67 500 pcs: \$108.33 1000 pcs: \$105.00 </td> </tr> </tbody> </table>	ITEM NAME & NO.	High power LED down light, TD020G3N042E	* Working voltage: 24V DC <input type="checkbox"/> Come with SMPS adaptor <input type="checkbox"/> * Light output: Warm White: 1000 lm, Daylight: 1500 lm, or customer specified * The power consumption: 12W * Fixture material: Die-cast Zine Alloy. * Aluminum alloy heat sink. * No. of LEDs strips (Citizen) : 2pcs * Product dimensions (L*W*H) : 200 x 200 x 115mm * Viewing angle : 140° * Ceiling Hole: 190mm		Sample: \$120.00 100 pcs: \$115.00 300 pcs: \$111.67 500 pcs: \$108.33 1000 pcs: \$105.00	
ITEM NAME & NO.	High power LED down light, TD020G3N042E						
* Working voltage: 24V DC <input type="checkbox"/> Come with SMPS adaptor <input type="checkbox"/> * Light output: Warm White: 1000 lm, Daylight: 1500 lm, or customer specified * The power consumption: 12W * Fixture material: Die-cast Zine Alloy. * Aluminum alloy heat sink. * No. of LEDs strips (Citizen) : 2pcs * Product dimensions (L*W*H) : 200 x 200 x 115mm * Viewing angle : 140° * Ceiling Hole: 190mm							
Sample: \$120.00 100 pcs: \$115.00 300 pcs: \$111.67 500 pcs: \$108.33 1000 pcs: \$105.00							





	ITEM NAME & NO. High Power LED Spot Lamp, SD124D3N15T3 * 600lumens light output. * The power consumption: 15W. * Aluminum alloy heat-sink. * Light source is 3*5watt white high-power LED. * Product dimension: diameter:80mm height:124mm * Comes with external 10.5V DC SMPS adaptor. * Comes with lens, the beam angle is 30°. * The metal body is available in white and black. * Available in various LED colors. * Ceiling hole: 60mm
	Sample: \$75.00 100 pcs: \$70.00 300 pcs: \$63.33 500 pcs: \$60.00 1000 pcs: \$55.00
	ITEM NAME & NO. High Power RGB LED Spot Lamp, SD124C3Q09T3 * Four user selectable color changing patterns and set color. * The power consumption is 3-9W. * Aluminum alloy heat-sink. * Light source is 3*3watt Edison high-power DC LED. * Comes with external 12V DC SMPS adaptor. * Product dimension: diameter:80mm height:124mm * The metal body is available in white and black. * Ceiling hole: 60mm
	Sample: \$91.67 100 pcs: \$90.00 300 pcs: \$86.67 500 pcs: \$83.33 1000 pcs: \$80.00

REMARKS:

1. Prices are plus freight, quoted by order.
2. Sample delivery: 7-10 working days; mass production delivery: 15 to 25 working days (After payment).
3. Terms: Prepaid (All major credit cards accepted).
4. All SMPS adaptors are UL listed.
5. All lights are covered by a 2 year manufacturer's warranty against defects on workmanship or materials used.

Conversion to inches: 1mm = 0.3937 inches

LED Spot Lamp Fixture instruction



PAR 56 LED Underwater Lamp

Wholesale Prices

(as of 05/08/2012)



Item No	ECO-PAR56C-10W-R	ECO-PAR56-10W
LED Quantity	252LEDS	252LEDS
LED Luminous Flux		4-5LM
Color	R G B	Warm White/Cool White
Color Temperature		2800K-3000K/6000K-7000K
Voltage (V)	AC/DC12V	AC/DC12V
Wattage (W)	10W	10W
Bulb Luminous Flux (Lm)		650lm
LED Viewing Angle	30°/60°/120° With the lens	30°/60°/120° With the lens
Long Life(Hours)	Over 30,000 hrs	Over 30,000 hrs
Warranty	2 years	2 years
Quantity / Carton	6PCS	6PCS
WHL Price:	\$67.80	\$58.40



Item No	ECO-PAR56C-13W-R	ECO-PAR56-13W
LED Quantity	315LEDS	315LEDS
LED Luminous Flux		4-5LM
Color	R G B	Warm White/Cool White
Color Temperature		2800K-3000K/6000K-7000K
Voltage (V)	AC/DC12V	AC/DC12V
Wattage (W)	13W	13W
Bulb Luminous Flux (Lm)		780lm
LED Viewing Angle	30°/60°/120° With the lens	30°/60°/120° With the lens
Long Life(Hours)	Over 30,000 hrs	Over 30,000 hrs
Warranty	2years	2 years
Quantity / Carton	6PCS	6PCS
WHL Price:	\$74.52	\$59.80



Item No	ECO-PAR56C-15W-R	ECO-PAR56-15W
LED Quantity	510LEDS	510LEDS
LED Luminous Flux		4-5LM
Color	R G B	Warm White/Cool White
Color Temperature		2800K-3000K/6000K-7000K
Voltage (V)	AC/DC12V	AC/DC12V
Wattage (W)	15W	15W
Bulb Luminous Flux (Lm)		950lm
LED Viewing Angle	30°/60°/120° With the lens	30°/60°/120° With the lens
Long Life(Hours)	Over 30,000 hrs	Over 30,000 hrs
Warranty	2years	2 years
Quantity / Carton	6PCS	6PCS
WHL Price:	\$89.20	\$74.86

Freight is additional, quoted by order

LED FLOOD LIGHTS Wholesale Prices						
Model No.	Picture	Power	Color	Specification	Whl. Price	
ECO-FL-10W-01		10W	Warm White 2800-3200K	* Power:10W * Input Voltage:AC100-280V * LED Qty:1pcs 10W	\$33.00	
			Neutral White 4000-4500K	* Beam Angle:120° * Lumens: 800-900lm * Rated Life:50,000 hours		\$33.00
			Cool White 6000-6500K	* IP Rating:IP65 * Shell Color:Silver * Size:L115*W90*H106mm		\$33.00
ECO-FL-20W-01		20W	Warm White 2800-3200K	* Power:20W * Input Voltage:AC100-280V * LED Qty:1pcs 20W	\$57.20	
			Neutral White 4000-4500K	* Beam Angle:120° * Lumens: 1600-1800lm * Rated Life:50,000 hours		\$57.20
			Cool White 6000-6500K	* IP Rating:IP65 * Shell Color:Silver * Size:L225*W185*H125mm		\$57.20
ECO-FL-30W-01		30W	Warm White 2800-3200K	* Power:30W * Input Voltage:AC100-280V * LED Qty:1pcs 30W	\$84.60	
			Neutral White 4000-4500K	* Beam Angle:120° * Lumens: 2400-2700lm * Rated Life:50,000 hours		\$84.60
			Cool White 6000-6500K	* IP Rating:IP65 * Shell Color:Silver * Size:L225*W185*H125mm		\$84.60
ECO-FL-50W-01		50W	Warm White 2800-3200K	* Power:50W * Input Voltage:AC100-280V * LED Qty:1pcs 50W	\$120.00	
			Neutral White 4000-4500K	* Beam Angle:120° * Lumens: 4000-4500lm * Rated Life:50,000 hours		\$120.00
			Cool White 6000-6500K	* IP Rating:IP65 * Shell Color:Silver * Size:L285*W235*H150mm		\$120.00
ECO-FL-80W-01		80W	Warm White 2800-3200K	* Power:80W * Input Voltage:AC100-280V * LED Qty:1pcs 80W	\$208.00	
			Neutral White 4000-4500K	* Beam Angle:120° * Lumens: 6400-7200lm * Rated Life:50,000 hours		\$208.00
			Cool White 6000-6500K	* IP Rating:IP65 * Shell Color:Silver * Size:L360*W285*H110mm		\$208.00
ECO-FL-100W-01		100W	Warm White 2800-3200K	* Power:100W * Input Voltage:AC100-280V * LED Qty:1pcs 100W	\$258.00	
			Neutral White 4000-4500K	* Beam Angle:120° * Lumens: 8000-9000lm * Rated Life:50,000 hours		\$258.00
			Cool White 6000-6500K	* IP Rating:IP65 * Shell Color:Silver * Size:L400*W330*H130mm		\$258.00

REMARKS :

- Freight: quoted
- Payment Term: prepaid
- Delivery: 10 to 14 working days after order confirmed and receipt of payment
- MOQ: 10pcs
- 2 Year Warranty
- Uses Bridgelux U.S. made LED chips



LED Flood Light (PIR and RGB) Wholesale Prices

as of 4/12/12

	Model number		SFL-LED-10W-PIR-B	
	Color		Warm White	White
	Color Temperature		2600-3000K	6000-7000K
	LED Number		Power 10 LEDs chip Module with 10W	
	PIR start condition		≤5LUX	
	Delay Time (Second)		60±20S maximum	
	LED Viewing Angle		120°	
	Wattage (W)		10W±0.3	
	Luminous Flux (Lm)		1000Lm	
	Efficiency (Lm/W □)		90-100 Lm/W	
	Voltage (V)		12V/24V DC, 90V~260V AC	
	PIR sensor distance (m)		4~6m (on 140° Cone angle)	
	Lamp N.W.		500g, Die-cast aluminium housing	
	Lamp body size(cm)		85mmX115mmX85mm	
	Quantity / Carton		15 PCS	
Price	\$57.00	Export Carton size(cm)		55x45x25 cm
	Model number		SFL-LED-6W-C	
	Color		Warm White	White
	Color Temperature		2600-3000K	6000-7000K
	LED Number		90LEDs	
	PIR start condition		≤5LUX	
	Delay Time (Second)		60±20S	
	LED Viewing Angle		120°	
	Wattage (W)		6W±0.3, with Epistar LED	
	Luminous Flux (Lm)		490Lm	
	Efficiency (Lm/W □)		80-90 Lm/W	
	Voltage (V)		12V/24V DC	
	PIR sensor distance (m)		4~6m (on 140° Cone angle)	
	Lamp N.W.		450g, Alloy	
	Lamp body size(cm)		140x90x155	
	Quantity / Carton		30 PCS	
Price	\$50.40	Export Carton size(cm)		27x24x45 cm
	Model number		SFL-LED-10W-RGB	
	Color		Red, Yellow, Blue, Green, White, Warm White	
	Light source:		1*10wled green blue yellow white warm white and full colorinput	
	Voltage (V)		12V/24V DC, 100V~250V AC	
	Frequency		50Hz~60Hz	
	Power Factor		>0.98	
	Color Index		60Ra~90Ra	
	Working current		900mA	
	Luminous flux:		Red:120-140lm, Green:180-220lm,	Blue:45
			55lm	
	Beam angle:		15-120 degree	
	IP Rating		IP65, CE & RoHS	
	Lamp body size(cm)		115*87*105mm	
	Beam angle		120 degree	
	Price	\$44.20	Guarantee	

		Model number	SFL-LED-20W-RGB		
		Color	Red, Yellow, Blue, Green, White, Warm White		
		Light source:	1*20wled green blue yellow white warm white and full colorinput		
		Voltage (V)	12V/24V DC, 100V~250V AC		
		Frequence	50Hz~60Hz		
		Power Factor	>0.98		
		Color Index	60Ra~90Ra		
		Luminous flux:	Red:240-280lm, Green:380-450lm, Blue:90-110lm		
		Beam angle:	140 degree		
		IP Rating	IP65, CE & RoHS		
		Lamp body size(cm)	225*185*130mm		
		Beam angle	15-120 degree		
		Price	\$64.80	Guarantee	2years
				Model number	SFL-LED-30W-RGB
Color	Red, Yellow, Blue, Green, White, Warm White				
Light source:	1*30wled green blue yellow white warm white and full colorinput				
Voltage (V)	12V/24V DC, 100V~250V AC				
Frequence	50Hz~60Hz				
Power Factor	>0.98				
Color Index	60Ra~90Ra				
Luminous flux:	Red:560-590lm, Green:875-900lm, Blue:250-280lm				
Beam angle:	140 degree				
IP Rating	IP65, CE & RoHS				
Lamp body size(cm)	225*185*130mm				
Guarantee	2years			Price	\$91.80
				Model number	SFL-LED-60W-RGB
				Color	Red, Yellow, Blue, Green, White, Warm White
		Light source:	1*60wled green blue yellow white warm white and full colorinput		
		Voltage (V)	12V/24V DC, 100V~250V AC		
		Frequence	50Hz~60Hz		
		Power Factor	>0.98		
		Color Index	60Ra~90Ra		
		Luminous flux:	Red:1120-1180lm, Green:1750-1810lm, Blue:470-520lm		
		Beam angle:	140 degree		
		IP Rating	IP65, CE & RoHS		
		Lamp body size(cm)	L300 X W230 X H150mm		
		Price	\$208.40	Guarantee	2years



LED High Bay Wholesale Prices

Item No.	Photo	Technical factors 01	Technical factors 02	Replaces HID	Wholesale Price (USD)
ECO-HB-30W		<p>U.S. Made Bridgelux LEDs Voltage: AC110-265V/50HZ Led power: 30W System Power : 33W Color temperature: 2500-10000K CRI:Ra > 75 Temperature: 50/-35°C Lumen: 2700LM Lifetime: >50000H Material:aluminum alloy Product size : Φ525mm*H550mm Lamp shade : Φ525mm Weight : 5.5g</p>	<p>UL Driver, 5 Year Warranty IP54 : IP54 Angle : 45°、 120° THD : ≤9% Power factor : > 0.98 Power supply efficiency : 82% Light efficiency : 91% Average illumination/4m: >184Lux Average illumination/6m: >136Lux Effective illuminated Area/4m: ϕ 4.1M Effective illuminated Area/6m: ϕ 6.8M</p>	100 to 125W	\$140.00
ECO-HB-50W		<p>U.S. Made Bridgelux LEDs Voltage: AC110-265V/50HZ Led power: 50W System Power : 55W Color temperature: 2500-10000K CRI:Ra > 75 Temperature: 50/-35°C Lumen: 4500LM Lifetime: >50000H Material:aluminum alloy Product size : Φ525mm*H550mm Lamp shade : Φ525mm Weight : 6kg</p>	<p>UL Driver, 5 Year Warranty IP54 : IP54 Angle : 45°、 120° THD : ≤9% Power factor : > 0.98 Power supply efficiency : 82% Light efficiency : 91% Average illumination/5m: >142Lux Average illumination/6m: >71Lux Effective illuminated Area/5m: ϕ 5.1M Effective illuminated Area/6m: ϕ 6.8M</p>	150 to 200W	\$180.00

Please check for freight costs and quantity discounts

Distributed by: Eco-\$mart, Inc. (888)329-2705 ph / (941)377-9460 fx / info@eco-smart.com



LED High Bay Wholesale Prices

Item No.	Photo	Technical factors 01	Technical factors 02	Replaces HID	Wholesale Price (USD)
ECO-HB-80W		<p>U.S. Made Bridgelux LEDs Voltage: AC110-265V/50HZ Led power: 80W System Power : 88W Color temperature: 2500-10000K CRI:Ra > 75 Temperature: 50/-35°C Lumen: 7200LM Lifetime: >50000H Material:aluminum alloy Product size : Φ470mm*H560mm Lamp shade : Φ470mm Weight : 6kg</p>	<p>UL Driver, 5 Year Warranty IP54 : IP54 Angle : 45°、 120° THD : ≤9% Power factor : > 0.98 Power supply efficiency : 82% Light efficiency : 91% Average illumination/10m: >160LX Average illumination/12m: >130LX Effective illuminated Area/6m: ϕ 5.8M Effective illuminated Area/8m: ϕ 8.2M</p>	250 to 320W	\$240.00
ECO-HB-90W		<p>U.S. Made Bridgelux LEDs Voltage: AC110-265V/50HZ Led power: 90W System Power : 105W Color temperature: 2500-10000K CRI:Ra > 75 Temperature: 50/-35°C Lumen: 9000LM Lifetime: >50000H Material:aluminum alloy Product size : Φ470mm*H510mm Lamp shade : Φ470mm Weight : 6.5kg</p>	<p>UL Driver, 5 Year Warranty IP54 : IP54 Angle : 45°、 60° THD : ≤9% Power factor : > 0.98 Power supply efficiency : 82% Light efficiency : 91% Average illumination/8m: > Average illumination/10m: > Effective illuminated Area/8m: ϕ 7.8M Effective illuminated Area/10m: ϕ 9.2M</p>	250 to 350W	\$270.00

Please check for freight costs and quantity discounts

Distributed by: Eco-\$mart, Inc. (888)329-2705 ph / (941)377-9460 fx / info@eco-smart.com



LED High Bay Wholesale Prices

Item No.	Photo	Technical factors 01	Technical factors 02	Replaces HID	Wholesale Price (USD)
ECO-HB-100W		<p>U.S. Made Bridgelux LEDs Voltage: AC110-265V/50HZ Led power: 100W System Power : 110W Color temperature: 2500-10000K CRI:Ra > 75 Temperature: 50/-35°C Lumen: 9000LM Lifetime: >50000H Material:aluminum alloy Product size : Φ470mm*H560mm Lamp shade : Φ470mm Weight : 6kg</p>	<p>UL Driver, 5 Year Warranty IP54 : IP54 Angle : 45°、 120° THD : ≤9% Power factor : > 0.98 Power supply efficiency : 82% Light efficiency : 91% Average illumination/8m: > Average illumination/10m: > Effective illuminated Area/8m: ϕ 7.8M Effective illuminated Area/10m: ϕ 9.2M</p>	320 to 400W	\$290.00
ECO-HB-120W		<p>U.S. Made Bridgelux LEDs Voltage: AC110-265V/50HZ Led power: 120W System Power : 145W Color temperature: 2500-10000K CRI:Ra > 75 Temperature: 50/-35°C Lumen: 10800LM Lifetime: >50000H Material:aluminum alloy Product size : Φ470mm*H510mm Lamp shade : Φ470mm Weight : 7.5kg</p>	<p>UL Driver, 5 Year Warranty IP54 : IP54 Angle : 45°、 60° THD : ≤9% Power factor : > 0.98 Power supply efficiency : 82% Light efficiency : 91% Average illumination/10m: >185LX Average illumination/12m: >120LX Effective illuminated Area/10m: ϕ 9.8M Effective illuminated Area/12m: ϕ 11.2M</p>	350 to 450W	\$320.00

Please check for freight costs and quantity discounts

Distributed by: Eco-\$mart, Inc. (888)329-2705 ph / (941)377-9460 fx / info@eco-smart.com


LED High Bay Wholesale Prices

Item No.	Photo	Technical factors 01	Technical factors 02	Replaces HID	Wholesale Price (USD)
ECO-HB-150W		<p>U.S. Made Bridgelux LEDs Voltage: AC110-265V/50HZ Led power: 150W System Power : 178W Color temperature: 2500-10000K CRI:Ra > 75 Temperature: 50/-35°C Lumen: 13500LM Lifetime: >50000H Material:aluminum alloy Product size : Φ470mm*H510mm Lamp shade : Φ470mm Weight : 7.5kg</p>	<p>UL Driver, 5 Year Warranty IP54 : IP54 Angle : 45°、 60° THD : ≤9% Power factor : > 0.98 Power supply efficiency : 82% Light efficiency : 91% Average illumination/10m: >190LX Average illumination/12m: >160LX Effective illuminated Area/10m: ϕ 9.8M Effective illuminated Area/12m: ϕ 11.2M</p>	450 to 600W	\$390.00
ECO-HB-180W		<p>U.S. Made Bridgelux LEDs Voltage: AC110-265V/50HZ Led power: 180W System Power : 206W Color temperature: 2500-10000K CRI:Ra > 75 Temperature: 50/-35°C Lumen: 16200LM Lifetime: >50000H Material:aluminum alloy Product size : Φ470mm*H510mm Lamp shade : Φ470mm Weight : 7.5kg</p>	<p>UL Driver, 5 Year Warranty IP54 : IP54 Angle : 45°、 60° THD : ≤9% Power factor : > 0.98 Power supply efficiency : 82% Light efficiency : 91% Average illumination/12m: >230LX Average illumination/14m: >180LX Effective illuminated Area/12m: ϕ 11.8M Effective illuminated Area/14m: ϕ 13.2M</p>	500 to 750W	\$420.00

Please check for freight costs and quantity discounts

Distributed by: Eco-\$mart, Inc. (888)329-2705 ph / (941)377-9460 fx / info@eco-smart.com


Super Power LED High Bay Light (UL / IP65)

Model	Picture	Brand of LED Chip	Brand of Driver	Watt	Size(mm)	Lumen(lm)	Unit price(EXW)(\$)
ECO-BY-S200W		Cree	Meanwell (UL Listed)	200W	Dia 14.7 x H 16.1 "	20000-21000	US\$425.00
ECO-BY-S300W				300W	Dia 14.7 x H 16.1 "	30000-31000	US\$585.00
ECO-BY-S500W				500W	Dia 14.7 x H 17.6 "	50000-50500	US\$735.00

Remark:




- 1.Warranty: 5 Years (50,000 hour life)
- 2.Price Term: Freight is additional
- 3.Payment Terms: Prepaid
- 4.Delivery: 5-7 days after order confirmed.
5. Voltage is 85 to 265V, 277V, or 480V (please specify voltage and color temperature - 3000 to 6500K)

LED High Output Flood Lights (Wholesale Prices)




Wholesale Price:	\$472	\$630	\$910	\$1,156
Model No	CS-NFL-150W	CS-NFL-200W	CS-NFL-300W	CS-NFL-400W
LED qty	1pc*150W	1pc*200W	2pcs*150W	2pcs*200W
Lumens	14,250 to 15,000	19,000 to 20,000	28,500 to 30,000	38,000 to 40,000
Replaces HID	400W	750W	750W to 1000W	1000W to 1500W
Input voltage	AC85-265V, or AC277-300V, UL Listed Meanwell driver			
Frequency	47-63Hz			
Power factor	>0.95			
Luminous efficiency	95-100lm/w			
Light efficiency	>90%			
LED temperature	70°C±10%			
Operating temperature	-30°C to 50°C			
Color Temperature	2900-10000K available			
Color rendering indx	Ra>80			
Effective illuminating area	Height 10m		Φ12m	
	Height 20m		Φ24m	
	Height 30m		Φ36m	
	Height 40m		Φ48m	
	Height 50m		Φ60m	
Light distribution curve	Round optical spot			
Lighting Angle	90degree			
Light Body Material	Aluminum House & glass			
IP Rating	IP65			
Economical lifetime	> 50,000 Hrs			
Wind resistance index	12 level			
Installation	Horizontal or vertical installation			
Dimension	15.8" x 11.8" x 5.1"	15.8" x 11.8" x 5.1"	23.6" x 11.8" x 5.1"	31.5" x 11.8" x 5.1"
N.W.	10kg/pc		19kg/pc	
Warranty	3 years warranty			

LED Canopy Light Wholesale Prices

Item No.	Product pictures	Power	LED Lumens	Whl Price (USD)
ECO-FS330-75W-GS		75W	110-120LM/W	\$280
ECO-FS330-90W-GS		90W	110-120LM/W	\$307
ECO-FS330-120W-GS		120W	110-120LM/W	\$357

1. All products are approved by CE, ROHS, FCC, UL driver, and meet IP54, if needed, IP65 (contact for price)
2. Warranty: 3 Years, LED life expectancy: 50,000 hours.
3. LEDs are dimmable and work with sensors
4. Freight is additional.
5. 85 to 267V / 50 to 60hz, 277V option
6. All LEDs are Bridgelux, U.S. made.



LED Modular Gas Station Light - Wholesale Prices

Item	Description				Picture
ECO-BD-M60W	1) Light Source: 2*24pcs LED / BridgeLux LED Chip 2) Luminous Flux: 5400LM 3) Rated Wattage: 65W 4) Base: 2PINS 5) Rated Voltage: 85-265VAC, or 277VAC, 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) IP65		8) Lifetime: 50,000Hours 9) Size: 298*230*145mm 10) Net weight: KG 11) CE, ROHS approved 12) Body Temperature: <70 @Ta=25 13) Recommended Replaced μ lb : 180WCHPS 14) IP Rating: IP65		
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-60-36				
	1~49pcs	Price for 50-500PCS	Price for 501-1000pcs	Above 1000pcs	
	US\$211.46	US\$201.39	US\$191.80	US\$182.67	
ECO-BD-M80W	1) Light Source: 3*24pcs LED / BridgeLux LED Chip 2) Luminous Flux: 7000LM 3) Rated Wattage: 85W 4) Base: 2PINS 5) Rated Voltage: 85-265VAC, or 277VAC, 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) IP65		8) Lifetime: 50,000Hours 9) Size: 298*340*145mm 10) Net weight: KG 11) CE, ROHS approved 12) Body Temperature: <70 @Ta=25 13) Recommended Replaced μ lb : 240WCHPS 14) IP Rating: IP65		
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-100-30				
	1~49pcs	Price for 50-500PCS	Price for 501-1000pcs	Above 1000pcs	
	US\$291.20	US\$277.33	US\$264.13	US\$251.55	
ECO-BD-M100W	1) Light Source: 4*24pcs LED / BridgeLux LED Chip 2) Luminous Flux: 8600LM 3) Rated Wattage: 105W 4) Base: 2PINS 5) Rated Voltage: 85-265VAC, or 277VAC, 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) IP65		8) Lifetime: 50,000Hours 9) Size: 298*430*145mm 10) Net weight: KG 11) CE, ROHS approved 12) Body Temperature: <70 @Ta=25 13) Recommended Replaced μ lb : 300WCHPS 14) IP Rating: IP65		
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-100-30				
	1~49pcs	Price for 50-500PCS	Price for 501-1000pcs	Above 1000pcs	
	US\$342.97	US\$326.63	US\$311.08	US\$296.27	
ECO-BD-M120W	1) Light Source: 4*24pcs LED / BridgeLux LED Chip 2) Luminous Flux: 10500LM 3) Rated Wattage: 130W 4) Base: 2PINS 5) Rated Voltage: 85-265VAC, or 277VAC, 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) IP65		8) Lifetime: 50,000Hours 9) Size: 298*430*145mm 10) Net weight: KG 11) CE, ROHS approved 12) Body Temperature: <70 @Ta=25 13) Recommended Replaced μ lb : 350WCHPS 14) IP Rating: IP65		
	UL ,TUV Certified Power Supply from Meanwell Model: HLG-120-24				
	1~49pcs	Price for 50-500PCS	Price for 501-1000pcs	Above 1000pcs	
	US\$382.75	US\$364.52	US\$347.17	US\$330.63	
ECO-BD-M160W	1) Light Source: 6*24pcs LED / BridgeLux LED Chip 2) Luminous Flux: 13500LM 3) Rated Wattage: 170W 4) Base: 2PINS 5) Rated Voltage: 85-265VAC, or 277VAC, 50/60Hz 6) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K) 7) IP65		8) Lifetime: 50,000Hours 9) Size: 340*596*154mm 10) Net weight: KG 11) CE, ROHS approved 12) Body Temperature: <70 @Ta=25 13) Recommended Replaced μ lb : 450WCHPS 14) IP Rating: IP65		
	UL ,TUV Certified Power Supply from Meanwell Model: HLG-185-36				
	1~49pcs	Price for 50-500PCS	Price for 501-1000pcs	Above 1000pcs	
	US\$518.54	US\$493.85	US\$470.33	US\$447.93	

Remark:

1. All the above prices are plus freight.
2. Terms: Prepaid.
3. All our LED Lighting products are with 3 years warranty.
4. Lead time: Within 5-7 working days after receipt of payment for sample 10-20 working days after receipt of payment for wholesale orders.
5. Shipment: By courier, by air, or by sea.
6. The validity of the above quotation is 30 days.
7. **Notice: Pls remove the traditional ballast before installation; Cannot be installed in the inside of unventilated fixture;**



replaces



Shoe Box LED Street and Parking Light (and Retrofit Kit) Wholesale Prices

Full Name	Description	Picture			
ECO-SB-S30W	1) Light Source: 1*20PCS U.S. Made Bridgelux LED Chip 2) Luminous Flux: 2700LM±10% 3) 45*45mil Chip(200-250Lm/LED) 4) Rated Wattage: 54W±5% 5)Base: 2PIN Wires 6) Rated Voltage: 100-277VAC, 50/60Hz 7) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K)	8) Beam Angle: 140 * 70 ° 9) Lifetime: 50,000Hours 10) Size: 476*416*183mm 11) Net weight: KG 12) CE . ROHS approved 13) Body Temperature: < 60° 14) Recommended replace light: 150W HPS 15) IP Rating:IP65	Single LED Board in Center of Shoe Box 		
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-60-36				
	Price for 1-49pcs	50-500pcs		501-1000pcs	Over 1000pcs
	\$202.78	\$193.13		\$183.93	\$175.18
ECO-SB-S50W	1) Light Source: 2*20PCS U.S. Made Bridgelux LED Chip 2) Luminous Flux: 4500LM±10% 3) 45*45mil Chip(200-250Lm/LED) 4) Rated Wattage: 54W±5% 5)Base: 2PIN Wires 6) Rated Voltage: 100-277VAC, 50/60Hz 7) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K)	8) Beam Angle: 140 * 70 ° 9) Lifetime: 50,000Hours 10) Size: 476*416*183mm 11) Net weight: KG 12) CE . ROHS approved 13) Body Temperature: < 60° 14) Recommended replace light: 150W HPS 15) IP Rating:IP65			
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-60-36				
	Price for 1-49pcs	50-500pcs		501-1000pcs	Over 1000pcs
	\$251.01	\$239.06		\$227.68	\$216.83
ECO-SB-S60W	1) Light Source: 2*20PCS U.S. Made Bridgelux LED Chip 2) Luminous Flux: 5400LM±10% 3) 45*45mil Chip(200-250Lm/LED) 4) Rated Wattage: 65W±5% 5)Base: 2PIN Wires 6) Rated Voltage: 100-277VAC, 50/60Hz 7) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K)	8) Beam Angle: 140 * 70 ° 9) Lifetime: 50,000Hours 10) Size: 476*416*183mm 11) Net weight: KG 12) CE . ROHS approved 13) Body Temperature: < 60° 14) Recommended replace light: 180W HPS 15) IP Rating:IP65			
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-60-36				
	Price for 1-49pcs	50-500pcs		501-1000pcs	Over 1000pcs
	\$266.45	\$253.76		\$241.68	\$230.17
ECO-SB-S80W	1) Light Source: 4*20PCS U.S. Made Bridgelux LED Chip 2) Luminous Flux: 7200LM±5% 3) 45*45mil Chip(120-130Lm/LED) 4) Rated Wattage: 85W±5% 5)Base: 2PIN Wires 6) Rated Voltage: 100-277VAC, 50/60Hz 7) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K)	8) Beam Angle: 140 * 70 ° 9) Lifetime: 50,000Hours 10) Size: 476*416*183mm 11) Net weight: KG 12) CE . ROHS approved 13) Body Temperature: < 60° 14) Recommended replace light: 250W HPS 15) IP Rating:IP65			
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-100-36				
	Price for 1-49pcs	50-500pcs		501-1000pcs	Over 1000pcs
	\$334.90	\$318.95		\$303.77	\$289.30
ECO-SB-S100W	1) Light Source: 4*20PCS U.S. Made Bridgelux LED Chip 2) Luminous Flux: 9000LM±10% 3) 45*45mil Chip(200-250Lm/LED) 4) Rated Wattage: 105W±5% 5)Base: 2PIN Wires 6) Rated Voltage: 100-277VAC, 50/60Hz 7) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K)	8) Beam Angle: 140 * 70 ° 9) Lifetime: 50,000Hours 10) Size: 476*416*183mm 11) Net weight: KG 12) CE . ROHS approved 13) Body Temperature: < 60° 14) Recommended replace light: 300W HPS 15) IP Rating:IP65			
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-100-36				
	Price for 1-49pcs	50-500pcs		501-1000pcs	Over 1000pcs
	\$346.13	\$329.65		\$313.95	\$299.00
ECO-SB-S120W	1) Light Source: 4*20PCS U.S. Made Bridgelux LED Chip 2) Luminous Flux: 10800LM±10% 3) 45*45mil Chip(200-250Lm/LED) 4) Rated Wattage: 130W±5% 5)Base: 2PIN Wires 6) Rated Voltage: 100-277VAC, 50/60Hz 7) Color Temperature: WW(2700-3800K), NW(4000-5000K) or CW(5500-6700K)	8) Beam Angle: 140 * 70 ° 9) Lifetime: 50,000Hours 10) Size: 476*416*183mm 11) Net weight: KG 12) CE . ROHS approved 13) Body Temperature: < 60° 14) Recommended replace light: 350W HPS 15) IP Rating:IP65			
	UL ,TUV Certified Power Supply from Meanwell Model: HLG-120-36A				
	Price for 1-49pcs	50-500pcs		501-1000pcs	Over 1000pcs
	\$390.12	\$371.54		\$353.85	\$337.00
Remarks: 1. Freight is additional 2. Payment : prepaid by check or credit card. 3. 3 year warranty. 4. Lead time: Within 3-5 working days for samples; Within 10-20 working days for larger orders. 5. Shipment: By courier,By air,by sea . 6. Prices and specifications subject to change.			 ➔ 		
DEDUCT \$70.00 FROM EACH PRICE FOR RETROFIT KIT ONLY					

LED Canopy Fixture - Wholesale Prices





Item No.	Description				Picture
ECO-CSD-43W	1) Light Source: 140PCS 5630 LED 2) Luminous Flux: 4000LM±10% 3) 23*45mil Chip(55~60Lm/LED) 4) Rated Wattage: 43W ±5% 5)Base: 2PIN Wires 6) Rated Voltage: 90-305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)		8) Beam Angle: 150 ° 9) Lifetime: 50,000Hours 10) Size: 12.4 x 12.4 x 9.1" 11) Net weight: 4.5KG 12) CE . ROHS approved 13) Body Temperature: < 70° 14) Recommended replaced panel light: 120W HPS 15) IP Rating:IP64		
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-60-30				
	Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	
	\$257.46	\$245.20	\$233.52	\$222.40	
ECO-CSD-65W	1) Light Source: 250PCS 5630 LED 2) Luminous Flux: 6000LM±5% 3) 23*45mil Chip(55~60Lm/LED) 4) Rated Wattage: 65W ±5% 5)Base: 2PIN Wires 6) Rated Voltage: 90-305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)		8) Beam Angle: 150 ° 9) Lifetime: 50,000Hours 10) Size: 12.4 x 12.4 x 9.1" 11) Net weight: 4.5KG 12) CE . ROHS approved 13) Body Temperature: < 70° 14) Recommended replaced panel light: 180W HPS 15) IP Rating:IP64		
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-60-36				
	Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	
	\$285.24	\$271.66	\$258.72	\$246.40	
ECO-CSD-80W	1) Light Source: 250PCS 5630 LED 2) Luminous Flux: 7500LM±5% 3) 23*45mil Chip(55~60Lm/LED) 4) Rated Wattage: 80W ±5% 5)Base: 2PIN Wires 6) Rated Voltage: 90-305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)		8) Beam Angle: 150 ° 9) Lifetime: 50,000Hours 10) Size: 12.4 x 12.4 x 9.1" 11) Net weight: 4.5KG 12) CE . ROHS approved 13) Body Temperature: < 70° 14) Recommended replaced panel light: 200W HPS 15) IP Rating:IP64		
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-75-36				
	Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	
	\$305.61	\$291.06	\$277.20	\$264.00	
ECO-CSD-105W	1) Light Source: 80PCS 2w LED 2) Luminous Flux: 10000LM±10% 3) 45*45mil Chip/(Bridgelux chip) 4) Rated Wattage: 105W ±5% 5)Base: 2PIN Wires 6) Rated Voltage: 100~240VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)		8) Beam Angle: 150 ° 9) Lifetime: 50,000Hours 10) Size: 18.2 x 17.3 x 9.8" 11) Net weight: 10KG 12) CE . ROHS approved 13) Body Temperature: < 70° 14) Recommended replaced panel light: 300W HPS 15) IP Rating:IP64		
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-100-36				
	Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	
	\$385.89	\$378.33	\$370.91	\$363.64	
ECO-CSD-125W	1) Light Source: 80PCS 2w LED 2) Luminous Flux: 11000LM±10% 3) 45*45mil Chip/(Bridgelux chip) 4) Rated Wattage: 125W ±5% 5)Base: 2PIN Wires 6) Rated Voltage: 90-305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)		8) Beam Angle: 150 ° 9) Lifetime: 50,000Hours 10) Size: 18.2 x 17.3 x 9.8" 11) Net weight: 10KG 12) CE . ROHS approved 13) Body Temperature: < 70° 14) Recommended replaced panel light: 300W HPS 15) IP Rating:IP64		
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-100-36				
	Price for 1~49pcs	Price for 50-500pcs	Price for 501-1000pcs	Price for over 1000pcs	
	\$425.87	\$417.52	\$409.34	\$401.31	



Freight is additional
3 Year Warranty







Eco-Smart, Inc.
 4411 Bee Ridge Rd. #344
 Sarasota, FL 34233
 888-329-2705 ph / 941-377-9460 fx
www.eco-smart.com

LED Rigid Bar Strip Lights and Controllers Wholesale Prices

Item	Image	P/N	Specification	Warranty: 2 years	Unit Price (FOB)(USD)
LED Rigid Bar					
SMD3528 Aluminium series (waterproof)IP67					
1		RB-WP-S3528-96WH-G8	1000x15mm,96pcs 3528 led,DC12V/DC24V,640mA,7.68W,576-624lm,120°,Cool white/Warm white/Pure white		\$28.52
		RB-WP-S3528-96RE-G8	1000x15mm,96pcs 3528 led,DC12V/DC24V,640mA,7.68W,192lm,120°,Red		\$27.70
		RB-WP-S3528-96YE-G8	1000x15mm,96pcs 3528 led,DC12V/DC24V,640mA,7.68W,192lm,120°,Yellow		\$27.70
		RB-WP-S3528-96BL-G8	1000x15mm,96pcs 3528 led,DC12V/DC24V,640mA,7.68W,200lm,120°,Blue		\$27.70
		RB-WP-S3528-96GR-G8	1000x15mm,96pcs 3528 led,DC12V/DC24V,640mA,7.68W,384lm,120°,Green		\$28.52
2		RB-WP-S3528-180WH-G8	1000x15mm,180pcs 3528 led,DC12V/DC24V,1200mA,14.4W,1080-1170lm,120°,Cool white/Warm white/Pure white		\$57.02
		RB-WP-S3528-180RE-G8	1000x15mm,180pcs 3528 led,DC12V/DC24V,1200mA,14.4W,360lm,120°,Red		\$52.96
		RB-WP-S3528-180YE-G8	1000x15mm,180pcs 3528 led,DC12V/DC24V,1200mA,14.4W,360lm,120°,Yellow		\$52.96
		RB-WP-S3528-180BL-G8	1000x15mm,180pcs 3528 led,DC12V/DC24V,1200mA,14.4W,450lm,120°,Blue		\$52.96
		RB-WP-S3528-180GR-G8	1000x15mm,180pcs 3528 led,DC12V/DC24V,1200mA,14.4W,540lm,120°,Green		\$57.02
SMD5050 Aluminium series (waterproof)IP67					
1		RB-WP-S5050-30WH-G8	1000x15mm,30pcs 5050 led,DC12V/DC24V,3000mA,7.2W,540-585lm,120°,Cool white/Warm white/Pure white		\$24.44
		RB-WP-S5050-30RE-G8	1000x15mm,30pcs 5050 led,DC12V/DC24V,3000mA,7.2W,180lm,120°,RED		\$22.42
		RB-WP-S5050-30YE-G8	1000x15mm,30pcs 5050 led,DC12V/DC24V,3000mA,7.2W,180lm,120°,Yellow		\$22.42
		RB-WP-S5050-30BL-G8	1000x15mm,30pcs 5050 led,DC12V/DC24V,3000mA,7.2W,225lm,120°,Blue		\$22.42
		RB-WP-S5050-30GR-G8	1000x15mm,30pcs 5050 led,DC12V/DC24V,3000mA,7.2W,360lm,120°,Green		\$24.44
RB-WP-S5050-30RGB-G8	1000x15mm,30pcs 5050 RGB led,DC12V/DC24V,3000mA,7.2W,75-120lm,120°,RGB		\$24.44		
2		RB-WP-S5050-48WH-G8	1000x15mm,48pcs 5050 led,DC12V/DC24V,950mA,11.4W,864-936lm,120°,Cool white/Warm white/Pure white		\$32.58
		RB-WP-S5050-48RE-G8	1000x15mm,48pcs 5050 led,DC12V/DC24V,950mA,11.4W,180lm,288°,RED		\$30.56
		RB-WP-S5050-48YE-G8	1000x15mm,48pcs 5050 led,DC12V/DC24V,950mA,11.4W,288lm,120°,Yellow		\$30.56
		RB-WP-S5050-48BL-G8	1000x15mm,48pcs 5050 led,DC12V/DC24V,950mA,11.4W,360lm,120°,Blue		\$30.56
		RB-WP-S5050-48GR-G8	1000x15mm,48pcs 5050 led,DC12V/DC24V,950mA,11.4W,576lm,120°,Green		\$32.58
RB-WP-S5050-48RGB-G8	1000x15mm,48pcs 5050 RGB led,DC12V/DC24V,950mA,11.4W,96-192lm,120°,RGB		\$30.56		












3		RB-WP-S5050-60WH-G8	1000x15mm,60pcs 5050 led,DC12V/DC24V,1200mA,14.4W,864-936lm,120°,Cool white/Warm white/Pure white	\$35.44
		RB-WP-S5050-60RE-G8	1000x15mm,60pcs 5050 led,DC12V/DC24V,1200mA,14.4W,180lm,288°,RED	\$33.42
		RB-WP-S5050-60YE-G8	1000x15mm,60pcs 5050 led,DC12V/DC24V,1200mA,14.4W,288lm,120°,Yellow	\$33.42
		RB-WP-S5050-60BL-G8	1000x15mm,60pcs 5050 led,DC12V/DC24V,1200mA,14.4W,360lm,120°,Blue	\$33.42
		RB-WP-S5050-60GR-G8	1000x15mm,60pcs 5050 led,DC12V/DC24V,1200mA,14.4W,576lm,120°,Green	\$35.44
		RB-WP-S5050-60RGB-G8	1000x15mm,60pcs 5050 RGB led,DC12V/DC24V,1200mA,14.4W,96-192lm,120°,RGB	\$33.42
4		RB-WP-S5050-72WH-G8	1000x15mm,72pcs 5050 led,DC12V/DC24V,1450mA,17.4W,1296-1404lm,120°,Cool white/Warm white/Pure white	\$40.74
		RB-WP-S5050-72RE-G8	1000x15mm,72pcs 5050 led,DC12V/DC24V,1450mA,17.4W,432lm,120°,RED	\$38.68
		RB-WP-S5050-72YE-G8	1000x15mm,72pcs 5050 led,DC12V/DC24V,1450mA,17.4W,432lm,120°,Yellow	\$38.68
		RB-WP-S5050-72BL-G8	1000x15mm,72pcs 5050 led,DC12V/DC24V,1450mA,17.4W,540lm,120°,Blue	\$38.68
		RB-WP-S5050-72GR-G8	1000x15mm,72pcs 5050 led,DC12V/DC24V,1450mA,17.4W,864lm,120°,Green	\$40.74
		RB-WP-S5050-72RGB-G8	1000x15mm,72pcs 5050 RGB led,DC12V/DC24V,1450mA,17.4W,144-288lm,120°,RGB	\$38.68









Controller				
1		CONJ-3CH-LV-F5	Simple controller Working Temp.: -20-60℃ Voltage: optional with DC5V □ DC6V □ DC12V □ DC24V Out size: L72xW38xH26mm Out put □ Three CMOS Open-drain output Connection method: common anode/common cathode Rated load current: 4A per channel ,Max. load current: 6A per channel Function: gradual changing, jump changing, 5 seconds interval	\$7.10
2		CON-1KEY-3CH-LV-F5	Single key controller Working Temp.: -20-60℃ Voltage: Optional with DC5V □ DC6V □ DC12V □ DC24V Out size: 74*50*28mm Out put □ Three CMOS Open-drain output Connection method: common anode/common cathode Rated load current: 4A per channel ,Max. load current: 6A per channel Key-press control method, available with 12 different color changing mode.	\$15.28
3		CON-F6KEY-3CH-LV-F5	6key controller Output: 3channel, control formula with fixed various (25 type) color changing mode. Voltage: Optional with DC5V □ DC6V □ DC12V □ DC24V Rated load current: <4A per channel Out put □ Three CMOS Open-drain output Connection method: common anode/common cathode Function : 1, Speed and brightness adjusting 2, Lock control	\$27.84
4		CON-ZJF-3CH-LV-F5	Relay amplifier Input: R/G/B/+ Output(common anode): R/G/B Load current per channel: <4A Working voltage: DC5/6/12/24V Input and output optical – electrical isolating, no common earth wire	\$22.12

5		CON-SZJF-3CH-LV-F5	Mini type Relay amplifier Input: R/G/B/+ Output(common anode): R/G/B Load current per channel: <4A Working voltage: DC5/6/12/24V Input and output optical – electrical isolating, no common earth wire	\$16.92
6		CON-ZJFFS-3CH-LV-F5	Waterproof Relay amplifier Input: R/G/B/+ Output(common anode): R/G/B Load current per channel: <4A Working voltage: DC5/6/12/24V Input and output optical – electrical isolating, no common earth wire	\$24.02
7		CON- XDIMMER-1CH-LV-F5	1CH dimmer (Rotating type) Working Temp.: -20-60□ Voltage: optional with DC5/6/12/24V Rated load current: 8A Max. load current: 10A	\$12.02
8		CON-RF4B(T)-3CH-LV-F5	Remote controller Working Temp.: -20-60□ Voltage: optional with DC5/6/12/24V Output: Three CMOS Open-drain output Connection method: common anode/common cathode Rated load current: 4A per channel ,Max. load current: 6A per channel Remote control, Max distance: 1000M (open space)	\$36.04
9		CON-DMXCON-RF4B(T)-3CH-LV-F5	DMX remote controller (RF4B) Working Temp.: -20-60□ Incept signal: wireless+DMX Voltage: optional with DC5/6/12/24V Output: Three CMOS Open-drain output Connection method: common anode/common cathode Rated load current: 4A per channel ,Max. load current: 6A per channel Remote control, Max distance: 1000M (open space)	\$57.88
10		CON-RF4B(S)-3CH-LV-F5	Waterproof-remote controller Working Temp.: -20-60□ Incept signal: wireless+DMX Voltage: optional with DC5/6/12/24V Output: Three CMOS Open-drain output Connection method: common anode/common cathode Rated load current: 4A per channel ,Max. load current: 6A per channel Remote control, Max distance: 1000M (open space)	\$35.76
11		CON-RF4B(H)-3CH-LV-F5	Wireless remote controller Working Temp.: -20-60□ Voltage: optional with DC5/6/12/24V Output: Three CMOS Open-drain output Connection method: common anode/common cathode Rated load current: 4A per channel ,Max. load current: 6A per channel Remote control, Max distance: 1000M (open space)	\$35.76

LED Flex Strip Lighting - Wholesale Prices

Item	Article No.	Picture	Description	Unit price (US\$)	Unit price (US\$)	Unit price (US\$)	Unit price (US\$)
	LED Flex Strips			MOQ=100 reels	500 pcs	1k pcs	2k pcs
1	W5050W/WW/R/G/B/YA/RGB (16.4' ea.)		7.5W/M, 30LED/M , Waterproof, DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$52.00	\$48.00	\$46.00	\$44.00
2	5050W/WW/R/G/B/YA/RGB (16.4' ea.)		7.5W/M, 30LED/M , Non-waterproof, DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$48.00	\$44.00	\$42.00	\$40.00
3	W5050W/WW/R/G/B/YA/RGB (16.4 ea.)		15W/M, 60LED/M , Waterproof, DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$72.00	\$68.00	\$66.00	\$64.00
4	5050W/WW/R/G/B/YA/RGB (16.4' ea.)		15W/M, 60LED/M , Non-waterproof, DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$68.00	\$64.00	\$62.00	\$60.00
5	W3528W/WW/R/G/B/Y/A (3.3' ea.)		4.8W/M, 60LED/M, Waterproof, DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$32.00	\$28.00	\$26.00	\$24.00
6	3528W/WW/R/G/B/Y/A (3.3' ea.)		4.8W/M, 60LED/M, Non-waterproof, DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$28.00	\$24.00	\$22.00	\$20.00
7	D5050RGB (16.4' ea)		Digital Dream Color LED Strip, 9.6W/M, 30LED/M , Non-waterproof, DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$96.00	\$92.00	\$90.00	\$88.00
8	DW5050RGB (16.4' ea.)		Digital Dream Color LED Strip,9.6W/M, 30LED/M , Waterproof, DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$100.00	\$96.00	\$94.00	\$92.00
9	W335W/WW/R/G/B/Y/A (16.4' ea.)		Side-view LED strip,4.8W/M, 60LED/M, Waterproof, DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$64.00	\$60.00	\$56.00	\$54.00
10	335W/WW/R/G/B/Y/A (16.4' ea.)		Side-view LED, 4.8W/M, 60LED/M, Non-waterproof, DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$60.00	\$56.00	\$52.00	\$50.00

11	CID5050RGB (16.4' ea.)		Controller built-in Digital LED Strip, 9.6W/M, 8 pixels , 32LED/M, Non-waterproof, DC12V, RGB	\$96.00	\$92.00	\$90.00	\$88.00
12	CIWD5050RGB (16.4' ea.)		Controller built-in Digital LED Strip, 9.6W/M, 8 pixels , 32LED/M, Waterproof, DC12V, RGB	\$100.00	\$96.00	\$94.00	\$92.00
13	CID5050RGB		Controller built-in Digital LED Strip, 32 pixels , 32LED/M, Non-waterproof, DC12V, RGB	\$116.00	\$112.00	\$110.00	\$108.00
14	CIWD5050RGB (16.4' ea.)		Controller built-in Digital LED Strip, 32 pixels , 32LED/M, Waterproof, DC12V, RGB	\$120.00	\$116.00	\$114.00	\$112.00
15	CID5050RGB (16.4' ea.)		Controller built-in Digital LED Strip, 48 pixels , 48LED/M, Non-waterproof, DC12V, RGB	\$136.00	\$132.00	\$130.00	\$128.00
16	CIWD5050RGB (16.4' ea.)		Controller built-in Digital LED Strip, 48 pixels , 48LED/M, Waterproof, DC12V, RGB	\$140.00	\$136.00	\$134.00	\$132.00
17	3014W/WW/R/G /B/Y/A (3.3' ea.)		3014 LED strip,6W/M, 60LED/M, Non-waterproof , DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$36.00	\$34.00	\$32.00	\$30.00
18	W3014W/WW/R /G/B/Y/A		3014 LED strip,6W/M, 60LED/M, Waterproof , DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$40.00	\$38.00	\$36.00	\$34.00
19	3014W/WW/R/G /B/Y/A (3.3' ea.)		3014 LED strip,12W/M, 120LED/M, Non-waterproof , DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$54.00	\$52.00	\$50.00	\$48.00
20	W3014W/WW/R /G/B/Y/A (3.3' ea.)		3014 LED strip,12W/M, 120LED/M, Waterproof , DC12V, White,Warm White, Red, Yellow, Blue, Green, Amber	\$58.00	\$56.00	\$54.00	\$52.00
21	3528PP/PK, 5050PP/PK,335 PP/PK		3528, 5050, 335 Purple, Pink	Add \$15/reel compare other colors			

22	3528PP/PK, 5050PP/PK,335 PP/PK		3528, 5050, 335 Purple, Pink	Add \$15/reel compare other colors			
23	U-TB25		25CM, 9LED, Connectable	\$8.00	\$7.00	\$6.00	\$5.00
24	U-TA120		4Ft long, 90LED, connectable,	\$44.00	\$40.00	\$38.00	\$36.00
25	U-TC60		2Ft long, 30LED, connectable	\$24.00	\$22.00	\$20.00	\$18.00
26	U-TA100		100cm long, 60LED, connectable	\$40.00	\$36.00	\$34.00	\$32.00
27	U-TA50		50CM long, 30LED, connectable	\$24.00	\$22.00	\$20.00	\$18.00
28	U-TD50		50cm long, 30LED, Pirahna type, connectable	\$20.00	\$18.00	\$16.00	\$16.00
29	U-TE50		50CM long, 30LED,connectable	\$20.00	\$18.00	\$16.00	\$16.00
30	DR3528, DR5050		Double Row strip, 3528, 5050 series	Double the price of the standard 3528 or 5050 strip			