



Eco-Smart, Inc
(888) 329-2705 ph (941) 377-9460 fx
www.eco-smart.com






LED Replacement Lamps

(Wholesale Prices)

NOTE: All lamps are warranted for indoor use only unless "waterproof" or "IP" rated is indicated


LED Tube Light (T10 and T8)

Revised: 02-01-19


Product No	Picture	Model Length	Beam / Cert.	LED / DIM?	Int. / Ext. Driver / Voltage	Color Temp	Power (W)	Lumens (LM)	Warranty	Price (>100pcs)
ECO-BL-2, 2E,3, , 4, 4B, 4D, 4E, 4H, 4HD, 4HE, 4HED, 4MS, 5, 5D, 5E, 5ED, 6, 8, 8E, 8H (T8, Internal and External Power Supply, Ballast Compatible, Dimmable, Microwave Sensor Options, UL, CE, FCC, ROHS, DLC Listed) Note: Some models also available with double side power and motion sensor options		BL-2, 24"	UL / DLC	Non-Dim	Int. 100 to 277V	3000 to 6500K	10W	1200 Lumens	5 Years	US\$10.75 US\$9.56
		BL-2DSP, 24"	UL (Double Side Power)	Non-Dim	Int. 100 to 277V		10W	1080 Lumens	3 Years	US\$12.50 US\$11.11
		BL-3, 36"	UL	Non-Dim	Int. 100 to 277V		15W	1350 Lumens	3 Years	US\$13.25 US\$11.78
		BL-4-15, 48"	UL / DLC	Non-Dim	Int. 100 to 277V		15W	1800 Lumens	5 Years	US\$14.50 US\$12.89
		BL-4-18, 48"	UL / DLC	Non-Dim	Int. 100 to 277V		18W	2160 Lumens	5 Years	US\$14.75 US\$13.11
		BL-4B, 48"	UL	Ballast Compatible	Int. 100 to 277V		18W	2160 Lumens	3 Years	US\$15.00 US\$13.33
		BL-4D, 48"	UL	Dimmable	Int. 90 to 140V		18W	2160 Lumens	3 Years	US\$19.75 US\$17.56
		BL-4E, 48"	UL / DLC	Non-Dim	Ext. 100 to 277V		18W	2160 Lumens	5 Years	US\$21.75 US\$19.33
		BL-4ED, 48"	UL	Dimmable	Ext. 100 to 277V		18W	2160 Lumens	3 Years	US\$30.50 US\$27.11
		BL-4H, 48"	UL / DLC	Non-Dim	Int. 100 to 277V		22W	2640 Lumens	5 Years	US\$16.75 US\$14.89
		BL-4HD, 48"	UL	Dimmable	Int. 90 to 140V		22W	2640 Lumens	3 Years	US\$21.50 US\$19.11
		BL-4HE, 48"	UL	Non-Dim	Ext. 100 to 277V		22W	2640 Lumens	3 Years	US\$26.25 US\$23.33
		BL-4HED, 48"	UL	Dimmable	Ext. 100 to 277V		22W	2640 Lumens	3 Years	US\$32.50 US\$28.89
		BL-4MS, 48"	UL	Micro Sensor	Int. 100 to 277V		18W	2160 Lumens	3 Years	US\$34.44 US\$31.00
		BL-5, 60"	UL	Non-Dim	Int. 100 to 277V		26W	2660 Lumens	3 Years	US\$22.75 US\$20.22
		BL-5D, 60"	UL	Dimmable	Int. 90 to 140V		26W	2660 Lumens	3 Years	US\$25.00 US\$22.22
		BL-5E, 60"	UL	Non-Dim	Ext. 100 to 277V		26W	2660 Lumens	3 Years	US\$29.50 US\$26.22
		BL-5ED, 60"	UL	Dimmable	Ext. 100 to 277V		26W	2660 Lumens	3 Years	US\$35.50 US\$31.56
		BL-6, 72"	UL	Non-Dim	Int. 100 to 277V		26W	2660 Lumens	3 Years	US\$29.25 US\$26.00
		BL-8, 94.5"	UL	Non-Dim	Int. 100 to 277V		36W	3960 Lumens	3 Years	US\$31.25 US\$27.78
BL-8B, 94.5"	UL	Ballast Compatible	Int. 100 to 277V	36W	3960 Lumens	3 Years	US\$33.75 US\$30.00			
BL-8E, 94.5"	UL	Non-Dim	Ext. 100 to 277V	36W	3760 Lumens	3 Years	US\$41.75 US\$37.11			
BL-8H, 94.5"	UL	Non-Dim	Int. 100 to 277V	44W	4940 Lumens	3 Years	US\$54.25 US\$48.22			
ECO-CPS-2,4-12, 4-15, 4-18,5,6, 8 (T8, Internal Power Supply, UL, CE, FCC, ROHS Listed, Some DLC)		24" (2-14-10)	UL/DLC	Non-Dim	AC 100 to 277V	2700 to 5000K (Frosted Only)	10W	1100 Lumens	5 Years	US\$10.00 US\$9.11
		36"	UL/DLC	Non-Dim		3000 to 6000K	15W	1810 Lumens	5 Years	US\$16.89 US\$15.20
		48" (4-14-12)	UL/DLC	Non-Dim		2700 to 5000K (Frosted Only)	12W	1650 Lumens	5 Years	US\$14.75 US\$13.11
		48"(4-14-15)	UL/DLC	Non-Dim		2700 to 5000K (Frosted Only)	15W	1750 Lumens	5 Years	US\$14.25 US\$12.67
		48"(4-14-18)	UL/DLC	Non-Dim		2700 to 5000K (Frosted Only)	18W	2050 Lumens	5 Years	US\$14.25 US\$12.67
		48"(4-12-18)	UL/DLC	Non-Dim		2700 to 5000K (Frost or Clear)	18W	2050 Lumens	5 Years	US\$14.67 US\$13.20
		48" (4-12)-B	UL/DLC	Ballast Compatible		2700 to 5000K (Frosted Only)	12W	1600 Lumens	5 Years	US\$16.00 US\$14.40
		48"(4-15)-B	UL/DLC	Ballast Compatible		2700 to 5000K (Frosted Only)	15W	1650 Lumens	5 Years	US\$15.56 US\$14.00
		48"(4-18)-B	UL/DLC	Ballast Compatible		2700 to 5000K (Frost or Clear)	18W	1810 Lumens	5 Years	US\$15.11 US\$13.60
		72"	UL	Non-Dim		3000 to 6000K	30W	2800 Lumens	5 Years	US\$39.95 US\$36.36
94" (8-12-38)	UL	Non-Dim	3000 to 6000K	38W	3550 Lumens	3 Years	US\$34.44 US\$31.00			
ECO-AL-2,3,4, 4H,5-G13 (T8, Internal Power Supply, UL, DLC, CE, FCC, ROHS Listed)		AL-2, 24"	UL	3014 SMD LEDs	AC 100 to 277V	3000 to 6000K	10W	1100 Lumens	5 Years	US\$19.80 US\$18.00
		AL-3, 36"	UL			3000 to 6000K	15W	1670 Lumens	5 Years	US\$23.00 US\$23.00
		AL-4, 48"	UL / DLC			3000 to 6000K	16W	1800 Lumens	5 Years	US\$18.75 US\$16.67
		AL-4H, 48"	UL / DLC			3000 to 6000K	18W	2000 Lumens	5 Years	US\$20.00 US\$17.78
		AL-5, 60"	UL			3000 to 6000K	25W	2400 Lumens	5 Years	US\$34.00 US\$30.91
ECO-T8-360-2,3,4 (-2= 2', 3=3', -4=4', T8, CE, ROHS)		24"	360	330 Epistar LEDs	AC 100 to 277V	2700-6700K	20W	2200 Lumens	3 Years	US\$47.12 US\$43.49
		36"		480 Epistar LEDs			30W	3200 Lumens	3 Years	US\$70.67 US\$65.23
		48"		660 Epistar LEDs			40W	4200 Lumens	3 Years	US\$94.23 US\$86.98
ECO-T8-U-14-H (Dimmable, UL Listed)		ECO-T8-U-2.5	UL	2.5" Width	Int. 100 to 277V	3500, 4000, 5000K	14	1800 Lumens	5 Years	US\$26.35 US\$25.15
		ECO-T8-U-6.5	UL	6.5" Width	Ext. 100 to 277V					

High Output T8 LED Tube - Wholesale Prices

140lm/W T8 LED Tube

Picture	Model	Power	Size	Parameter	Luminous flux	Unit price in USD (EXW)				
						1-500 pieces	>500 pieces	>2000 pieces	>5000 pieces	>20' container
	T8I-600-10W	10W	∅ 26X600mm (2ft)	>. Lumen efficacy: 130-140lm/w >. Input voltage: AC100-277V >. Color temperature: 2700-6500K >. CRi>80Ra >. PF>0.95 >. Lamp base: G13 >. LED chips : Epistar >. Beam angle: 180degree >. Materials: Aluminum Alloy+PC >. Lifespan: 50000 hours >. Warranty: 5 years >. Cover lens: Frosted / clear cover	1300-1400LM	\$13.75	\$12.50	\$11.25	\$10.00	\$8.75
	T8I-1200-12W	12W	∅ 26X1200mm (4ft)		1500-1600LM	\$15.00	\$14.50	\$13.75	\$12.50	\$11.25
	T8I-1200-18W	18W			2300-2500LM	\$17.00	\$16.50	\$15.75	\$14.50	\$13.25
	T8I-1200-22W	22W			2800-3000LM	\$17.50	\$17.00	\$16.25	\$15.00	\$13.75
	T8I-1500-36W	36W	∅ 26X2400mm (8ft)		4600-5000LM	\$41.25	\$40.75	\$40.00	\$38.75	\$37.50

110lm/W T8 LED Tube

Picture	Power	Size	Parameter	Luminous flux	Unit price in USD (EXW)					
					1-500 pieces	>500 pieces	>2000 pieces	>5000 pieces	>20' container	
	T8R-600-10W	10W	∅ 26X600mm (2ft)	>. Lumen efficacy: 100-110lm/w >. Input voltage: AC100-277V >. Color temperature: 2700-6500K >. CRi>80Ra >. PF>0.95 >. Lamp base: G13 >. LED chips : Epistar >. Beam angle: 120degree >. Materials: Aluminum Alloy+PC >. Lifespan: 50000 hours >. Warranty: 3 years >. Cover lens: Frosted / clear cover	1000-1100LM	\$11.25	\$10.00	\$8.75	\$7.50	\$6.25
	T8R-1200-18W	18W	∅ 26X1200mm (4ft)		1800-1900LM	\$13.75	\$13.25	\$12.50	\$11.25	\$10.00
	T8R-1500-25W	25W	∅ 26X1500mm (5ft)		2500-2700LM	\$16.25	\$15.75	\$15.00	\$13.75	\$12.50

Other LED tubes are also available:

1. Rotatable caps tube
2. Dimmable tube
3. Free-flicker tube
4. External power(driver) supply tube
5. Special CRi>95 tube
6. Sensor LED tube

Other Service are available:

1. Custom tags (sticker tag or Laser tag)
2. OEM production



Notes:

All Lamps are UL and DLC Listed




Sample lead time: 1 to 5 days, orders: 5 to 15 days.

Patented Exclusive Design T5 Led Tube for North American Market					
130lm/w-140lm/w			Price USD(EXW)		
Model	Size mm	Power/Lumen	<1000pcs	1000-4999	>5000pcs
ECO-DGA00-209XT-G5-H-U	2ft-600mm (frosted)	9W /1170LM	US\$8.89	US\$8.22	US\$7.78
ECO-DGA00-415XT-G5-H-U	4ft-1200mm (frosted)	15W /1950LM	US\$12.44	US\$11.78	US\$11.33
ECO-DGA00-418XT-G5-H-U		18W /2340LM	US\$12.44	US\$11.78	US\$11.33
ECO-DGA00-424XT-G5-H-U		24W /3120LM	US\$13.56	US\$12.89	US\$12.44
ECO-DGA00-209XT-D5-H-U	2ft-600mm (Clear)	9W /1260LM	US\$8.89	US\$8.22	US\$7.78
ECO-DGA00-415XT-D5-H-U	4ft-1200mm (Clear)	15W /2100LM	US\$12.44	US\$11.78	US\$11.33
ECO-DGA00-418XT-D5-H-U		18W /2520LM	US\$12.44	US\$11.78	US\$11.33
ECO-DGA00-424XT-D5-H-U		24W /3360LM	US\$13.56	US\$12.89	US\$12.44
160lm/w			Price USD(EXW)		
Model	Size mm	Power/Lumen	<1000pcs	1000-4999	>5000pcs
ECO-DGA00-209XT-G5-T-U	2ft-600mm (frosted)	9W /1440LM	US\$10.22	US\$9.56	US\$9.11
ECO-DGA00-415XT-G5-T-U	4ft-1200mm (frosted)	15W /2400LM	US\$14.44	US\$13.78	US\$13.33
ECO-DGA00-418XT-G5-T-U		18W /2880LM	US\$14.89	US\$14.22	US\$13.78
ECO-DGA00-424XT-G5-T-U		24W /3840LM	US\$16.22	US\$15.56	US\$15.11
ECO-DGA00-209XT-D5-T-U	2ft-600mm (Clear)	9W /1485LM	US\$10.22	US\$9.56	US\$9.11
ECO-DGA00-415XT-D5-T-U	4ft-1200mm (Clear)	15W /2475LM	US\$14.44	US\$13.78	US\$13.33
ECO-DGA00-418XT-D5-T-U		18W /2970LM	US\$14.89	US\$14.22	US\$13.78
ECO-DGA00-424XT-D5-T-U		24W /3960LM	US\$16.22	US\$15.56	US\$15.11
175lm/w			Price USD(EXW)		
Model	Size mm	Power/Lumen	<1000pcs	1000-4999	>5000pcs
ECO-DGA00-209XT-G5-P-U	2ft-600mm (frosted)	9W /1575LM	US\$12.44	US\$11.78	US\$11.33
ECO-DGA00-415XT-G5-P-U	4ft-1200mm (frosted)	15W/2100LM	US\$18.44	US\$17.78	US\$17.33
ECO-DGA00-418XT-G5-P-U		18W/3150LM	US\$19.33	US\$18.67	US\$18.22
ECO-DGA00-424XT-G5-P-U		24W/4200LM	US\$21.56	US\$20.89	US\$20.44
ECO-DGA00-209XT-D5-P-U	2ft-600mm (Clear)	9W /1575LM	US\$12.44	US\$11.78	US\$11.33
ECO-DGA00-415XT-D5-P-U	4ft-1200mm (Clear)	15W/2100LM	US\$18.44	US\$17.78	US\$17.33
ECO-DGA00-418XT-D5-P-U		18W/3150LM	US\$19.33	US\$18.67	US\$18.22
ECO-DGA00-424XT-D5-P-U		24W/4200LM	US\$21.56	US\$20.89	US\$20.44

RoHS compliant, CE TUV SAA Certified, UL cUL Approval, DLC Listed, 5 Year Warranty
T5 1200mm 15W 160lm/w replace HO 28W fluorescent
T5 1200mm 24W 160lm/w replace HO 54W fluorescent



Emergency LED Tube Light with Internal Battery and Driver

Picture	Technical Parameters & Specifications				Unit Price (USD)	Unit Price (USD)	Unit Price (USD)
					QTY≤200pcs	≤500pcs	>500pcs
3 foot/ 900mm							
	1	Model NO: ECO-T809-Y01-13	11	G13 2Pins, Single/two side input	US\$41.52	US\$38.18	US\$36.52
	2	Power: 13w	12	CRI:>80Ra			
	3	Length: 3 foot / 900mm	13	Beam Angle: 120°			
	4	LED chip: Episatr 2835/ 84pcs	14	Power Factor: >0.90			
	5	Emergency time: 1.5 hours	15	Driver: Internal Isolate driver			
	6	Emergency power: 3W	16	Input voltage: AC100-277V, 50/60HZ			
	7	Battery: Lithium	17	Working temperature: -20°C-45°C			
	8	Cover: milky/clear cover	18	QTY/CTN: 25PCS			
	9	CCT: WW (2700K-3500K) NW(4000K-4500K) PW (5000K-5500K) CW (6000K-6500K)	19	Carton size: 95*24*28			
	10	Luminous Flux: 105-120lm/w , 1360-1560lumen	20	CE, ROHS, ETL and DLC			
4 foot/ 1200mm							
	1	Model NO: ECO-T812-Y01-18	11	G13 2Pins, Single/two side input	US\$44.07	US\$40.73	US\$39.07
	2	Power: 18w	12	CRI:>80Ra			
	3	Length: 4 foot / 1200mm	13	Beam Angle: 120°			
	4	LED chip: Episatr 2835/ 120pcs	14	Power Factor: >0.90			
	5	Emergency time: 1.5 hours	15	Driver: Internal Isolate driver			
	6	Emergency power: 3W	16	Input voltage: AC100-277V, 50/60HZ			
	7	Battery: Lithium	17	Working temperature: -20°C-45°C			
	8	Cover: milky/clear cover	18	QTY/CTN: 25PCS			
	9	CCT: WW (2700K-3500K) NW(4000K-4500K) PW (5000K-5500K) CW (6000K-6500K)	19	Carton size: 125*24*28			
	10	Luminous Flux: 105-120lm/w , 1890-2160lumen	20	CE, ROHS, ETL and DLC			
5 foot/ 1500mm							
	1	Model NO: ECO-T815-Y01-22	11	G13 2Pins, Single/two side input	US\$46.72	US\$43.38	US\$41.72
	2	Power: 22w	12	CRI:>80Ra			
	3	Length: 5 foot / 1500mm	13	Beam Angle: 120°			
	4	LED chip: Episatr 2835/ 144pcs	14	Power Factor: >0.90			
	5	Emergency time: 1.5 hours	15	Driver: Internal Isolate driver			
	6	Emergency power: 3W	16	Input voltage: AC100-277V, 50/60HZ			
	7	Battery: Lithium	17	Working temperature: -20°C-45°C			
	8	Cover: milky/clear cover	18	QTY/CTN: 25PCS			
	9	CCT: WW (2700K-3500K) NW(4000K-4500K) PW (5000K-5500K) CW (6000K-6500K)	19	Carton size: 155*24*28			
	10	Luminous Flux: 105-120lm/w , 2300-2640lumen	20	CE, ROHS, ETL and DLC			

Terms & Conditions:

1. Payment Term: Prepaid
2. Warranty: 5 years on delivery (1 years for battery) from factory
3. Add \$4.00 usd/pc to get sensor function
4. Quotation Validity: 30 days
5. Price Terms: EXW Factory Price
6. Delivery Time: Sample order around 7 working days, bulk order around 10~15 working days.

● tube EPE packing



LED Interior and Turtle Lamps

Product No	Picture	Base	Beam Angle	LED Q'ty	Input Voltage	Color	Color Temp.	Power (W)	Lumens (LM)	Warranty	Price (<100pcs)	Price (>100pcs)
LED-A19-3-Red-HO		E27 E26 B22 (1.9" Dia. x 3.9" L)	160	21 LEDs Superbright LED	AC 85V to 265V	RED (Turtle)	635 Nanometer	3W	150 Lumens	3 Years	US\$24.95	US\$21.95
LED-A19-3-Amber-HO						Amber (Turtle)	585 Nanometer		150 Lumens	3 Years	US\$24.95	US\$21.95
LED-A19-3-WW-HO						Warm White	2600-3700K		210 Lumens	3 Years	US\$14.95	US\$12.95
LED-A19-3-DW-HO						Daylight White	5000-7000K		210 Lumens	3 Years	US\$14.95	US\$12.95
ECO-N-LB1025		E12	160	3 pcs High Power LED	AC 85V to 265V	Amber (Turtle)	588 NM	6W	320 Lumens	2 Years	US\$19.74	US\$18.29
ECO-HTP-10UL (Dimmable, UL Listed, IP65)		E26 (2.3" Dia. x 6.3" L)	160 (0 to 100% Triac Dimming)	140 SMD3014	AC 100 to 135V	Warm White to Daylight	2700 to 7000K	10W	Up to 880 Lumens	3 Years	US\$28.33	US\$26.15
A19-10W-B (Triac Dimmable) CE, ROHS, UL, Energy Star		E27, E26, GU10, B22 Dimensions: (2.4" Dia. x 4.33" L)	280	Triac Dimmable	90 to 135V	Warm White	2600-3500K	9.5W	800 Lumens	5 Years	US\$15.95	US\$14.95
A19-10W-Amber				Triac Dimmable		Natural White	4000-4500K		850 Lumens	5 Years	US\$15.95	US\$14.95
A19-10W-Amber-D				Non-Dim		Daylight White	5800-6300K		900 Lumens	5 Years	US\$15.95	US\$14.95
				Triac Dimmable		Amber (Turtle)	588 NM		490 Lumens	3 Years	US\$29.95	US\$24.95
				Amber (Turtle)		588 NM			490 Lumens	3 Years	US\$32.95	US\$27.95
ECO-DLS-15DWE27-B (Dimmable, UL, CE, RoHS, FCC)		E27 or B12 Dimensions: Dia. 3.2" x H 5.9"	190	Epistar LED	110V	80CRI	2700 - 6500K	15W	Up to 1350 Lumens	3 Years	US\$25.00	US\$22.73
ECO-HTP-10UL(Dimmable, UL Listed, IP65)		E26 (2.3" Dia. x 6.3" L)	360 (0 to 100% Triad Dimming)	140 SMD3014	AC 100 to 135V		2700 - 6500K	10W	Up to 880 Lumens	3 Years	US\$31.00	US\$28.18
PAR20-E912 Waterproof (IP65) (Dimmable) CE, UL, ROHS, FCC, Energy Star		E26, G24 Dimensions: (Dia2.5" x 3.6"H)	25 / 40	3pcs Cree XPE	AC 120V AC 240V 277V	AC	Warm White 3000K Daylight White 5500K	7W	350 Lumens 430 Lumens	3 Years	US\$35.83	US\$33.08
PAR20-Amber-5W (Add \$4.00 for 0-10V Dimming)		E26 Dimensions: (2.3" x 2.8")	30/45/60	Samsung LEDs	AC 90-135V		Amber (Turtle) 585 NM	5W	189 Lumens	3 Years	US\$24.95	US\$21.95
PAR30-Amber-9W (Add \$4.00 for 0-10V Dimming)		E26 Dimensions: (3.7" x 4.9")	30/45/60	Samsung LEDs	AC 90-135V		Amber (Turtle) 585 NM	9W	409 Lumens	3 Years	US\$29.95	US\$27.95
360-Degree-Amber-15W		E26 Dimensions: (2.8" x 6.5")	360	Samsung LEDs	AC 90-135V		Amber (Turtle) 585 NM	15W	1050 Lumens	3 Years	US\$39.95	US\$37.95
PAR30-E925 Waterproof (IP65) (Dimmable) CE, UL, ROHS, FCC, Energy Star		E26, G24 Dimensions: (Dia3.7" x 3.6"H)	25 / 40	5pcs Cree XPE 5pcs Cree XPE	AC 120V AC 240V 277V	AC	Warm White 3000K Daylight White 5500K	13W	660 Lumens 820 Lumens	3 Years	US\$42.50	US\$39.23
BR30-11.5W (Triac Dimmable) CE, UL, ROHS, FCC, Energy Star		E26/E27 Dimensions: (3.6" x 5.4")	100	Samsung LEDs	AC 85-265V		Warm White 2700K-3200K	11.5	800 Lumens	3 Years	US\$13.50	US\$12.00
				Samsung LEDs			Daylight White 5500K-6000K		900 Lumens	3 Years	US\$13.50	US\$12.00
BR30-11WA-Amber (Add \$4.00 for 0-10V Dimming)				Samsung LEDs			Amber (Turtle) 588 NM		490 Lumens	3 Years	US\$29.95	US\$27.95
ECO-PAR38-18W-NT CE, ROHS, FCC		E26 Dimensions: (Dia4.7" x 5.1"H)	25 / 40	Samsung LEDs	AC 85-265V		Warm White 2700-5000K Daylight White	18W	1539 Lumens	2 Years	US\$29.95	US\$27.95
MR16-3W-Amber Non-Dimming (Dimmable Add \$2.00) CE, ROHS		GU5.3 Dimensions: 50mm x 48mm	25/30/45/60	3pcs Epistar	AC 85-265V		Amber (585 to 590 NM)	3W	250 Lumens	3 Years	US\$15.95	US\$14.95
PAR38-18W-Amber (Add \$4.00 for 0-10V Dimming)		4.8" Dia. x 6.3" L	38	Samsung LEDs	AC 90-135V		Amber (585 to 590 NM)	18W	776 Lumens	3 Years	US\$39.95	US\$36.95
BR40-6A-20W (Triac Dimmable) CE, UL, ROHS, FCC, Energy Star		E26 Dimensions: (4.9" Dia. x 6.3" L)	100	Samsung LEDs	AC 120V		Warm White to Daylight	20W	1900 Lumens	5 Years	US\$33.95	US\$31.95
BR40-20W-Amber (Add \$4.00 for 0-10V Dimming)							Amber (585 to 590 NM)		875 Lumens	3 Years	US\$39.95	US\$36.95

LED A19-A21-BR20-BR30-BR40-Candelabra-PAR20-PAR30-PAR38 - Wholesale Prices - UL and Energy Star

Model Number	Description	Power (watts)	Wattage Equivalent	Beam Angle	Voltage Input	CCT	Lumens	Dimmable	Certificate	Wholesale Prices			
										1-999pcs	1,000-9,999	10,000-49,999	>=50,000
ECO-A19-060101-N	LED A19 bulb,6W	6W	40W	220	90-135VAC	2700K 5000K	450lm	No	UL	\$4.75	\$4.25	\$4.00	\$3.50
ECO-A19-6.50101	LED A19 bulb,6W	6.5W	40W	280°	90-135VAC	2700K 5000K	450lm	Yes, Triac	UL, Energy Star	\$6.25	\$5.75	\$5.25	\$4.75
ECO-A19-80101-N	LED A19 bulb,8W	8W	60W	220	90-135VAC	2700K 5000K	800lm	No	UL	\$5.50	\$5.00	\$4.50	\$4.00
ECO-A19-090101	LED A19 bulb,9.5W	9.5W	60W	280°	90-135VAC	2700K 5000K	800lm	Yes, Triac	UL, Energy Star	\$6.75	\$6.25	\$5.75	\$5.50
ECO-A19-110101-N	LED A19 bulb,11W	11W	75W	280°	90-135VAC	2700K 5000K	1100lm	No	UL	\$7.50	\$7.00	\$6.50	\$5.75
ECO-A19-110101	LED A19 bulb,11W	11W	75W	280°	90-135VAC	2700K 5000K	1100lm	Yes, Triac	UL, Energy Star	\$10.75	\$10.25	\$9.75	\$9.25
ECO-A21-140101-N	LED A21 bulb,15W	14W	100W	280°	90-135VAC	2700K 5000K	1600lm	No	UL	\$9.50	\$9.00	\$8.50	\$8.00
ECO-A21-150101	LED A21 bulb,16W	15W	100W	280°	90-135VAC	2700K 5000K	1600lm	Yes, Triac	UL, Energy Star	\$13.50	\$13.00	\$12.00	\$11.50
ECO-R20-060101	LED BR 20 bulb,6.5W	6.5W	50W	110°	90-135VAC	2700K 5000K	480 lm	Yes, Triac	UL, Energy Star	\$8.25	\$7.75	\$7.00	\$6.50
ECO-R30-110101-N	LED BR 30 bulb,11W	11W	65W	110°	90-135VAC	2700K 5000K	800lm	No	UL	\$8.25	\$7.75	\$7.00	\$6.75
ECO-R30-110101	LED BR 30 bulb,11W	11W	65W	110°	90-135VAC	2700K 5000K	800lm	Yes, Triac	UL, Energy Star	\$10.50	\$10.00	\$9.50	\$9.00
ECO-BR40-150101	LED BR 40 bulb,15W	15W	75W	110°	90-135VAC	2700K 5000K	1000lm	Yes, Triac	UL, Energy Star	\$14.00	\$13.50	\$13.00	\$12.50
ECO-BR40-170101	LED BR 40 bulb,17W	17W	90W	110°	90-135VAC	2700K 5000K	1320lm	Yes, Triac	UL, Energy Star	\$15.25	\$14.75	\$14.25	\$13.75
ECO-B11-040101	LED Candelabra bulb,4W	4W	40W	220°	90-135VAC	2700K 5000K	300lm	Yes, Triac	UL, Energy Star	\$7.75	\$7.25	\$6.75	\$6.25
ECO-B11-060101	LED Candelabra bulb,6W	6W	60W	220°	90-135VAC	2700K 5000K	500lm	Yes, Triac	UL, Energy Star	\$9.25	\$8.75	\$8.25	\$7.75
ECO-MR16-6.50101	LED MR16 6.5W	6.5W	50W	36°	DC/AC12V	2700K 5000K	500lm	No	UL, ES	\$7.50	\$7.00	\$6.50	\$5.75
ECO-GU10-6.50101	LED GU10 6.5W	6.5W	50W	36°	DC/AC12V	2700K 5000K	500lm	Yes, Triac	UL, Energy Star	\$8.00	\$7.50	\$7.00	\$6.50
ECO-PAR20-060101-N	LED PAR20 bulb,6W	6W	50W	36°	90-135VAC	2700K 5000K	450lm	No	UL	\$6.00	\$5.50	\$5.00	\$4.75
ECO-PAR20-060101	LED PAR20 bulb,6W	6W	50W	36°	90-135VAC	2700K 5000K	450lm	Yes, Triac	UL, Energy Star	\$7.50	\$7.00	\$6.50	\$6.00
ECO-PAR30-110101	LED PAR30 bulb,11W	11W	75W	36°	90-135VAC	2700K 5000K	850lm	Yes, Triac	UL, Energy Star	\$12.50	\$12.00	\$11.00	\$10.50
ECO-PAR38-150101	LED PAR38 bulb,15W	15W	90W	36°	90-135VAC	2700K 5000K	1000lm	Yes, Triac	UL, Energy Star	\$17.00	\$16.00	\$15.00	\$14.00
ECO-PAR38-170101	LED PAR38 bulb,17W	17W	120W	36°	90-135VAC	2700K 5000K	1320lm	Yes, Triac	UL, Energy Star	\$18.75	\$17.75	\$16.75	\$15.75

Freight is additional Warranty: 5 Years

Dimmable MR16/GU10 LED Wholesale Prices

PICTURE	ITEM NO.	POWER	VOLTAGE (V)	LED QTY	DIMENSION (D*H)	COLOR TEMPERATURE	LUMINOUS Flux	Price(USD/P)		
								>5000pcs	500-5000pcs	<500pcs
	ECO--DP-MR16-18	6W	AC/DC 12V	5W COB	Φ50*50mm	2700-6500K	420±8%LM	US\$11.00	US\$11.80	US\$12.00
	ECO--DP-MR16-21	6W	AC/DC 12V	5W COB	Φ50*50.8mm	2700-6500K	450±8%LM	US\$11.60	US\$12.40	US\$12.60
	ECO--DP-MR16-19 UI listed	8w	AC/DC 12V	7W COB	Φ50*50.8mm	2700-6500K	530±8%LM	US\$13.40	US\$14.00	US\$14.40
	ECO--DP-MR16-06COB UI listed	6W	AC/DC 12V	5W COB	Φ49*50mm	2700-6500K	420±8%LM	US\$9.80	US\$10.40	US\$10.80
	ECO--DP-MR16-03	5	AC/DC 12V	4x1	Φ50*54.5	2700-6500K	374±8%lm	US\$8.00	US\$8.40	US\$8.80
	ECO--DP-MR16-04	6	AC/DC 12V	5x1	Φ50*65	2700-6500K	468±8%lm	US\$10.00	US\$10.80	US\$11.00
	ECO--DP-GU10-18	6W	AC100-240V	5W COB	Φ50*56mm	2700-6500K	420±8%LM	US\$11.80	US\$12.00	US\$12.40
	ECO--DP-GU10-21 UI listed	6W	AC100-240V	5W COB	Φ50*55.8mm	2700-6500K	450±8%LM	US\$12.80	US\$13.00	US\$13.40
	ECO--DP-GU10-19 UI listed	8w	AC100-240V	7W COB	Φ50*55.8mm	2700-6500K	530±8%LM	US\$14.00	US\$14.80	US\$15.40
	ECO--DP-GU10-05COB	5W	AC100-240V	4W COB	Φ49*55mm	2700-6500K	320±8%LM	US\$10.40	US\$10.80	US\$11.00
	ECO--DP-GU10-06COB	6W	AC100-240V	5W COB	Φ49*55mm	2700-6500K	430±8%LM	US\$10.80	US\$11.00	US\$11.00
	ECO--DP-GU10-04	5	AC100-240V	4x1	Φ50*62	2700-6500K	374±8%lm	US\$7.40	US\$7.80	US\$8.00
	ECO--DP-GU10-05	6	AC100-240V	5x1	Φ50*72.5	2700-6500K	465±8%lm	US\$10.00	US\$10.80	US\$11.00

Remark:

1. 3 Year Warranty
2. Payment Term: prepaid
3. Delivery Date:9-12 working days for samples,12-18 working days for mass production

Spotlight - COB (UL/ETL Series) - Wholesale Prices

Image	Description	Power	Lumens	Certificate	Item Number	Beam Angle	Voltage	Dimmable	WHL Price
	MR16 Dia. 2.0" x 1.5" L	4W	300lm	UL/cUL	ECO-MR16-COB-4W	38°	12V DC	No	\$7.70
					ECO-MR16-COB-4W	90°	12V DC	No	\$7.49
 90° 38°	MR16 Dia. 2.0" x 1.5" L	5W	450lm =50W Halogen	UL/cUL	ECO-MR16-3A-5W-D1	38°/90°	12V DC	Yes	\$9.68
 90° 38°	GU10 Dia. 2.0" x 2.4" L	5W	450lm =50W Halogen	ETL/cETL	ECO-GU10-T6-5W-D1	38°/90°	85 Vac ~ 265 V ac	No	\$10.69
					ECO-GU10-T6-5W-D1-Dim	38°/90°	85V ac ~ 145V ac	Yes	\$11.70
 90° 38°	GU10 Dia. 2.0" x 2.4" L	5W	650lm =60W Halogen	ETL/cETL	ECO-GU10-T6-5W-D2	38°/90°	85V ac ~ 145V ac	No	\$15.74
					ECO-GU10-T6-5W-D2-Dim	38°/90°	85V ac ~ 145V ac	Yes	\$17.15
	PAR20 Dia. 2.0" x 3.4" L	5W	450lm	ETL/cETL	ECO-PAR20-T6-5W-D1	38°/90°	85 Vac ~ 265 V ac	No	\$13.72
					CO-PAR20-T6-5W-D1-Dim	38°/90°	85V ac ~ 145V ac	Yes	\$14.12
	PAR20 Dia. 2.0" x 3.4" L	5W	650lm	ETL/cETL	ECO-PAR20-T6-5W-D2	38°/90°	85 Vac ~ 265 V ac	No	\$17.35
					CO-PAR20-T6-5W-D2-Dim	38°/90°	85V ac ~ 145V ac	Yes	\$19.17
	PAR30 Dia. 3.8" x 3.9" L	10W	850lm	ETL/cETL	ECO-PAR30-T7-10W-D(38)	38°	85 Vac ~ 265 V ac	No	\$27.84
					ECO-PAR30-T7-10W-D(90)	90°	85 Vac ~ 265 V ac	No	\$25.42
					ECO-PAR30-T7-10W-D-dim(38)	38°	85V ac ~ 145V ac	Yes	\$31.07
					ECO-PAR30-T7-10W-D-dim(90)	90°	85V ac ~ 145V ac	Yes	\$28.65
	PAR38 Dia. 4.7" x 4.9" L	16W	1,600lm	ETL/cETL	ECO-PAR38-T10-16W-D(38)	38°	85 Vac ~ 265 V ac	No	\$36.82
					ECO-PAR38-T10-16W-D(90)	90°	85 Vac ~ 265 V ac	No	\$33.90
					ECO-PAR38-T10-16W-D-dim(38)	38°	85V ac ~ 145V ac	Yes	\$40.35
					ECO-PAR38-T10-16W-D-dim(90)	90°	85V ac ~ 145V ac	Yes	\$37.44
	A19 Bulb Dia. 2.4" x 4.7" L	7W	700lm	UL/cUL	ECO-A19-7C	150 degree	85 Vac ~ 265 V ac	No	\$15.35
					ECO-A19-7C-dim	150 degree	85V ac ~ 145V ac	Yes	\$16.50

General Specification:

- 1) Life Span: 50,000 hours.
- 2) Warranty: 3 years.
- 3) 3000 to 6000K
- 4) Payment term: Prepaid
- 5) Certificate : ETL / UL

LED G24 / PL / G12 / B22 / E26 Base Lamps - 180 and 360 Degree - UL Listed - Wholesale Prices

Model	Picture	Power	Beam Angle	Lumens ±10%	Base	Dimension	Certificate	WHL Price Non-Dimmable	WHL Price Dimmable	Warranty
ECO-PLC-2835-6W		6W	180°	570lm	G24Q/G24D/GX24Q/GX24D/G23/GX23/E27/B22	120(L)*35(W)*35(H)mm	UL cUL CE RoHS	\$12.25	\$17.25	3 years
ECO-PLC-2835-8W		8W	180°	800lm	G24Q/G24D/GX24Q/GX24D/G23/GX23/E27/B22	120(L)*35(W)*35(H)mm	UL cUL CE RoHS	\$13.50	\$18.00	3 years
ECO-PLC-2835-10W		10W	180°	1050lm	G24Q/G24D/GX24Q/GX24D/G23/GX23/E27/B22	160(L)*35(W)*35(H)mm	UL cUL CE RoHS	\$14.50	\$19.75	3 years
ECO-PLC-2835-12W		12W	180°	1200lm	G24Q/G24D/GX24Q/GX24D/G23/GX23/E27/B22	160(L)*35(W)*35(H)mm	UL cUL CE RoHS	\$15.50	\$20.25	3 years
ECO-CORN-2835-6WA			360°	550lm	G24Q/G24D/GX24Q/GX24D/G23/GX23/E27/B22	E27/E26: 40*H128mm G24/G23/GX23: 40*H125mm GX24: 40*H118mm	UL cUL CE RoHS	\$13.75	\$17.75	3 years
ECO-CORN-2835-8WA			360°	720lm	G24Q/G24D/GX24Q/GX24D/G23/GX23/E27/B22	E27/E26: 40*H128mm G24/G23/GX23: 40*H125mm GX24: 40*H118mm	UL cUL CE RoHS	\$16.25	\$20.25	3 years
ECO-CORN-2835-10WA			360°	900lm	G24Q/G24D/GX24Q/GX24D/G23/GX23/E27/B22	E27/E26: 40*H176mm G24/G23/GX23: 40*H175mm GX24: 40*H166mm	UL cUL CE RoHS	\$17.75	\$21.75	3 years
ECO-CORN-2835-12WA			360°	1150lm	G24Q/G24D/GX24Q/GX24D/G23/GX23/E27/B22	E27/E26: 40*H176mm G24/G23/GX23: 40*H175mm GX24: 40*H166mm	UL cUL CE RoHS	\$18.75	\$22.75	3 years
ECO-CORN-2835-16WA			360°	1920lm	E27/E40/GX24/G12	E27/E26: 60*H160mm E40/E39: 60*H170mm GX24: 60*H148mm G12: 60*H170mm	UL cUL CE RoHS ErP	\$28.75		3 years
ECO-CORN-2835-20WA			360°	2400lm	E27/E40/GX24/G12	E27/E26: 60*H187mm E40/E39: 60*H197mm GX24: 60*H175mm G12: 60*H197mm	UL cUL CE RoHS ErP	\$32.25		3 years
ECO-CORN-2835-24WA			360°	2800lm	E27/E40/GX24/G12	E27/E26: 60*H207mm E40/E39: 60*H217mm GX24: 60*H195mm G12: 60*H215mm	UL cUL CE RoHS ErP	\$36.25		3 years

Note:

- 1) Freight is additional.
- 2) Clear or frosted cover.
- 3) 2700K to 6700K.
- 4) PL>95, CRI>80, 85-277V/50-60Hz



High quality led driver
Light work more stably
and safely



Epistar 2835 SMD



340° Rotating Base



Excluded aluminum
housing, excellent
heating dissipation
effect





340°



6W



8W



10W



12W



G24
21mm base



GX24
15mm base



G23



GX23



E27/E26



B22



6W



8W



10W



12W



G24
21mm base



GX24
15mm base



G23



GX23



E27/E26



B22

16W 20W 24W:



GX24



G12

















E27



E40


LED Corn Light (Some with G24/G23) - All with Amber Option (Turtle Friendly 585NM)

	Item NO.	ECO-CL-6W6S			1. Wattage:6W
	Quantity	< 500pcs	500-1000pcs	>1000pcs	2. Luminous Flux:720Lm; CRI > 80
	Price	US\$15.91	US\$15.45	US\$15.00	3. Light Source:2835 LED / Epistar Chip
	    				4. Base: E26/ G24Q/ G24D/ G23-2/ G23
	Item NO.	ECO-CL-9W6S			5. Size: Dia40*98mm
	Quantity	< 500pcs	500-1000pcs	>1000pcs	5. Input Voltage: 100-240VAC,50/60Hz
	Price	US\$25.20	US\$24.46	US\$23.75	10. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	   				1. Wattage:9W
	Item NO.	ECO-CL-12W6S			2. Luminous Flux:1080Lm; CRI > 80
	Quantity	< 500pcs	500-1000pcs	>1000pcs	3. Light Source:2835 LED / Epistar Chip
	Price	US\$27.85	US\$27.04	US\$26.25	4. Base: E26/ GX24Q/ GX24D
	  				9. Size: Dia62*140mm
	Item NO.	ECO-CL-15W6S			5. Input Voltage: 100-277VAC,50/60Hz
	Quantity	< 500pcs	500-1000pcs	>1000pcs	10. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Price	US\$31.83	US\$30.90	US\$30.00	1. Wattage:15W
	  				2. Luminous Flux:1900Lm; CRI > 80
	Item NO.	ECO-CL-20W8S			3. Light Source:140pcs 2835 LED / Epistar Chip
	Quantity	< 500pcs	500-1000pcs	>1000pcs	4. Base: E26/ GX24Q/ GX24D
	Price	US\$55.70	US\$54.08	US\$52.50	9. Size: Dia62*150mm
	  				5. Input Voltage: 100-277VAC,50/60Hz
	Item NO.	ECO-CL-30W10S			10. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 500pcs	500-1000pcs	>1000pcs	1. Wattage:20W
	Price	US\$66.31	US\$64.38	US\$62.50	2. Luminous Flux:2600Lm; CRI > 80
	  				3. Light Source:180pcs 2835 LED / Epistar Chip
	Item NO.	ECO-CL-40W10S			4. Base: E40/E39(mogul) , E27/E26(Medium)
	Quantity	< 500pcs	500-1000pcs	>1000pcs	9. Size: E40:Dia96*185mm/E27:Dia96*176mm
	Price	US\$75.59	US\$73.39	US\$71.25	5. Input Voltage: 100-277VAC,50/60Hz
	  				10. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Item NO.	ECO-CL-50W10S			1. Wattage:30W
	Quantity	< 500pcs	500-1000pcs	>1000pcs	2. Luminous Flux:3800Lm; CRI > 80

	Quantity	< 500pcs	500-1000pcs	>1000pcs	2. Luminous Flux:6200Lm; CRI > 80 3. Light Source:340pcs 2835 LED / Epistar Chip 4. Base: E40/E39(mogul) , E27/E26(Medium) 9. Size: E40:Dia96*243mm/E27:Dia96*234mm 5. Input Voltage: 100-277VAC,50/60Hz 10. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Price	US\$82.22	US\$79.83	US\$77.50	
					
	Item NO.	ECO-CL-60W8S			1. Wattage:60W 2. Luminous Flux:7200Lm; CRI > 80 3. Light Source:420pcs 2835 LED / Epistar Chip 4. Base: E40/E39(mogul) , E27/E26(Medium) 9. Size: E40:Dia96*283mm/E27:Dia96*274mm 5. Input Voltage: 100-277VAC,50/60Hz 10. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 500pcs	500-1000pcs	>1000pcs	
	Price	US\$90.18	US\$87.55	US\$85.00	
					
	Item NO.	ECO-CL-80W10S			1. Wattage:80W 2. Luminous Flux:9800Lm; CRI > 80 3. Light Source:530pcs 2835 LED / Epistar Chip 4. Base: E40/E39(mogul) , E27/E26(Medium) 9. Size: E40:Dia128*260mm/E27:Dia128*251mm 5. Input Voltage: 100-277VAC,50/60Hz 10. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 500pcs	500-1000pcs	>1000pcs	
	Price	US\$137.92	US\$133.90	US\$130.00	
					
	Item NO.	ECO-CL-100W10S			1. Wattage:100W 2. Luminous Flux:13000Lm; CRI > 80 3. Light Source:630pcs 2835 LED / Epistar Chip 4. Base: E40/E39(mogul) , E27/E26(Medium) 9. Size: E40:Dia128*283mm/E27:Dia128*274mm 5. Input Voltage: 100-277VAC,50/60Hz 10. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 500pcs	500-1000pcs	>1000pcs	
	Price	US\$148.53	US\$144.20	US\$140.00	
					
	Item NO.	ECO-CL-120W10S			1. Wattage:120W 2. Luminous Flux:15000Lm; CRI > 80 3. Light Source:730pcs 2835 LED / Epistar Chip 4. Base: E40/E39(mogul) , E27/E26(Medium) 9. Size: E40:E40:Dia128*315mm/E27:Dia128*306mm 5. Input Voltage: 100-277VAC,50/60Hz 10. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 500pcs	500-1000pcs	>1000pcs	
	Price	US\$161.79	US\$157.08	US\$152.50	
					
	Item NO.	ECO-CL-150W10S			1. Wattage:150W 2. Luminous Flux:20000Lm; CRI > 80 3. Light Source:930pcs 2835 LED / Epistar Chip 4. Base: E40/E39(mogul) , E27/E26(Medium) 9. Size: E40:E40:Dia128*325mm/E27:Dia128*316mm 5. Input Voltage: 100-277VAC,50/60Hz 10. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 500pcs	500-1000pcs	>1000pcs	
	Price	US\$188.57	US\$184.88	US\$181.25	
					
	Item NO.	ECO-CL-200W10S			1. Wattage:200W 2. Luminous Flux:26000Lm; CRI > 80 3. Light Source: 730pcs Samsung led 4. Base: E40/E39(mogul) , E27/E26(Medium) 9. Size: E40:E40:Dia128*380mm/E27:Dia128*370mm 5. Input Voltage: 100-277VAC,50/60Hz 10. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 500pcs	500-1000pcs	>1000pcs	
	Price	US\$245.00	US\$240.00	US\$232.50	
					

Remarks:
 1. Freight is additional 2. Lamps not shown as ETL/DLC are CE/ROHS
 3. Warranty: 5 years for standard colors, 3 years for Amber. 4. Ballast should be bypassed prior to installation
 5. For 150 Lumens / Watt - Add 15%

LED Low Profile 360 Degree Lamp - Wholesale Prices


	Product Name: ECO-LP-30W8S		Quantity	1-60pcs	61-200pcs	201-500pcs	501-1000pcs
	1. Wattage: 30W 2. Luminous Flux: 3800Lm 3. Light Source:260pcs 2835 LED / Epistar Chip 4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Input Voltage: 100-277VAC,50/60Hz 6. CRI > 80 ; 7. PF > 0.95 8. Beam Angle: 360 degree 9. Size: E40:Dia128*187mm/E27:Dia128*180mm	10. Aluminum fins heat sink + Aluminum shell power supply 11. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K) 12. Lifetime: 50,000+ hours 13. Body Temperature:<53 @Ta=25 14. CE RoHS ETL Certified °C °C 15. No Fan inside 16. Replaces 75W-105W Metal Halide/HPS	Price	\$86.98	\$84.45	\$81.99	\$79.60
			Package Details Inner Box:16cm*16cm*22cm NW:kg QTY: 1pc Outer Carton:50cm*46cm*34cm GW:kg QTY: 12pcs				
	Product Name: ECO-LP-40W8S		Quantity	1-60pcs	61-200pcs	201-500pcs	501-1000pcs
	1. Wattage: 40W 2. Luminous Flux: 5100Lm 3. Light Source: 340pcs 2835 LED / Epistar Chip 4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Input Voltage: 100-277VAC,50/60Hz 6. CRI > 80 ; 7. PF > 0.95 8. Beam Angle: 360 degree 9. Size: E40:Dia128*187mm/E27:Dia128*180mm	10. Aluminum fins heat sink + Aluminum shell power supply 11. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K) 12. Lifetime: 50,000+ hours 13. Body Temperature:<55 @Ta=25 14. CE RoHS ETL Certified °C °C 15. 1 Fan inside 16. Replaces 125W-150W Metal Halide/HPS	Price	\$100.64	\$98.18	\$95.79	\$93.00
			Package Details Inner Box:16cm*16cm*22cm NW:kg QTY: 1pc Outer Carton:50cm*46cm*34cm GW:kg QTY: 12pcs				
	Product Name: ECO-LP-50W8S		Quantity	1-48pcs	49-200pcs	201-500pcs	501-1000pcs
	1. Wattage: 50W 2. Luminous Flux: 6200Lm 3. Light Source: 420pcs 2835 LED / Epistar Chip 4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Input Voltage: 100-277VAC,50/60Hz 6. CRI > 80 ; 7. PF > 0.95 8. Beam Angle: 360 degree 9. Size: E40:Dia128*187mm/E27:Dia128*180mm	10. Aluminum fins heat sink + Aluminum shell power supply 11. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K) 12. Lifetime: 50,000+ hours 13. Body Temperature:<55 @Ta=25 14. CE RoHS ETL Certified °C °C 15. 1 Fan inside 16. Replaces 175W-225W Metal Halide/HPS	Price	\$113.64	\$110.33	\$107.12	\$104.00
			Package Details Inner Box:16cm*16cm*22cm NW:kg QTY: 1pc Outer Carton:50cm*46cm*34cm GW:kg QTY: 12pcs				
	Product Name: ECO-LP-60W8S		Quantity	1-48pcs	49-200pcs	201-500pcs	501-1000pcs
	1. Wattage: 60W 2. Luminous Flux: 7200Lm 3. Light Source: 420pcs 2835 LED / Epistar Chip 4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Input Voltage: 100-277VAC,50/60Hz 6. CRI > 80 ; 7. PF > 0.95 8. Beam Angle: 360 degree 9. Size: E40:Dia128*187mm/E27:Dia128*180mm	10. Aluminum fins heat sink + Aluminum shell power supply 11. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K) 12. Lifetime: 50,000+ hours 13. Body Temperature:<55 @Ta=25 14. CE RoHS ETL Certified °C °C 15. 1 Fan inside 16. Replaces 225W-250W Metal Halide/HPS	Price	\$120.20	\$116.70	\$113.30	\$110.00
			Package Details Inner Box:16cm*16cm*22cm NW:kg QTY: 1pc Outer Carton:50cm*46cm*34cm GW:kg QTY: 12pcs				

Remarks:

1. Freight is additional
2. Ballast should be bypassed prior to installation. Approved for enclosed fixtures.
3. Lead time: Within 5-7 working days after receipt of payment for samples
4. Warranty: 5 Years


Note: 80W model, 9600 Lumens, 5.9" Dia x 8.6" Long: \$136.20 each.

Other factory's




VS


Similar Appearance
Big Difference Inside!



Naked power supply, unprotected, easy to get into insects, and corrode




Plastic lamp cup, not easy to shed heat, So the driver is very hot, then be broken.




Integrated driver and LED light body, LED heat will rise to driver, so the driver is easily broken.


ECO-LP Models



VS




Aluminum shell power supply, water & dust proof, Protections: Short circuit / Over current / Over temperature(Reduce the current)



Perfect
Thermal Management





Aluminum housing, it is easy to export the driver's heat, and then released into the air



Perfect
Thermal Management

Two thermal isolation components to separate power supply and heat of LED lamp body

LED 360 Degree Retrofit Torch Light - Wholesale Prices

		Product Name: ECO-TORCH-30W8S	Quantity	1-60pcs	61-200pcs	201-500pcs	501-1000pcs
	<p>1. Wattage: 30W</p> <p>2. Luminous Flux: 3800Lm</p> <p>3. Light Source: 320pcs 2835 LED / Epistar Chip</p> <p>4. Base: E40/E39(mogul) , E27/E26(Medium)</p> <p>5. Input Voltage: 100-277VAC,50/60Hz</p> <p>6. CRI > 80 ;</p> <p>7. PF > 0.95</p> <p>8. Beam Angle: 360 degree</p>	<p>9. Size: E40:Dia128*183mm/E27:Dia128*174mm</p> <p>10. Aluminum fins heat sink + Aluminum shell power supply 11. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)</p> <p>12. Lifetime: 50,000+ hours</p> <p>13. Body Temperature:<53 °C @Ta=25 °C</p> <p>14. CE RoHS certified</p> <p>15. No Fan inside</p> <p>16. Replaces 75W-105W Metal Halide/HPS</p>	Price	\$91.79	\$89.12	\$86.52	\$84.00
<p>Package Details</p> <p>Inner Box:16cm*16cm*22cm</p> <p>NW:kg QTY: 1pc</p> <p>Outer Carton:50cm*46cm*34cm</p> <p>GW:kg QTY: 12pcs</p>							
		Product Name: ECO-TORCH-40W8S	Quantity	1-60pcs	61-200pcs	201-500pcs	501-1000pcs
	<p>1. Wattage: 40W</p> <p>2. Luminous Flux: 5100Lm</p> <p>3. Light Source: 320pcs 2835 LED / Epistar Chip</p> <p>4. Base: E40/E39(mogul) , E27/E26(Medium)</p> <p>5. Input Voltage: 100-277VAC,50/60Hz</p> <p>6. CRI > 80 ;</p> <p>7. PF > 0.95</p> <p>8. Beam Angle: 360 degree</p>	<p>9. Size: E40:Dia128*183mm/E27:Dia128*174mm</p> <p>10. Aluminum fins heat sink + Aluminum shell power supply 11. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)</p> <p>12. Lifetime: 50,000+ hours</p> <p>13. Body Temperature:<55 °C @Ta=25 °C</p> <p>14. CE RoHS certified</p> <p>15. No Fan inside</p> <p>16. Replaces 125W-150W Metal Halide/HPS</p>	Price	\$99.80	\$97.36	\$94.99	\$92.22
<p>Package Details</p> <p>Inner Box:16cm*16cm*22cm</p> <p>NW:kg QTY: 1pc</p> <p>Outer Carton:50cm*46cm*34cm</p> <p>GW:kg QTY: 12pcs</p>							
		Product Name: ECO-TORCH-50W8S	Quantity	1-48pcs	49-200pcs	201-500pcs	501-1000pcs
	<p>1. Wattage: 50W</p> <p>2. Luminous Flux: 6200Lm</p> <p>3. Light Source: 400pcs 2835 LED / Epistar Chip</p> <p>4. Base: E40/E39(mogul) , E27/E26(Medium)</p> <p>5. Input Voltage: 100-277VAC,50/60Hz</p> <p>6. CRI > 80 ;</p> <p>7. PF > 0.95</p> <p>8. Beam Angle: 360 degree</p>	<p>9. Size: E40:Dia128*183mm/E27:Dia128*174mm</p> <p>10. Aluminum fins heat sink + Aluminum shell power supply 11. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)</p> <p>12. Lifetime: 50,000+ hours</p> <p>13. Body Temperature:<55 °C @Ta=25 °C</p> <p>14. CE RoHS certified</p> <p>15. 1 Fan inside</p> <p>16. Replaces 175W-225W Metal Halide/HPS</p>	Price	\$118.26	\$114.81	\$111.47	\$108.22
<p>Package Details</p> <p>Inner Box:16cm*16cm*22cm</p> <p>NW:kg QTY: 1pc</p> <p>Outer Carton:50cm*46cm*34cm</p> <p>GW:kg QTY: 12pcs</p>							
		Product Name: ECO-TORCH-60W8S	Quantity	1-48pcs	49-200pcs	201-500pcs	501-1000pcs
	<p>1. Wattage: 60W</p> <p>2. Luminous Flux: 7200Lm</p> <p>3. Light Source: 400pcs 2835 LED / Epistar Chip</p> <p>4. Base: E40/E39(mogul) , E27/E26(Medium)</p> <p>5. Input Voltage: 100-277VAC,50/60Hz</p> <p>6. CRI > 80 ;</p> <p>7. PF > 0.95</p> <p>8. Beam Angle: 360 degree</p>	<p>9. Size: E40:Dia128*183mm/E27:Dia128*174mm</p> <p>10. Aluminum fins heat sink + Aluminum shell power supply 11. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)</p> <p>12. Lifetime: 50,000+ hours</p> <p>13. Body Temperature:<55 °C @Ta=25 °C</p> <p>14. CE RoHS certified</p> <p>15. 1 Fan inside</p> <p>16. Replaces 225W-250W Metal Halide/HPS</p>	Price	\$123.11	\$119.53	\$116.05	\$112.67
<p>Package Details</p> <p>Inner Box:16cm*16cm*22cm</p> <p>NW:kg QTY: 1pc</p> <p>Outer Carton:50cm*46cm*34cm</p> <p>GW:kg QTY: 12pcs</p>							


Remarks:

1. Freight is additional
2. Ballast of HID must be bypassed before installation
3. UL, CE and ROHS approved
4. Lead time: 5-7 working days production, plus shipping time
5. Option: LEDs on top for uplight (side light is not as bright, no UL)

Standard light pattern (no uplight):



Optional light pattern:



LED PAR38 Light 20W/33W/45W/60W - UL/cUL/LM79 - 3 Year Warranty (45W is Dimmable)

Picture	Emitting Color	Model	Description	Q'ty(pcs)	EXW Unit Price		
					CREE	Package	
	Daylight White	PAR38-L33Dx-X	Watt: 33W ***With cUL/UL/LM79 LED Q'ty: CREE XP-E 18pcs Lumen: 2500-3000 lm Voltage: AC100-305V Base: E26 / E39 Size: 121 (∅)x 182/198 (L) mm Weight: 1.05kg CCT: 3000-6000K Beam Angle: 25/45/60 degree	<20	CREE	Package	
					\$93.33	10pcs / CTN 330*300*760mm	
	Nuetral White	PAR38-L33Nx-X			20-500		\$90.00
	Warm White	PAR38-L33Sx-X			501-1000		\$86.67
			>1000	\$83.33			
	Daylight White	PAR38-L33Dx90-X	Watt: 33W ***With cUL/UL/LM79 LED Q'ty: CREE XP-E 18pcs Philips 45pcs (CRI:75--80) Lumen: 2500-3000 lm Voltage: AC100-347V Base: E26 / E39 Size: 121 (∅)x 182/198 (L) mm Weight: 1.05kg Clear/frosted cover CCT: 3000-6000K Beam Angle: 180 degree	<20	CREE	Philips	
					\$93.33	\$85.00	
	Nuetral White	PAR38-L33Nx90-X			20-500	\$90.00	\$81.67
	Warm White	PAR38-L33Sx90-X			501-1000	\$86.67	\$78.33
			>1000	\$83.33	\$75.00		
	Daylight White	PAR38-L45Dx-X	Watt: 45W ***With cUL/UL/LM79 LED Q'ty: CREE XP-E 36pcs Lumen: 3500-4000 lm Voltage: AC100-305V Base: E26 / E39 Size: 121 (∅)x 182/198 (L) mm CCT: 3000-6000K Weight: 1.05kg Beam Angle: 25/45/60 degree Dimmable: Internal Triac Dimming Driver	<20	CREE	Dimmable	
					\$110.00	\$118.33	
	Nuetral White	PAR38-L45Nx-X			20-500	\$106.67	\$115.00
	Warm White	PAR38-L45Sx-X			501-1000	\$103.33	\$111.67
			>1000	\$100.00	\$108.33		
	Daylight White	PAR38-L45Dx90-X	Watt: 45W ***With cUL/UL/LM79 LED Q'ty: CREE XP-E 36pcs Philips 72pcs(CRI:75--80) Lumen: 3500-4000 lm Voltage: AC100-305V Base: E26 / E39 Size: 121 (∅)x 182/198 (L) mm CCT: 3000-6000K Weight: 1.05kg Beam Angle: 180 degree	<20	CREE	Philips	
					\$110.00	\$98.33	
	Nuetral White	PAR38-L45Nx90-X			20-500	\$106.67	\$95.00
	Warm White	PAR38-L45Sx90-X			501-1000	\$103.33	\$91.67
			>1000	\$100.00	\$88.33		
	Daylight White	PAR38-L60Dxx-X	Watt: 60W ***With cUL/UL/LM79 LED Q'ty: CREE XT-E: 27pcs (CRI:75--80) Lumen: 5000-5500 lm Voltage: AC100-277V Base: E26 / E39 Size: 122(∅)x 198.8/215.8 (L) mm CCT: 3000-6000K Weight: 1.10kg Beam Angle: 25/45/60 degree	<20	CREE	Package	
					\$123.33	10pcs / CTN 330*300*760mm	
	Nuetral White	PAR38-L60Nxx-X			20-500		\$120.00
	Warm White	PAR38-L60Sxx-X			501-1000		\$116.67
			>1000	\$113.33			
	Daylight White	PAR38-L60Dx90-X	Watt: 60W ***With cUL/UL/LM79 LED Q'ty: CREE XT-E: 27pcs/ Philips 84pcs(CRI:75--80) Lumen: 5000-5500 lm Voltage: AC100-277V Base:E39/E26 Size: 122(∅)x 198.8/215.8 (L) mm CCT: 3000-6000K Weight: 1.10kg Beam Angle: 180 degree	<20	CREE	Philips	
					\$123.33	\$115.00	
	Nuetral White	PAR38-L60Nx90-X			20-500	\$120.00	\$111.67
	Warm White	PAR38-L60Sx90-X			501-1000	\$116.67	\$108.33
			>1000	\$113.33	\$105.00		







Triac Dimmable PAR38 With UL External Power - Wholesale Prices

Picture	Emitting Color	Model	Description	Q'ty(pcs)	EXW Unit Price	
	Daylight White	PAR38-L33Dx-X	Watt: 33W LED Q'ty: CREE XP-E 18pcs Lumen: 2500-3000 lm Voltage: AC90-130V Triac Dimming Function Base: E26 / E39; Size: 121 (∅) x 182/198 (L) mm Weight: 1.05kg CCT: 3000-6000K Beam Angle: 25/45/60 degree	<20	CREE	Package
	Nuetral White	PAR38-L33Nx-X		20-500	\$103.33	10pcs / CTN 330*300*760mm
	Warm White	PAR38-L33Sx-X		501-1000	\$96.67	
				>1000	\$93.33	
	Daylight White	PAR38-L33Dx90-X	Watt: 33W LED Q'ty: CREE XP-E 18pcs Philips 45pcs (CRI:75--80) Lumen: 2500-3000 lm Voltage: AC90-130V Triac Dimming Function Base: E26 / E39; Size: 121 (∅) x 182/198 (L) mm Weight: 1.05kg Clear/frosted cover CCT: 3000-6000K Beam Angle: 180 degree	<20	CREE	Philips
	Nuetral White	PAR38-L33Nx90-X		20-500	\$103.33	\$95.00
	Warm White	PAR38-L33Sx90-X		501-1000	\$96.67	\$88.33
				>1000	\$93.33	\$85.00
	Daylight White	PAR38-L45Dx-X	Watt: 45W; LED Q'ty: CREE XP-E 36pcs Lumen: 3500-4000 lm Voltage: AC90-130V Triac Dimming Function Base: E26 / E39 Size: 121 (∅) x 182/198 (L) mm CCT: 3000-6000K Weight: 1.05kg Beam Angle: 25/45/60 degree	<20	CREE	Package
	Nuetral White	PAR38-L45Nx-X		20-500	\$120.00	10pcs / CTN 330*300*760mm
	Warm White	PAR38-L45Sx-X		501-1000	\$116.67	
				>1000	\$113.33	
	Daylight White	PAR38-L45Dx90-X	Watt: 45W LED Q'ty: CREE XP-E 36pcs Philips 72pcs(CRI:75--80) Lumen: 3500-4000 lm Voltage: AC90-130V Triac Dimming Function Voltage: Base: E26 / E39; Size: 121 (∅) x 182/198 (L) mm CCT: 3000-6000K Weight: 1.05kg Beam Angle: 180 degree	<20	CREE	Philips
	Nuetral White	PAR38-L45Nx90-X		20-500	\$120.00	\$108.33
	Warm White	PAR38-L45Sx90-X		501-1000	\$116.67	\$105.00
				>1000	\$113.33	\$101.67
	Daylight White	PAR38-L60Dxx-X	Watt: 60W LED Q'ty: CREE XT-E: 36pcs (CRI:75--80) Lumen: 5000-5500 lm Voltage: AC90-130V Triac Dimming Function Base: E26 / E39 Size: 122(∅) x 198.8/215.8 (L) mm CCT: 3000-6000K Weight: 1.10kg Beam Angle: 25/45/60 degree	<20	CREE	Package
	Nuetral White	PAR38-L60Nxx-X		20-500	\$140.00	10pcs / CTN 330*300*760mm
	Warm White	PAR38-L60Sxx-X		501-1000	\$136.67	
				>1000	\$133.33	
	Daylight White	PAR38-L60Dx90-X	Watt: 60W LED Q'ty: CREE XT-E: 36pcs/ Philips 84pcs(CRI:75--80) Lumen: 5000-5500 lm Voltage: AC90-130V Triac Dimming Function Base:E39/E26; Size: 122(∅) x 198.8/215.8 (L) mm CCT: 3000-6000K Weight: 1.10kg Beam Angle: 180 degree	<20	CREE	Philips
	Nuetral White	PAR38-L60Nx90-X		20-500	\$140.00	\$131.67
	Warm White	PAR38-L60Sx90-X		501-1000	\$136.67	\$128.33
				>1000	\$133.33	\$125.00

Remarks:

- ※. Payment Terms: Pre-paid.
- ※. Lead time: 7-10 working days for samples; All depends on order quantity.
- ※. Quotation is valid till to notice from us.
- ※. Warranty: 3 years.

LED PAR48 Light ---45W/60W/80W/100W/130W/170W/200W - 3 Year Warranty


Picture	Emitting Color	Model	Description	Packing	Q'ty(pcs)	EXW price
	Daylight White	PAR48-L40Dxx-X	Watt:40W With UL External Power LED Q'ty: CREE XPE 28pcs (CRI:75-80) Lumen: 3500-4000 lm; Voltage: AC90-305V Three in one dimming function (1-10Vdc or PWM Signal or resistance)	10pcs / CTN / 96*40*29cm weight of power supply is 1.3kg/pc	Samples <20pcs	\$143.33
	Nuetral White	PAR48-L40Nxx--X	Base: E40/E39/E26/E27		20-500	\$140.00
	Warm White	PAR48-L40Sxx--X	E39 Size: 152 (Φ) x 299(L) mm E26 Size: 152 (Φ) x 213(L) mm Weight: 1.20kg CCT: 3000-6000K Beam Angle: 15/25/45/60/ 180 degree Replacement: HPS & MH 120W-150W		501-1000	\$136.67
					>1000	\$133.33
	Daylight White	PAR48-L60Dxx-X	Watt: 60W With UL External Power LED Q'ty: CREE XTE 28pcs (CRI:75-80) Lumen: 5000-5500 lm; Voltage: AC90-305V Three in one dimming function (1-10Vdc or PWM Signal or resistance)	10pcs / CTN / 96*40*29cm weight of power supply is 1.3kg/pc	Samples <20pcs	\$156.67
	Nuetral White	PAR48-L60Nxx--X	Base: E40/E39/E26/E27		20-500	\$153.33
	Warm White	PAR48-L60Sxx--X	E39 Size: 152 (Φ) x 299(L) mm E26 Size: 152 (Φ) x 213(L) mm Weight: 1.20kg CCT: 3000-6000K Beam Angle: 15/25/45/60/ 180 degree Replacement: HPS & MH 175W-200W		501-1000	\$150.00
					>1000	\$146.67
	Daylight White	PAR48-D80Dxx-X	Watt: 80W With UL External Power LED Q'ty: CREE XTE 28pcs (CRI:75-80) Lumen: 6200- 6800 lm; Voltage: AC90-305V Three in one dimming function (1-10Vdc or PWM Signal or resistance)	10pcs / CTN / 330*300*760mm	Samples <20pcs	\$203.33
	Nuetral White	PAR48-D80Nxx--X	Base: E40/E39/E26/E27		20-500	\$200.00
	Warm White	PAR48-D80Sxx--X	E39 Size: 152 (Φ) x 299(L) mm E26 Size: 152 (Φ) x 213(L) mm Weight: 1.20kg CCT: 3000-6000K Beam Angle: 15/25/45/60/ 180 degree Replacement: HPS & MH 200W-250W		501-1000	\$195.00
					>1000	\$191.67
	Daylight White	PAR48-L100Dxx-X	Watt: 100W With UL External Power LED Q'ty: CREE XTE 28pcs (CRI:75-80) Lumen: 7500-8500 lm Voltage: AC100-305V/ AC180-528V opt.	10pcs / CTN / 96*40*29cm weight of power supply is 1.3kg/pc	Samples <20pcs	\$191.67
	Nuetral White	PAR48-L100Nxx--X	Base: E40/E39/E26/E27		20-500	\$183.33
	Warm White	PAR48-L100Sxx--X	E39 Size: 152 (Φ) x 299(L) mm E26 Size: 152 (Φ) x 213(L) mm Weight: 1.20kg CCT: 3000-6000K Beam Angle: 15/25/45/60/ 180 degree Replacement: HPS & MH 250W-300W		501-1000	\$175.00
					>1000	\$166.67
	Daylight White	PAR48-L130Dxx-X	Watt: 130W With UL External Power LED Q'ty: CREE XTE 45pcs (CRI:75-80) Lumen: 10000-11000 lm Voltage: AC100-305V/ AC180-528V optional	10pcs / CTN / 96*40*29cm weight of power supply is 1.3kg/pc	Samples <20pcs	\$225.00
	Nuetral White	PAR48-L130Nxx--X	Base: E40/E39/E26/E27		20-500	\$216.67
	Warm White	PAR48-L130Sxx--X	E39 Size: 152 (Φ) x 299(L) mm E26 Size: 152 (Φ) x 213(L) mm Weight: 1.20kg CCT: 3000-6000K Beam Angle: 15/25/45/60/ 180 degree Replacement: HPS & MH 280W-350W		501-1000	\$208.33
					>1000	\$200.00
	Daylight White	PAR48-L170Dxx-X	Watt: 170W With UL External Power LED Q'ty: CREE XTE 60pcs (CRI:75-80) Lumen: 15000-16000 lm Voltage: AC100-305V/ AC180-528V optional	10pcs / CTN / 96*40*29cm weight of power supply is 1.3kg/pc	Samples <20pcs	\$250.00
	Nuetral White	PAR48-L170Nxx--X	Base: E40/E39/E26/E27		20-500	\$241.67
	Warm White	PAR48-L170Sxx--X	Size: 152 (Φ) x 299/197.8 (L) mm Weight: 1.20kg CCT: 3000-6000K Beam Angle: 15/25/45/60/ 180 degree Replacement: HPS & MH 380W-450W		501-1000	\$233.33
					>1000	\$225.00
	Daylight White	PAR48-L200Dxx-X	Watt: 200W With UL External Power LED Q'ty: CREE XPG 60pcs (CRI:75-80) Lumen: 17000-18000 lm Voltage: AC100-305V/ AC180-528V optional	10pcs / CTN / 96*40*29cm weight of power supply is 1.3kg/pc	Samples <20pcs	\$283.33
	Nuetral White	PAR48-L200Nxx--X	Base: E40/E39/E26/E27		20-500	\$275.00
	Warm White	PAR48-L200Sxx--X	E39 Size: 152 (Φ) x 299(L) mm E26 Size: 152 (Φ) x 213(L) mm Weight: 1.20kg CCT: 3000-6000K Beam Angle: 15/25/45/60/ 180 degree Replacement: HPS & MH 550W-600W		501-1000	\$266.67
					>1000	\$258.33

LED SIDE LIGHTS----30W/40W/50W/60W/100W/130W/170W/200W/400W WHOLESALE PRICES

Picture	Emitting Color	Model	Description	Q'ty(pcs)	WHL Price Philips LEDs	WHL Price CREE LEDs
	Daylight White	G90-C30DP	Watt: 30W (Add \$24.00 for EXT. UL Driver) LED Qty: Philips; 30pcs/Cree XTE 15pcs Lumen: 2700-3000 lm for Philips 2500-2700 lm for Cree	<20	\$108.33	\$115.00
	Nuetral White	G90-C30NP	Voltage: AC100-305V Base: E39/E40 Size: 90 (φ) x 214 (L) mm Weight: 0.75kg CCT: 2800-6300K	20-100	\$100.00	\$108.33
	Warm White	G90-C30SP	Replacement: HPS & MH 75W-100W	100-500	\$91.67	\$100.00
				>1000	\$83.33	\$95.00
	Daylight White	G90-C40DP	Watt: 40W (Add \$29.00 for EXT. UL Driver) LED Qty: Philips; 40pcs/Cree XPG2 15pcs Lumen: 3000-3500 lm	<20	\$115.00	\$118.33
	Nuetral White	G90-C40NP	Voltage: AC100-305V Base: E39/E40 Size: 90 (φ) x 214 (L) mm for Cree led	20-100	\$108.33	\$111.67
	Warm White	G90-C40SP	Size: 90 (φ) x 244 (L) mm for Pphilips led Weight: 0.87kg CCT: 2800-6300K Replacement: HPS & MH 120W-150W	100-500	\$101.67	\$105.00
				>1000	\$96.67	\$98.33
	Daylight White	G90-C50DP	Watt: 50W (Add \$30.00 for EXT. UL Driver) LED Qty: CREE XTE, 30LEDs Lumen: 3200-3600 lm	10pcs / CTN / 680*280*330 mm/ 13KG	<20	\$120.00
	Nuetral White	G90-C50NP	Voltage: AC100-305V/ DC12V/24V Base: E39/E40		20-100	\$115.00
	Warm White	G90-C50SP	Size: 90 (φ) x 214 (L) mm Weight:.0.75kg CCT: 2800-6300K Replacement: HPS & MH 150W-175W		100-500	\$111.67
					>1000	\$108.33
	Daylight White	G90-D60DC	Watt:60W (Add \$30.00 for EXT. UL Driver) LED Qty: CREE XTE; 40pcs Lumen: 5000-5500 lm	10pcs / CTN / 680*280*330 mm/ 13KG	<20	\$133.33
	Nuetral White	G90-D60NC	Voltage: AC100-305V Base: E39/ E40 Size: 90 (φ) x 244 (L) mm		20-100	\$128.33
	Warm White	G90-D60SC	Weight: 0.87kg CCT: 2800-6300K Replacement: HPS & MH 175W-250W		100-500	\$125.00
					>1000	\$121.67
	Daylight White	G100-C100DC	Watt: 100W G100 Square <u>UL Meanwell power supply (input90-295V)</u> LED Qty: CREE XPG2; 30pcs Lumen: 8000-9000 lm	10pcs / CTN / 680*280*330 mm/ 13KG	<20	\$191.67
	Nuetral White	G100-C100NC	Voltage: DC48V Size: 100 (φ) x 258 (L) mm		20-100	\$175.00
	Warm White	G100-C100SC	Base: E39/E40 CCT: 2800-6300K Replacement: HPS & MH 250W-350W		101-500	\$175.00
					>1000	\$166.67
	Daylight White	G100-C130DC	Watt: 130W G100 Square <u>UL Meanwell power supply (input90-305V)</u> LED Qty: CREE XPG2, 40pcs Lumen: 10500-11000 lm	10pcs / CTN / 680*280*330 mm/ 13KG	<20	\$225.00
	Nuetral White	G100-C130NC	Voltage: DC36V Size: 100 (φ) x 258 (L) mm		20-100	\$216.67
	Warm White	G100-C130SC	Base: E39/E40 CCT: 2800-6300K Replacement: HPS & MH 320W-400W		101-500	\$208.33
					>1000	\$200.00
	Daylight White	G100-C170DC	Watt: 170W G100 Square <u>UL Meanwell power supply (input90-305V)</u> LED Qty:CREE XTE 60pcs Lumen:15000-16000 lm	10pcs / CTN / 680*280*330 mm/ 13KG	<20	\$241.67
	Nuetral White	G100-C150NC	Voltage: DC48V Size: 100 (φ) x 258 (L) mm		20-100	\$233.33
	Warm White	G100-C150SC	Base: E39/E40 CCT: 2800-6300K Replacement: HPS & MH 400W-500W		101-500	\$225.00
					>1000	\$216.67
	Daylight White	G100-C200DC	Watt: 200 W G100 Square <u>UL Meanwell power supply (input90-305V)</u> LED Qty:: CREE XPG2 60pcs Lumen:18000-20000 lm	10pcs / CTN / 680*280*330 mm/ 13KG	<20	\$275.00
	Nuetral White	G100-C200NC	Voltage: DC48V Size: 100 (φ) x 258 (L) mm		20-100	\$266.67
	Warm White	G100-C200SC	Base: E39/E40/ CCT: 2800-6300K Replacement: HPS & MH 550W-650W		101-500	\$258.33
					>1000	\$250.00
	Daylight White	G230-C400DC	Watt: 400W G250 Square LED Qty:: CREE XPG2 120pcs Lumen:34000-36000 lm	10pcs / CTN / 680*280*330 mm/ 13KG	<20	\$550.00
	Nuetral White	G230-C400NC	Voltage: AC100-305V (HLG) Size: 228(φ) x 272 (L) m m		20-100	\$533.33
	Warm White	G230-C400SC	Base: E39/E40 CCT: 2800-6300K Replacement: HPS & MH 1000W-1500W		101-500	\$516.67
					>1000	\$500.00

Freight is additional
3 Year Warranty.




LED Retrofit - Side or Down Light Adjustable - Beam Angle Options - Wholesale Prices

Picture	Emitting Color	Model	Description	Packing	Q'ty(pcs)	EXW price
	Daylight White	G150-L100Dxx-X	 Watt: 100W G150 Round <u>UL Meanwell power supply (input90-295V)</u> LED Q'ty: CREE XPG2 28pcs (CRI:75--80) Lumen: 7600-8100 lm Voltage: DC48V Base: E40/E39 Size: 255*155*73(L) mm Weight: 1.20kg CCT: 3000-6000K Beam Angle: 15/25/45/90-120 degree Replacement: HPS & MH 230W-250W	10pcs / CTN / 94*38*26cm weight of power supply is 1kg/pc	Samples <20pcs	\$200.00
	Nuetral White	G150-L100Nxx--X			20-500	\$191.67
	Warm White	G150-L100Sxx--X			501-1000	\$183.33
					>1000	\$175.00
	Daylight White	G150-L130Dxx-X	 Watt: 130W G150 Round <u>UL Meanwell power supply (input90-305V)</u> LED Q'ty: CREE XTE 48pcs (CRI:75--80) Lumen: 11000-11800 lm Voltage: DC48V Base: E40/E39 Size: 255*155*73(L) mm Weight: 1.20kg CCT: 3000-6000K Beam Angle: 15/25/45/9-120 degree Replacement: HPS & MH 280W-350W	10pcs / CTN / 94*38*26cm weight of power supply is 1kg/pc	Samples <20pcs	\$233.33
	Nuetral White	G150-L130Nxx--X			20-500	\$225.00
	Warm White	G150-L130Sxx--X			501-1000	\$216.67
					>1000	\$208.33
	Daylight White	G150-L170Dxx-X	 Watt: 170W G150 Round <u>UL Meanwell power supply (input90-305V)</u> LED Q'ty: CREE XTE 60pcs (CRI:75--80) Lumen: 15000-15500 lm Voltage: DC48V Base: E40/E39 Size: 255*155*73(L) mm Weight: 1.20kg CCT: 3000-6000K Beam Angle: 15/25/45/90-120 degree Replacement: HPS & MH 380W-430W	10pcs / CTN / 94*38*26cm weight of power supply is 1kg/pc	Samples <20pcs	\$258.33
	Nuetral White	G150-L170Nxx--X			20-500	\$250.00
	Warm White	G150-L170Sxx--X			501-1000	\$241.67
					>1000	\$233.33
	Daylight White	G150-L200Dxx-X	 Watt: 200W G150 Round <u>UL Meanwell power supply (input90-305V)</u> LED Q'ty: CREE XPG2 60pcs (CRI:75--80) Lumen: 17000-18000 lm Voltage: DC48V Base: E40/E39 Size: 255*155*73(L) mm Weight: 1.20kg CCT: 3000-6000K Beam Angle: 15/25/45/90-120 degree Replacement: HPS & MH 500W-550W	10pcs / CTN / 94*38*26cm weight of power supply is 1kg/pc	Samples <20pcs	\$291.67
	Nuetral White	G150-L200Nxx--X			20-500	\$283.33
	Warm White	G150-L200Sxx--X			501-1000	\$275.00
					>1000	\$266.67


Freight is additional
3 Year Warranty.

LED Side Light 180 Degree Lamps - Wholesale Prices



S13-05 - 180 Degree Series UL listed E364363 / UL1598C E484357/ DLC

Model Number	Picture	Products Parameters									
		Rated Power	Working Voltage	Color temperature	Luminous Flux	CRI	LED Quantity	Power factor	Base	Dimension	价格 (USD)
ECO-S13-20W-05		Rated Power	Working Voltage	Color temperature	Luminous Flux	CRI	LED Quantity	Power factor	Base	Dimension	价格 (USD)
		20W	AC100-300V 50-60Hz	3000k-6500k	2700lm±100lm	≥85	110 LEDs (SAMSUNG)	≥0.9	E26 E27 E39 E40	OD192*90	\$50.00
ECO-S13-30W-05		Rated Power	Working Voltage	Color temperature	Luminous Flux	CRI	LED Quantity	Power factor	Base	Dimension	Price (USD)
		30W	AC100-300V 50-60Hz	3000k-6500k	4050lm±100lm	≥85	160 LEDs (SAMSUNG)	≥0.9	E26 E27 E39 E40	OD222*90	\$56.00
ECO-S13-40W-05		Rated Power	Working Voltage	Color temperature	Luminous Flux	CRI	LED Quantity	Power factor	Base	Dimension	Price (USD)
		40W	AC100-300V 50-60Hz	3000k-6500k	5400lm±100lm	≥85	220 LEDs (SAMSUNG)	≥0.9	E26 E27 E39 E40	OD268*90	\$66.00




S30-01 180 Degree Series UL listed E364363 /DLC

Model Number	Picture	Rated Power	Working Voltage	Color temperature	Luminous Flux	CRI	LED Quantity	Power factor	Base	Dimension	价格 (USD)
		ECO-S30-100W-01		100W	AC100-300V 50-60Hz	3000k-6500k	12000lm±50lm	≥85	LEDs (SAMSUNG)	≥0.9	E39 E40

S35-01 180 Degree Series UL listed E364363/ UL1598C E484357/ DLC

Model Number	Picture	Rated Power	Working Voltage	Color temperature	Luminous Flux	CRI	LED Quantity	Power factor	Base	Dimension	价格 (USD)
		ECO-S35-80W-01		80W	AC100-300V 50-60Hz	3000k-6500k	9600lm±50lm	≥85	LEDs (LG3030)	≥0.9	E39 E40
ECO-S35-110W-01		Rated Power	Working Voltage	Color temperature	Luminous Flux	CRI	LED Quantity	Power factor	Base	Dimension	价格 (USD)
		110W	AC100-300V 50-60Hz	3000k-6500k	13200lm±50lm	≥85	LEDs (LG3030)	≥0.9	E39 E40	OD111*H281	\$162.00

S38-01 180 Degree Series UL E364363


Model Number	Picture	Rated Power	Working Voltage	Color temperature	Luminous Flux	CRI	LED Quantity	Power factor	Base	Dimension	价格 (USD)
		ECO-S38-20W-01		20W	AC100-300V 50-60Hz	3000k-6500k	2600lm±50lm	≥85	LEDs (LG3030)	≥0.9	E39 E40
ECO-S38-40W-01		Rated Power	Working Voltage	Color temperature	Luminous Flux	CRI	LED Quantity	Power factor	Base	Dimension	价格 (USD)
		40W	AC100-300V 50-60Hz	3000k-6500k	5200lm±50lm	≥85	LEDs (LG3030)	≥0.9	E39 E40	OD92*H215	\$60.00
ECO-S38-60W-01		Rated Power	Working Voltage	Color temperature	Luminous Flux	CRI	LED Quantity	Power factor	Base	Dimension	价格 (USD)
		60W	AC100-300V 50-60Hz	3000k-6500k	7800lm±50lm	≥85	LEDs (LG3030)	≥0.9	E39 E40	OD92*H270	\$68.00

Freight is additional. Warranty: 5 Years

LED Round Panel Screw-Based Retrofit Light - Wholesale Prices

Item Number	Description	Picture			
ECO-RNDPNL-43W	1) Light Source: 140PCS 5630 LED 2) Luminous Flux: 4000LM±10% 3) 23*45mil Chip(55~60Lm/LED) 4) Rated Wattage: 43W±5% 5) Base: E40 E39 E27 E26 6) Rated Voltage: 100~305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)	8) Beam Angle: 120 ° 9) Lifetime: 50,000Hours 10) Size: ϕ 11.8 x 10.2" 11) Net weight: 1.7KG 12) CE . ROHS approved 13) Body Temperature: < 50° 14) Recommended replaced light : 120W HPS			
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-60-36				
	Price for 1~49pcs	Price for 50-500pcs		Price for 501-1000pcs	Price for over
	\$147.52	\$143.22		\$139.05	\$135.00
ECO-RNDPNL-65W	1) Light Source: 240PCS 5630 LED 2) Luminous Flux: 6000LM±5% 3) 23*45mil Chip(55~60Lm/LED) 4) Rated Wattage: 65W±5% 5) Base: E40 E39 E27 E26 6) Rated Voltage: 100~305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)	8) Beam Angle: 120 ° 9) Lifetime: 50,000Hours 10) Size: ϕ 11.8 x 10.2" 11) Net weight: 1.7KG 12) CE . ROHS approved 13) Body Temperature: < 50° 14) Recommended replaced light : 180W HPS			
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-60-36				
	Price for 1~49pcs	Price for 50-500pcs		Price for 501-1000pcs	Price for over
	\$169.71	\$163.97		\$158.42	\$153.07
ECO-RNDPNL-85W	1) Light Source: 240PCS 5630 LED 2) Luminous Flux: 8000LM±5% 3) 23*45mil Chip(55~60Lm/LED) 4) Rated Wattage: 85W±5% 5) Base: E40 E39 E27 E26 6) Rated Voltage: 100~305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)	8) Beam Angle: 120 ° 9) Lifetime: 50,000Hours 10) Size: ϕ 11.8 x 10.2" 11) Net weight: 1.7KG 12) CE . ROHS approved 13) Body Temperature: < 50° 14) Recommended replaced light : 200W HPS			
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-100-36				
	Price for 1~49pcs	Price for 50-500pcs		Price for 501-1000pcs	Price for over
	\$188.69	\$179.71		\$171.15	\$163.00
ECO-RNDPNL-105W	1) Light Source: 340PCS 5630 LED 2) Luminous Flux: 10000LM±10% 3) 23*45mil Chip(55~60Lm/LED) 4) Rated Wattage: 105W±5% 5) Base: E40 E39 E27 E26 6) Rated Voltage: 100~305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)	8) Beam Angle: 120 ° 9) Lifetime: 50,000Hours 10) Size: ϕ 11.8 x 10.2" 11) Net weight: 1.7KG 12) CE . ROHS approved 13) Body Temperature: < 60° 14) Recommended replaced light : 300W HPS			
	UL ,TUV Certified Power Supply from Meanwell Model: CEN-100-36				
	Price for 1~49pcs	Price for 50-500pcs		Price for 501-1000pcs	Price for over
	\$210.63	\$200.60		\$191.05	\$181.95
ECO-RNDPNL-130W	1) Light Source: 340PCS 5630 LED 2) Luminous Flux: 12000LM±10% 3) 23*45mil Chip(55~60Lm/LED) 4) Rated Wattage: 130W±5% 5) Base: E40 E39 E27 E26 6) Rated Voltage: 100~305VAC, 50/60Hz 7) Color Temperature: WW(2700~3800K), NW(4000-5000K) or CW(5500-6700K)	8) Beam Angle: 120 ° 9) Lifetime: 50,000Hours 10) Size: ϕ 11.8 x 10.2" 11) Net weight: 1.7KG 12) CE . ROHS approved 13) Body Temperature: < 60° 14) Recommended replaced light : 350W HPS			
	UL ,TUV Certified Power Supply from Meanwell Model:HLG-120-36				
	Price for 1~49pcs	Price for 50-500pcs		Price for 501-1000pcs	Price for over
	\$270.11	\$257.25		\$245.00	\$233.33

Freight is additional
3 Year Warranty










Optional Short E39 Base
Total Height:
4.2" base + 1.6" light = 5.8"



Optional Diffuser Cover Lens
add \$12.00 to unit price

LED HIGH BAY RETROFIT LAMPS - UL / DLC LISTED - WHOLESALE PRICES

Items	Photo	Specification		EXW (USD/PC)		
				Sample	11-200pcs	201-1000pcs
ECO-GK09-040-01		Power:40W	CRI(Ra):>70	US\$69.60	US\$63.20	US\$57.00
		Size(mm):D100mm*194mm	Beam Angle: Lens 90/120°			
		Voltage:AC90-305V	Lifespan: 35000 Hrs			
		LED: Bridgelux COB	Material: Alu+pc			
		Lumen:4000LM	Package:20pcs/CTN			
		Base Available: E26/E27 E39/E40				
		Color Temp:2700-6500K	Certificate: ETL DLC CE RoHS			
ECO-GK09-060-01		Power:60W	CRI(Ra):>70	US\$90.60	US\$82.40	US\$74.00
		Size(mm):D120mm*205mm	Beam Angle: Lens 60/90/120°			
		Voltage:AC90-305V	Lifespan: 35000 Hrs			
		LED: Bridgelux COB	Material: Alu+pc			
		Lumen:6000LM	Package:12pcs/CTN			
		Base Available: E26/E27 E39/E40				
		Color Temp:2700-6500K	Certificate: ETL DLC CE RoHS			
ECO-GK09-075-01		Power:75W	CRI(Ra):>70	US\$97.20	US\$88.40	US\$79.60
		Size(mm):D120mm*205mm	Beam Angle: Lens 60/90/120°			
		Voltage:AC90-305V	Lifespan: 35000 Hrs			
		LED: Bridgelux COB	Material: Alu+pc			
		Lumen:7500LM	Package:12pcs/CTN			
		Base Available: E26/E27 E39/E40				
		Color Temp:2700-6500K	Certificate: ETL DLC CE RoHS			
ECO-LD15-100-A02	 External Meanwell driver	Power:100W	CRI(Ra):>80	US\$158.40	US\$144.00	US\$140.00
		Size(mm):221*165*120mm(H), 165*165*200mm(V)	Beam Angle: 150°			
		Voltage:AC90-305V	Lifespan: 35000 Hrs			
		LED: Epistar SMD	Material: Alu+PC			
		Lumen:10000LM	Package:8pcs/CTN			
		Base : E40				
		Color Temp:2700-6500K	Certificate: CE RoHS ETL DLC			
ECO-LD15-120-A02	 External Meanwell driver	Power:120W	CRI(Ra):>80	US\$165.00	US\$150.00	US\$146.00
		Size(mm):221*165*120mm(H), 165*165*200mm(V)	Beam Angle: 150°			
		Voltage:AC90-305V	Lifespan: 35000 Hrs			
		LED: Epistar SMD	Material: Alu+PC			
		Lumen:12000LM	Package:8pcs/CTN			
		Base : E40				
		Color Temp:2700-6500K	Certificate: CE RoHS ETL DLC			
ECO-LD15-150-A02	 External Meanwell driver	Power:150W	CRI(Ra):>80	US\$173.80	US\$158.00	US\$154.00
		Size(mm):221*165*120mm(H), 165*165*200mm(V)	Beam Angle: 150°			
		Voltage:AC90-305V	Lifespan: 35000 Hrs			
		LED: Epistar SMD	Material: Alu+PC			
		Lumen:15000LM	Package:8pcs/CTN			
		Base : E40				
		Color Temp:2700-6500K	Certificate: CE RoHS ETL DLC			
ECO-LD15-180-A02	 External Meanwell driver	Power:180W	CRI(Ra):>80	US\$180.40	US\$164.00	US\$160.00
		Size(mm):221*165*120mm(H), 165*165*200mm(V)	Beam Angle: 150°			
		Voltage:AC90-305V	Lifespan: 35000 Hrs			
		LED: Epistar SMD	Material: Alu+PC			
		Lumen:18000LM	Package:8pcs/CTN			
		Base : E40				
		Color Temp:2700-6500K	Certificate: CE RoHS ETL DLC			

Warranty: 5 years from invoice date

LED PAR56 INTERNAL DRIVER DIMMABLE LAMPS - WHOLESALE PRICES

Model No: ECO-PAR56-36W

Dimension(mm)	Product Picture	Description
 <p> ϕ :173mm H:209mm </p>		<p> Light Power: 36Watts LED Source: 1W SMD LED Quantity: 36pcs Input Voltage: 85-265V AC Materials: Aluminum Power Factor: >0.80 CCT: 3000/4500/>6000K Luminous: 2500-3000lm Lamp Base: E27 E26 E39 E40 Beam Angle: 60° US\$225.00 </p>

Model No: ECO-PAR56-55W

Dimension(mm)	Product Picture	Description
 <p> ϕ :173mm H:209mm </p>		<p> Light Power: 55Watts LED Source: 1W SMD LED Quantity: 36pcs Input Voltage: 85-265V AC Materials: Aluminum Power Factor: >0.80 CCT: 3000/4500/>6000K Luminous: 4500-5000lm Lamp Base: E27 E26 E39 E40 Beam Angle: 60° US\$266.67 </p>












Model No: ECO-PAR64-65W

Dimension(mm)	Product Picture	Description
 <p> ϕ :204mm H:228mm </p>		<p> Light Power : 65Watts LED Source: 1W SMD LED Quantity: 60pcs Input Voltage: 85-265V AC Materials: Aluminum Power Factor: >0.80 CCT: 3000/4500/>6000K Luminous: 5500-6000lm Lamp Base: E27 E26 E39 E40 Beam Angle: 60° US\$283.33 US\$70.00 </p>

Freight is additional
 Bridgelux U.S. Made LEDs
 2 Year Warranty






Factory Dimmer:







UL / DLC Listed LED Retrofit Kits - 80W to 350W - Wholesale Prices (with Amber Option)








	Item NO.	ECO-RK-80W			1. Wattage:80W
	Quantity	< 200pcs	200+ pcs	500+ pcs	2. Luminous Flux:10400Lm; CRI > 80
	Price	US\$124.00	US\$122.00	US\$120.00	3. Light Source: Osram LED
	Package Details Inner Box (1PC):33cm*30cm*12cm Outer Carton (6PCS) :68cm*35cm*34cm				4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Size: Horizontal installation 270*170*62mm Vertical installation 170*170*220mm 6. Input Voltage: 100-277VAC,50/60Hz 7. Driver: Meanwell Driver HLG
	Item NO.	ECO-RK-100W			1. Wattage: 100W
	Quantity	< 200pcs	200+ pcs	500+ pcs	2. Luminous Flux: 13000Lm; CRI > 80
	Price	US\$136.00	US\$134.00	US\$132.00	3. Light Source: Osram LED
	Package Details Inner Box (1PC):33cm*30cm*12cm Outer Carton (6PCS) :68cm*35cm*34cm				4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Size: Horizontal installation 270*170*62mm Vertical installation 170*170*220mm 6. Input Voltage: 100-277VAC,50/60Hz 7. Driver: Meanwell Driver HLG
	Item NO.	ECO-RK-120W			1. Wattage: 120W
	Quantity	< 200pcs	200+ pcs	500+ pcs	2. Luminous Flux: 15600Lm; CRI > 80
	Price	US\$144.00	US\$144.00	US\$140.00	3. Light Source: Osram LED
	Package Details Inner Box (1PC):33cm*30cm*12cm Outer Carton (6PCS) :68cm*35cm*34cm				4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Size: Horizontal installation 270*170*62mm Vertical installation 170*170*220mm 6. Input Voltage: 100-277VAC,50/60Hz 7. Driver: Meanwell Driver HLG
	Item NO.	ECO-RK-150W			1. Wattage: 150W
	Quantity	< 200pcs	200+ pcs	500+ pcs	2. Luminous Flux: 19500Lm; CRI > 80
	Price	US\$150.00	US\$148.00	US\$146.00	3. Light Source: Osram LED
	Package Details Inner Box (1PC):33cm*30cm*12cm Outer Carton (6PCS) :68cm*35cm*34cm				4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Size: Horizontal installation 270*170*62mm Vertical installation 170*170*220mm 6. Input Voltage: 100-277VAC,50/60Hz 7. Driver: Meanwell Driver HLG
	Item NO.	ECO-RK-180W			1. Wattage: 180W
	Quantity	< 200pcs	200+ pcs	500+ pcs	2. Luminous Flux: 22000Lm; CRI > 80
	Price	US\$200.00	US\$198.00	US\$196.00	3. Light Source: Osram LED
	Package Details Inner Box (1PC):33cm*30cm*12cm Outer Carton (6PCS) :68cm*35cm*34cm				4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Size: Horizontal installation 270*340*62mm Vertical installation 340 dia. x 270mm h 6. Input Voltage: 100-277VAC,50/60Hz 7. Driver: Meanwell Driver HLG
	Item NO.	ECO-RK-200W			1. Wattage: 200W
	Quantity	< 200pcs	200+ pcs	500+ pcs	2. Luminous Flux: 24000Lm; CRI > 80
	Price	US\$240.00	US\$238.00	US\$236.00	3. Light Source: Osram LED
	Package Details Inner Box (1PC):33cm*30cm*12cm Outer Carton (6PCS) :68cm*35cm*34cm				4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Size: Horizontal installation 270*340*62mm Vertical installation 340 dia. x 270mm h 6. Input Voltage: 100-277VAC,50/60Hz 7. Driver: Meanwell Driver HLG
	Item NO.	ECO-RK-240W			1. Wattage: 240W
	Quantity	< 200pcs	200+ pcs	500+ pcs	2. Luminous Flux: 29000Lm; CRI > 80
	Price	US\$240.00	US\$238.00	US\$236.00	3. Light Source: Osram LED
	Package Details Inner Box (1PC):33cm*30cm*12cm Outer Carton (6PCS) :68cm*35cm*34cm				4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Size: Horizontal installation 270*340*62mm Vertical installation 340 dia. x 270mm h 6. Input Voltage: 100-277VAC,50/60Hz 7. Driver: Meanwell Driver HLG
	Item NO.	ECO-RK-300W			1. Wattage: 300W
	Quantity	< 200pcs	200+ pcs	500+ pcs	2. Luminous Flux: 39000Lm; CRI > 80
	Price	US\$300.00	US\$298.00	US\$296.00	3. Light Source: CREE LED
	Package Details Inner Box (1PC):35cm*35cm*16cm Outer Carton (4PCS) :68cm*37cm*37cm				4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Size: Horizontal installation 410*340*72mm Vertical installation 340*300*270mm 6. Input Voltage: 100-277VAC,50/60Hz 7. Driver: Meanwell Driver HLG
	Item NO.	ECO-RK-300WHV			1. Wattage: 300W
	Quantity	< 200pcs	200+ pcs	500+ pcs	2. Luminous Flux: 39000Lm; CRI > 80
	Price	US\$380.00	US\$378.00	US\$376.00	3. Light Source: CREE LED
	Package Details Inner Box (1PC):35cm*35cm*16cm Outer Carton (4PCS) :68cm*37cm*37cm				4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Size: Horizontal installation 410*340*72mm Vertical installation 340*300*270mm 6. Input Voltage: 200-480VAC,50/60Hz 7. Driver: Meanwell Driver HVG
	Item NO.	ECO-RK-350W			1. Wattage: 350W
	Quantity	< 200pcs	200+ pcs	500+ pcs	2. Luminous Flux: 45000Lm; CRI > 80
	Price	US\$320.00	US\$318.00	US\$316.00	3. Light Source: CREE LED
	Package Details Inner Box (1PC):35cm*35cm*16cm Outer Carton (4PCS) :68cm*37cm*37cm				4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Size: Horizontal installation 410*340*72mm Vertical installation 340*300*270mm 6. Input Voltage: 100-277VAC,50/60Hz 7. Driver: Meanwell Driver HLG
	Item NO.	ECO-RK-350WHV			1. Wattage: 350W
	Quantity	< 200pcs	200+ pcs	500+ pcs	2. Luminous Flux:45000Lm; CRI > 80
	Price	US\$410.00	US\$408.00	US\$406.00	3. Light Source: CREE LED
	Package Details Inner Box (1PC):35cm*35cm*16cm Outer Carton (4PCS) :68cm*37cm*37cm				4. Base: E40/E39(mogul) , E27/E26(Medium) 5. Size: Horizontal installation 410*340*72mm Vertical installation 340*300*270mm 6. Input Voltage: 200-480VAC,50/60Hz 7. Driver: Meanwell Driver HVG
















Freight is additional. Warranty: 5 Years. **AVAILABLE IN TURTLE FRIENDLY AMBER (585NM) - ADD 10%**



Retrofit Kits Picture	Model NO.	Unit Price USD	Lum hours	Replacement / Dimensions	Tech Data
 <p>LED RETROFIT KITS >35W-400W 6 YEARS WARRANTY CREE CE</p> <p>DLC Listed with Mogul Base (65W,80W, 120W, 150W,200W,400W) or Bracket Mount (all wattages)</p>	ECO-RKNUS-35W V1	\$100.00	3300 - 3600 lm s	125W HD / 7.1 to 8.3 x 5.2 x 5.1"	 <p>MOQ : 1 Base: Bracket or Mogul LED : CREE LED s Input Voltage : AC 100-277V (HV=347 to 480V) Warranty : 6 Years</p>
	ECO-RKNUS-45W V1	\$112.73	4300 - 4500 lm s	175W HD / 7.1 to 8.3 x 5.2 x 5.1"	
	ECO-RKNUS-60W V1	\$132.73	5900 - 6100 lm s	200W HD / 9.3 to 11.2 x 6.3 x 5.9"	
	ECO-RKNUS-65W V1	\$136.36	6400 - 6800 lm s	250W HD / 7.1 to 8.3 x 5.2 x 5.1"	
	ECO-RKNUS-80W V1	\$178.18	7800 - 8300 lm s	300W HD / 9.3 to 11.2 x 6.3 x 5.9"	
	ECO-RKNUS-80W V1-HV	\$209.09	7800 - 8300 lm s	300W HD / 9.3 to 11.2 x 6.3 x 5.9"	
	ECO-RKNUS-105W V1	\$203.64	9800 - 10500 lm s	350W HD / 9.3 to 11.2 x 6.3 x 5.9"	
	ECO-RKNUS-105W V1-HV	\$227.27	9800 - 10500 lm s	350W HD / 9.3 to 11.2 x 6.3 x 5.9"	
	ECO-RKNUS-120W V1	\$214.55	11800 - 12500 lm s	400W HD / 9.3 to 11.2 x 6.3 x 5.9"	
	ECO-RKNUS-120W V1-HV	\$240.00	11800 - 12500 lm s	400W HD / 9.3 to 11.2 x 6.3 x 5.9"	
	ECO-RKNUS-150W V1	\$263.64	14800 - 15500 lm s	500W HD / 12.8 to 14.0 x 7.3 x 6.3"	
	ECO-RKNUS-150W V1-HV	\$290.91	14800 - 15500 lm s	500W HD / 12.8 to 14.0 x 7.3 x 6.3"	
	ECO-RKNUS-200W V1	\$354.55	19800 - 21000 lm s	600W HD / 12.8 to 14.0 x 7.3 x 6.3"	
	ECO-RKNUS-240W V1-HV	\$450.91	24800 - 25000 lm s	800W HD / 12.8 to 14.0 x 7.3 x 6.3"	
ECO-RKNUS-320W V1	\$538.18	32000 - 36000 lm s	1000W HD / 15.0 to 17.5 x 10.2 x 6.3		
ECO-RKNUS-400W V1	\$707.27	39500 - 43000 lm s	1200W HD / 15.0 to 17.5 x 10.2 x 6.3		
ECO-RKNUS-400W V1-HV	\$790.91	39500 - 43000 lm s	1200W HD / 15.0 to 17.5 x 10.2 x 6.3		
 					

Dimmable Overheat Retrofit Kits	Model NO.	Unit Price USD	Lum hours	Replacement	Tech Data
 <p>LED RETROFIT KITS >60-480W Dimmable Overheat Protection. DLC Listed PHILIPS CE</p>	ECO-RKPUS-60W V2-HV	\$154.55	7500 lm s	300W HD / 9.3 to 11.2 x 6.3 x 5.9"	 <p>Warranty : 5 Years Base: Bracket LED : Philips LED s Input Voltage : AC 100-277V HV = 347-480V</p>
	ECO-RKPUS-100W D2	\$172.73	12000 lm s	400W HD / 9.3 to 11.2 x 6.3 x 5.9"	
	ECO-RKPUS-120W D2	\$194.55	15000 lm s	500W HD / 9.3 to 11.2 x 6.3 x 5.9"	
	ECO-RKPUS-150W D2	\$236.36	19000 lm s	600W HD / 12.8 to 14.0 x 7.3 x 6.3"	
	ECO-RKPUS-200W D2	\$281.82	25000 lm s	800W HD / 12.8 to 14.0 x 7.3 x 6.3"	
	ECO-RKPUS-240W D2	\$307.27	30000 lm s	900W HD / 12.8 to 14.0 x 7.3 x 6.3"	
	ECO-RKPUS-300W D2	\$400.00	35000 lm s	1000W HD / 15.0 to 17.5 x 10.2 x 6.3	
	ECO-RKPUS-300W D2-HV	\$520.00	35000 lm s	1000W HD / 15.0 to 17.5 x 10.2 x 6.3	
	ECO-RKPUS-400W D2	\$543.64	45000 lm s	1200W HD / 15.0 to 17.5 x 10.2 x 6.3	
	ECO-RKPUS-480W D2	\$614.55	53000 lm s	1500W HD / 15.0 to 17.5 x 10.2 x 6.3	
 				 	













UL Com Light Picture	Model NO.	Price USD	Lum hours	Light Size	Tech Data
 <p>DUL UL TUV LED CORN LIGHT >UL NO. E465717 CE</p>	ECO-CL-20W A2	\$37.50	2200 lm s	Φ 73*155M M	 <p>MOQ : 1 Under 60W E26 only, 60W and up : E26 / E39 LED : Epistar 2835 SMD LED s Input Voltage : AC 100-277V CCT 2700-8000K Warranty : 5 Years</p>
	ECO-CL-30W A2	\$57.50	3300 lm s	Φ 90*195 M M	
	ECO-CL-40W A2	\$62.50	4400 lm s	Φ 90*215 M M	
	ECO-CL-60W A2	\$77.50	6600 lm s	Φ 90*260 M M	
	ECO-CL-80W A2	\$122.50	9000 lm s	Φ 112*255 M M	
	ECO-CL-100W A2	\$137.50	11500 lm s	Φ 112*265 M M	
	ECO-CL-120W A2	\$155.00	13200 lm s	Φ 112*275 M M	
 				  	







P64 Corn Light Picture	Model NO.	Price USD	Lum hours	Light Size	Tech Data
 <p>IP64 LED CORN LIGHT CE</p>	ECO-CLW-5W A1	\$13.75	520 lm s	4.8" x 1.8"	 <p>MOQ : 1 Rate : P64 Under 60W : E26/G24 only, 60W up : E26/G24/E39 LED : Epistar 2835 SMD LED s Input Voltage : AC 100-277V CCT 2700-8000K LifeSpan : 50,000 Hours Warranty : 5 Years</p>
	ECO-CLW-7W A1	\$16.25	710 lm s	4.8" x 1.8"	
	ECO-CLW-9W A1	\$24.75	1050 lm s	5.4" x 1.8"	
	ECO-CLW-12W A1	\$27.50	1300 lm s	6.2" x 1.8"	
	ECO-CLW-15W A1	\$32.50	1650 lm s	6.1" x 2.2"	
	ECO-CLW-20W A1	\$40.00	2200 lm s	6.9" x 2.2"	
	ECO-CLW-30W A1	\$60.00	3250 lm s	8.1" x 3.7"	
	ECO-CLW-40W A1	\$67.50	4300 lm s	9.3" x 3.7"	
	ECO-CLW-60W A1	\$80.00	6500 lm s	11.2" x 3.7"	
	ECO-CLW-80W A1	\$127.50	8600 lm s	10.6" x 4.9"	
	ECO-CLW-100W A1	\$140.00	12000 lm s	11.4" x 4.9"	
	ECO-CLW-120W A1	\$160.00	13500 lm s	12.2" x 4.9"	
	ECO-CLW-150W A1	\$207.50	16500 lm s	13.2" x 4.9"	
 				  	

Module Canopy Picture	Model NO.	Price USD	Lum hours	Replacement	Tech Data
 <p>LED module Canopy >100-150W High-CRI Warm / Neutral / Cool / Cold white CE</p>	ECO-CP-100W F01	\$196.00	11500 lm s	350W - 400W MH or HPS	 <p>MOQ : 1 120-130M /W</p>
	ECO-CP-130W F01	\$216.00	14500 lm s	400W - 500W MH or HPS	
	ECO-CP-150W F01	\$224.00	18000 lm s	500W - 600W MH or HPS	
 				  	
















Shoobox Light Picture	Model NO.	Price USD	Lum hours	Sizes	Tech Data
	ECO-SB-60W	\$130.00	7200 - 7800 lm s	377*388*80M M	 M O Q : 1 Input Voltage: AC 100-277V (HV = 200 to 480V) CCT 2700-8000K
	ECO-SB-90W	\$166.00	10800 - 11700 lm s	377*388*80M M	
	ECO-SB-120W	\$212.00	14400 - 15600 lm s	377*388*80M M	
	ECO-SB-120W-HV	\$246.00	14400 - 15600 lm s	377*388*80M M	
	ECO-SB-150W	\$290.00	18000 - 19500 lm s	558*405*116M M	
	ECO-SB-150W-HV	\$338.00	18000 - 19500 lm s	558*405*116M M	
	ECO-SB-200W	\$350.00	24000 - 26000 lm s	558*405*116M M	
	ECO-SB-200W-HV	\$416.00	28800 - 31200 lm s	558*405*116M M	
	ECO-SB-240W	\$370.00	28800 - 31200 lm s	558*405*116M M	
	ECO-SB-300W	\$384.00	36000 - 38000 lm s	558*405*116M M	
	ECO-SB-300W-HV	\$424.00	36000 - 38000 lm s	558*405*116M M	
	ECO-SB-400W	\$526.00	48000 - 52000 lm s	624*634*126M M	
	ECO-SB-400W-HV	\$660.00	48000 - 52000 lm s	624*634*126M M	
	ECO-SB-480W	\$690.00	57600 - 62400 lm s	624*634*126M M	
ECO-SB-480W-HV	\$764.00	57600 - 62400 lm s	624*634*126M M		
     					

High Bay Light Picture	Model NO.	Price USD	Lum hours	Replacement	Tech Data
 <p>LED HIGH BAY LIGHT >UL NO.:E468128 140mm H Clear lens with 4" x 3" 30" x 20" aluminum cover and 15" PC cover</p>      	ECO-HB-80W	\$170.00	6800 lm s	450W incandescent / 150W CFL	 M O Q : 1 Rate: P65
	ECO-HB-100W	\$190.00	8500 lm s	600W incandescent / 200W CFL	
	ECO-HB-120W	\$224.00	11500 lm s	600W incandescent / 200W CFL	
	ECO-HB-150W	\$270.00	13500 lm s	800W incandescent / 250W CFL	
	ECO-HB-200W	\$316.00	18500 lm s	1000W incandescent / 350W CFL	
     					

Module Flood Light Picture	Model NO.	Price USD	Lum hours	Size	Tech Data
 <p>LED MODULE FLOOD LIGHT >UL NO.:E468128 140mm H Clear lens with 4" x 3" 30" x 20" aluminum cover and 15" PC cover</p>     	ECO-FL-100W	\$196.08	9000 - 10000 lm s	366*330*225mm	CE / RoHS
	ECO-FL-150W	\$284.31	14250 - 15750 lm s	435*366*65mm	CE / RoHS / UL / DLC
	ECO-FL-200W	\$349.02	19000 - 21000 lm s	540*366*65mm	CE / RoHS / UL / DLC
	ECO-FL-250W	\$466.67	22500 - 24500 lm s	645*366*225mm	CE / RoHS
	ECO-FL-300W	\$545.10	28500 - 30600 lm s	750*366*65mm	CE / RoHS / UL
     					

UL / TUV Street Light Picture	Model NO.	Price USD	Lum hours	LED / Light Size	Tech Data
	ECO-ST-60W FX	\$180.00	6900 lm s	Philip 3030 / 495*365*100M M	 M O Q : 1 LED : Philips Input Voltage : AC 85-300V
	ECO-ST-120W FX	\$250.00	14000 lm s	Philip 3030 / 600*365*100M M	
	ECO-ST-180W FX	\$310.00	21600 lm s	Philip 3030 / 705*365*100M M	
	ECO-ST-240W FX	\$370.00	28800 lm s	Philip 3030 / 810*365*100M M	
	ECO-ST-300W FX	\$456.00	35600 lm s	Philip 3030 / 915*365*100M M	
    					

Wall Pack + Canopy Picture	Model NO.	Price USD	Lum hours	Replacement	Tech Data
	ECO-WP-50W A1	\$106.00	4100 - 4300 lm s	150W MH or HPS	 M O Q : 1 Rate: P65 CCT 2700-8000K
	ECO-WP-60W A1	\$138.00	5200 - 5400 lm s	180W MH or HPS	
	ECO-WP-80W A1	\$176.00	7100 - 7300 lm s	200W - 250W MH or HPS	
	ECO-WP-100W A1	\$212.00	9000 - 9200 lm s	250W - 300W MH or HPS	
	ECO-WP-120W A1	\$220.00	10800 - 11000 lm s	350W - 400W MH or HPS	Input Voltage: AC 100-277V LifeSpan: 50,000 Hours Warranty: 5 Years
	ECO-WP-100W A2	\$206.00	9100 - 9300 lm s	250W - 300W MH or HPS	
	ECO-WP-120W A2	\$244.00	11800 - 13000 lm s	350W - 400W MH or HPS	
	ECO-CP-45W A1	\$104.00	4600 lm	120W MH or HPS	  
	ECO-CP-80W A1	\$166.00	8800 lm	250W MH or HPS	
	ECO-CP-100W A1	\$200.00	11000 lm	300W MH or HPS	
	ECO-CP-120W A1	\$216.00	13500 lm	350W - 400W MH or HPS	

UL T8 Tube Picture	Model NO.	Price USD	Lum hours	Replacement	Tech Data
	ECO-T806-09W A1	\$10.50	900 - 1000h s	30W Incandescent	MOQ : 10 One Way Ended 
	ECO-T812-18W A1	\$14.29	1700 - 1900h s	60W Incandescent	
	ECO-T812-20W A1	\$15.71	2000 - 2200h s	80W Incandescent	
EPISTAR					
Tri-Proof Light Picture	Model NO.	Price USD	Lum hours	Size	Tech Data
	ECO-TR06-30W	\$66.00	2400 - 2550h s	75*600M	MOQ : 1 Rate : P65 LED : Epistar 2835 SMD LED s 
	ECO-TR12-45W	\$92.00	5200 - 5400h s	75*1200M	
	ECO-TR15-60W	\$116.00	5200 - 5400h s	75*1500M	
EPISTAR					
Dimmable Panel Light Picture	Model NO.	Price USD	Lum hours	Size	Tech Data
	PL-40W-66-40-FG-01	\$58.00	3400LM /4014Chip	603*603*7mm	 Dimmable MOQ : 10
	PL-40W-66-28-FG-01	\$58.00	3400LM /2835Chip	603*603*9mm	
	PL-72W-126-28-FG-01	\$60.00	5760LM /2835Chip	1213*603*9mm	
2D Lamp Picture	Model NO.	Price USD	Lum hours	Size	Tech Data
	ECO-2DLamp-8W	\$11.40	870h s	20W Fluorescent lamp	MOQ : 10 Input Voltage : AC85-265V Optional Emergency 3 Hours
	ECO-2DLamp-12W	\$13.40	1230h s	30W Fluorescent lamp	
	ECO-2DLamp-18W	\$19.00	1787h s	45W Fluorescent lamp	

LED 360 and 180 Degree Lamps - 150lm/w - UL Listed

Model	Picture	Power	Beam Angle	Lumens ±10%	Base	Dimension	Certificate	EXW PRICE (USD)			Warranty	Packing detail	Photo
								1-200pcs	200-500pcs	>500pcs			
ECO-CORN-27WB (150lm/w)		27W	360°	4050lm	E26/E27 E39/E40	E27/E26: 90°H180mm E40/E39: 90°H190mm		\$53.60	\$51.60	\$47.60	5 years	Qty/ctn:20pcs G.W.:19kg 640*280*530mm	
ECO-CORN-36WB (150lm/w)		36W	360°	5400lm	E26/E27 E39/E40	E27/E26: 90°H210mm E40/E39: 90°H220mm		\$59.60	\$56.00	\$52.00	5 years	Qty/ctn:20pcs G.W.:19kg 640*280*530mm	
ECO-CORN-45WB (150lm/w)		45W	360°	6750lm	E26/E27 E39/E40	E27/E26: 90°H235mm E40/E39: 90°H245mm		\$68.00	\$64.00	\$60.00	5 years	Qty/ctn:12pcs G.W.:15kg 520*340*410mm	
ECO-CORN-54WB (150lm/w)		54W	360°	8100lm	E26/E27 E39/E40	E27/E26: 90°H260mm E40/E39: 90°H270mm		\$76.00	\$72.00	\$66.00	5 years	Qty/ctn:12pcs G.W.:15kg 520*340*410mm	
ECO-CORN-60WB (150lm/w)		60W	360°	9000lm	E26/E27 E39/E40	E27/E26: 90°H260mm E40/E39: 90°H270mm		\$84.00	\$80.00	\$76.00	5 years	Qty/ctn:12pcs G.W.:15.5kg 520*340*410mm	
ECO-CORN-80WB (150lm/w)		80W	360°	11000lm	E39/E40	E40/E39: 120°H295mm		\$158.00	\$148.00	\$144.00	5 years	Qty/ctn:6pcs G.W.:19kg 520*340*410mm	
ECO-CORN-100WB (150lm/w)		100W	360°	14000lm	E39/E40	E40/E39: 120°H330mm		\$172.00	\$160.00	\$156.00	5 years	Qty/ctn:6pcs G.W.:19kg 520*340*410mm	
ECO-CORN-120WB (150lm/w)		120W	360°	16800lm	E39/E40	E40/E39: 120°H365mm		\$190.00	\$176.00	\$170.00	5 years	Qty/ctn:6pcs G.W.:19kg 520*340*410mm	
ECO-CORN-150WB (150lm/w)		150W	360°	21000lm	E39/E40	E40/E39: 140°H360mm		\$198.00	\$190.00	\$184.00	5 years	Qty/ctn:3pcs G.W.:21kg 625*255*505mm	
Model	Picture	Power	Beam Angle	Lumens ±10%	Base	Dimension	Certificate	EXW PRICE (USD)			Warranty	Packing detail	Photo
								1-200pcs	200-500pcs	>500pcs			
ECO-street-27W (150lm/w)		27W	180°	4050lm	E26/E27 E39/E40	E27/E26: 90°H180mm E40/E39: 90°H190mm		\$53.60	\$51.60	\$47.60	5 years	Qty/ctn:20pcs G.W.:19kg 640*280*530mm	
ECO-street-36W (150lm/w)		36W	180°	5400lm	E26/E27 E39/E40	E27/E26: 90°H210mm E40/E39: 90°H220mm		\$59.60	\$56.00	\$52.00	5 years	Qty/ctn:20pcs G.W.:19kg 640*280*530mm	
ECO-street-45W (150lm/w)		45W	180°	6750lm	E26/E27 E39/E40	E27/E26: 90°H260mm E40/E39: 90°H270mm		\$68.00	\$64.00	\$60.00	5 years	Qty/ctn:12pcs G.W.:15kg 520*340*410mm	
ECO-street-54W (150lm/w)		54W	180°	8100lm	E26/E27 E39/E40	E27/E26: 90°H260mm E40/E39: 90°H270mm		\$76.00	\$72.00	\$66.00	5 years	Qty/ctn:12pcs G.W.:15kg 520*340*410mm	
ECO-street-60WB (150lm/w)		60W	180°	9000lm	E26/E27 E39/E40	E27/E26: 90°H280mm E40/E39: 90°H290mm		\$84.00	\$80.00	\$76.00	5 years	Qty/ctn:12pcs G.W.:15.5kg 520*340*410mm	

Note:

- 1) Freight is additional.
- 2) Clear or frosted cover. 2700 to 6000K. PF: 0.95, CRI>80. Isolated constant current driver. IP64 Waterproof. Input voltage: 100-300V AC / 50-60 Hz.
- 3) MOQ: 1pc. Warranty: 5 years.


LED Canopy / Gas Station Light - UL / DLC - Wholesale Prices

	Item NO.	ECO-GSL-60W			1. Wattage:60W 2. Luminous Flux:7200Lm; CRI > 83 3. Light Source:Osram led 4. Power supply: Meanwell driver 5. Base: wires 6. Input Voltage: 100-277VAC,50/60Hz 7. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 100pcs	101-500pcs	>500pcs	
	Price	US\$157.78	US\$153.33	US\$148.89	
					
	Item NO.	ECO-GSL-80W			1. Wattage:80W 2. Luminous Flux:9600Lm; CRI > 83 3. Light Source:Osram led 4. Power supply: Meanwell driver 5. Base: wires 6. Input Voltage: 100-277VAC,50/60Hz 7. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 100pcs	101-500pcs	>500pcs	
	Price	US\$166.67	US\$162.22	US\$157.78	
					
	Item NO.	ECO-GSL-100W			1. Wattage:100W 2. Luminous Flux:12000Lm; CRI > 83 3. Light Source:Osram led 4. Power supply: Meanwell driver 5. Base: wires 6. Input Voltage: 100-277VAC,50/60Hz 7. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 100pcs	101-500pcs	>500pcs	
	Price	US\$197.78	US\$193.33	US\$188.89	
					
	Item NO.	ECO-GSL-120W			1. Wattage:120W 2. Luminous Flux:14500Lm; CRI > 83 3. Light Source:Osram led 4. Power supply: Meanwell driver 5. Base: wires 6. Input Voltage: 100-277VAC,50/60Hz 7. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 100pcs	101-500pcs	>500pcs	
	Price	US\$204.44	US\$197.78	US\$193.33	
					
	Item NO.	ECO-GSL-150W			1. Wattage:150W 2. Luminous Flux:18000Lm; CRI > 83 3. Light Source:Osram led 4. Power supply: Meanwell driver 5. Base: wires 6. Input Voltage: 100-277VAC,50/60Hz 7. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 100pcs	101-500pcs	>500pcs	
	Price	US\$208.89	US\$202.22	US\$195.56	
					

Freight is additional


3G Wifi LED RGBW Bulb

6W Wifi LED RGBW Bulb		Specification	Unit Price (USD)	
 <p>6W RGBW SMART BULB</p> <p>8W 85-265V</p> <p>WiFi CE RoHS FC</p>	Model	ECO-BL-RGBW-6W	10~1000 pcs	\$22.00
	Input Voltage	AC85~265V,50~60Hz	1001-5000 pcs	\$20.00
	Power	6W	>5000pcs	\$18.00
	Color	RGBW	MOQ: 10pcs	
	LED Chip	Epistar		
	LED Quantity	20pcs		
	CRI	>80		
	LED Chip	Epistar		
	Base	E27,E26,B22		
	Beam Angle	160°		
	Material	ABS + Aluminium + PC Cover		
	Size	60mm*H120mm		
	Signal Input	3G, 2.4G		
	System Support	iphone,ipad,android		
6W Wifi LED RGBW Bulb		Specification	Unit Price (USD)	
 <p>9W RGBW SMART BULB</p> <p>9W 85-265V</p> <p>WiFi CE RoHS FC</p>	Model	ECO-BL-RGBW-9W	10~1000 pcs	US\$ 15.50/pc
	Input Voltage	AC85~265V,50~60Hz	1001-5000 pcs	US\$ 14.50/pc
	Power	9W	>5000 pcs	US\$ 13.50/pc
	Color	RGBW	MOQ: 10pcs	
	LED Chip	Epistar		
	LED Quantity	30pcs		
	CRI	>80		
	LED Chip	Epistar		
	Base	E27,E26,B22		
	Beam Angle	160°		
	Material	Aluminium body + PC Cover		
	Size	60mm*H120mm		
	Signal Input	3G, 2.4G		
	System Support	iphone,ipad,android		
3G Wifi Controller		Specification	Unit Price (USD)	
	Model	ECO-WF-KZQ	\$43.00	
	Input Voltage	DC5V		
	Frequency	3000 mhz		
	Modulation method	gfsk		
	Transmission power	6db		
	Standby Power	0.5W		
	Dimension	85*45*22mm		
	Support System	ipod,iphone,ipad ios,android		
	Can be controlled mobile phone and ipad			

2.4G Wireless Controller	Specification	Unit Price (USD)	
	Model	2.4G Wireless Controller	\$18.00
	Input Voltage	DC3V	
	Control Model	GFSK	
	Transmitting Frequency	2400-2483.5MHz	
	Transmitting Power	60db	
	Minimum Power	50uA	
	Max control distance	>30 meter	
	Battery	2pcs 5" normal battery (Not included)	
	Dimension	110x52x20mm	
	Remark	<p>(1).Using capacitive touch design, colorful colors, brightness, and the speed can be adjusted, and is rich in dimming, color adjustment capabilities, touch effect is ideal, with 640,000 colors and 10 modes of automatic display select, pure white light, in the context of remote control, a remote control can control an unlimited number of LED lights, and good in synchronized, consistent.</p> <p>(2).Each remote controller can control 4 groups bulbs,each group can accommodate hundreds of bulbs.</p>	

Control Model

3G Wifi Control



Remark
Can be through "Wifi controller" to use GPRS network Or wifi wireless,use mobile phone connection instead of Remotes to control all,can be realized offsite control, Support Apple / Andrews

2.4G Wireless Control




Grouped Controlled





Remarks

- 1.Payment: Prepaid
- 2.Delivery time: 3-5 days for sample order, 7-15 days for bulk order.
- 3.Sample and small trial order available.
- 4.Shipping freight will be quoted under your requests.
- 5.Discounts are offered based on order quantities.

Rechargeable LED Emergency Bulb - Wholesale Prices

ECO-EG07-R	Specification	Unit Price (USD)	
	Model	ECO-EG07-R	
	Input Voltage	AC85~265V,50~60Hz	
	Power	7W	
	Color	Warm White,White,Cold White	
	LED Type	30pcs SMD2835	
	Luminous Flux	300-500LM	
	LED Chip	Epistar	
	Base	E27,B22	
	Beam Angle	120°	
	Material	Plastic	
	Dimension	D70*122MM	
	Charging Time	4~5hours	
Emergency Time	3~4 hours		
		50~1000 pcs	\$20.00
		2000 pcs	\$19.00
		5000 pcs	\$18.00
		Remark With 1pc remote controller.	


ECO-EG04-R	Specification	Unit Price (USD)	
	Model	ECO-EG04-R	
	Input Voltage	AC85~265V,50~60Hz	
	Power	4W	
	Color	Warm White,White,Cold White	
	Color Temperature	2700-6500K	
	Luminous Flux	200-240Lm	
	LED Chip	Epistar	
	Base	E27,B22	
	Beam Angle	120°	
	Material	Plastic	
	Dimension	70*115mm(MIN) 70*145mm(MAX)	
	Charging Time	6~8hours	
Emergency Time	6~7 hours		
		50~1000 pcs	\$24.00
		2000 pcs	\$23.00
		5000 pcs	\$20.00
		Remark With 1pc remote controller.	

ECO-EG04-RGB	Specification	Unit Price (USD)	
	Model	ECO-EG04-RGB	
	Input Voltage	AC85~265V,50~60Hz	
	Power	4W	
	Color	RGB	
	LED Type	16pcs RGB5050	
	Luminous Flux	200-240Lm	
	LED Chip	Epistar	
	Base	E27,B22	
	Beam Angle	120°	
	Material	Plastic	
	Dimension	70*115mm(MIN) 70*145mm(MAX)	
	Charging Time	6~8hours	
Emergency Time	6~7 hours		
		50~1000 pcs	\$26.00
		2000 pcs	\$25.00
		5000 pcs	\$22.00
		Remark With 1pc remote controller.	

Remark

- 1.Payment: Prepaid.
- 2.Delivery time: 3-5 days for sample order, 7-15 days for bulk order.
- 3.Warranty: 2 Years. Certification: CE, ROHS.
- 4.Shipping freight will be quoted under your requests.
- 5.Discounts are offered based on order quantities.

DLC LED Panel Lights - 100 Lumens/Watt - Wholesale Prices



- ◎ DLC Standard, doubled insulated external driver
- ◎ High power factor ≥ 0.95 , THD < 15%
- ◎ Light source: SMD4014, LM80
- ◎ High efficiency, up to 100lm/W
- ◎ High CRI: Ra > 80
- ◎ Viewing angle: 120degree
- ◎ Voltage: AC100-277V
- ◎ Colour(CCT): **W**=3045±175K, **N**=3985±275K, **D**=5028±283K
- ◎ Material: AL+PMMA+PS Diffuser
- ◎ Warranty: 5 years
- ◎ Approved by DLC, UL, RoHS, FCC

Item	Wattage	Lumens	Size(mm)	LED Qty	Driver Type	Light Efficiency	Wholesale Price	
							1-1000pcs	1000pcs+
ECO-22DUA1-36WA-CCT	36W	3600±5%	603*603*9	192	dimmable (0-10V)	100 L/w	US\$38.00	US\$36.00
ECO-22DUA1-45WA-CCT	45W	4500±5%	603*603*9	216			US\$39.00	US\$37.00
ECO-14DUA1-36WA-CCT	36W	3600±5%	1213*300*9	192			US\$40.00	US\$38.00
ECO-14DUA1-45WA-CCT	45W	4500±5%	1213*300*9	216			US\$41.00	US\$39.00
ECO-24DUA1-36WA-CCT	36W	3600±5%	1213*603*9	384			US\$64.00	US\$60.00
ECO-24DUA1-45WA-CCT	45W	4500±5%	1213*603*9	384			US\$65.00	US\$61.00
ECO-24DUA1-60WA-CCT	60W	6000±5%	1213*603*9	384			US\$76.00	US\$72.00
ECO-24DUA1-72WA-CCT	72W	7200±5%	1213*603*9	384			US\$78.00	US\$74.00

Accessories

Surface mounting fixture (ceiling/wall) Aluminum structure convenient and elegant			For 2*2ft panel	US\$16.00
			For 1*4ft panel	US\$18.00
			For 2*4ft panel	US\$24.00
wirerope of square panel (ceiling) steel convenient and elegant			For 2*2ft panel, 2pcs wireropes	US\$4.00
			For 1*4ft panel, 3pcs wireropes	US\$6.00
			For 2*4ft panel, 3pcs wireropes	US\$6.00
Earthquake proof hook (ceiling)			For 2*2ft panel, 4pcs hooks	US\$1.20
			For 1*4ft panel, 6pcs hooks	US\$1.80
			For 2*4ft panel, 6pcs hooks	US\$1.80

Freight is additional (please check with us - panels are bulky and can be expensive to ship)

UL,DLC LED Panel Lights 130 Lumens / Watt - Wholesale Prices

Item	Driver type	Types	Wattage	Lumens	Size(mm)	Light efficiency	130lm/w, EXW Price(US\$)	
							< 1000 pcs	1000 pcs
ECO-PE22NUA-25WB-PKBXA	Non-dim	2'X2'	25W	3250±5%	603*603*10.6	130 lm/w	62.98	59.98
ECO-PE22NUA-40WB-PKBXA			40W	5200±5%	603*603*10.6		65.08	61.98
ECO-PE22NUA-50WB-PKBXA			50W	6500±5%	603*603*10.6		69.28	65.98
ECO-PE14NUA-40WB-PKBXA		1'X4'	40W	5200±5%	1213*300*10.6		75.58	71.98
ECO-PE24NUA-40WB-PKBXA		2'X4'	40W	5200±5%	1213*603*10.6		109.18	103.98
ECO-PE24NUA-50WB-PKBXA			50W	6500±5%	1213*603*10.6		113.38	107.98
ECO-PE24NUA-60WB-PKBXA			60W	7800±5%	1213*603*10.6		119.68	113.98
ECO-PE24NUA-70WB-PKBXA			70W	9100±5%	1213*603*10.6		128.08	121.98
ECO-PE22DUA-25WB-PKBXA	0-10V dimming	2'X2'	25W	3250±5%	603*603*10.6	130 lm/w	67.18	63.98
ECO-PE22DUA-40WB-PKBXA			40W	5200±5%	603*603*10.6		69.28	65.98
ECO-PE22DUA-50WB-PKBXA			50W	6500±5%	603*603*10.6		73.48	69.98
ECO-PE14DUA-40WB-PKBXA		1'X4'	40W	5200±5%	1213*300*10.6		79.78	75.98
ECO-PE24DUA-40WB-PKBXA		2'X4'	40W	5200±5%	1213*603*10.6		113.38	107.98
ECO-PE24DUA-50WB-PKBXA			50W	6500±5%	1213*603*10.6		117.58	111.98
ECO-PE24DUA-60WB-PKBXA			60W	7800±5%	1213*603*10.6		123.88	117.98
ECO-PE24DUA-70WB-PKBXA			70W	9100±5%	1213*603*10.6		132.28	125.98
ECO-PE22HA-40WB-PKBXA	347Vac	2'X2'	40W	5200±5%	603*603*10.6	130 lm/w	104.98	99.98
ECO-PE24HA-50WB-PKBXA	Edition Non-dim	2'X4'	60W	7800±5%	1213*603*10.6		153.28	145.98
ECO-PE22FUA-40WB-PKBXA	No Flickers Edition Non-dim	2'X2'	40W	5200±5%	603*603*10.6	130 lm/w	113.38	107.98
ECO-PE24FUA-50WB-PKBXA		2'X4'	50W	7800±5%	1213*603*10.6		119.68	113.98

Installation Accessories

Surface Mounted	Aluminum Brackets (ceiling/wall)			For 2*2ft panel	US\$15.98
				For 1*4ft panel	US\$17.98
				For 2*4ft panel	US\$23.98
Hung Parts	Hung Ropes Suspended kits			For 2*2ft panel, 2 sets of hung parts	US\$3.98
				For 1*4ft panel, 3 sets of hung parts	US\$5.98
				For 2*4ft panel, 3 sets of hung parts	US\$5.98
/	Earthquake-proof hook (ceiling)			For 2*2ft panel, 4pcs hooks	US\$1.20
				For 1*4ft panel, 6pcs hooks	US\$1.80
				For 2*4ft panel, 6pcs hooks	US\$1.80

1. UL / DLC Listed, 5 Year Warranty.
2. High power factor ≥0.95, THD < 15%, High CRI: Ra > 80, 100-277V, 0-10V Dimming or Non-dimmable
3. Colour (CCT): W=3045±175K, W=3500±195K, N=3985±275K, D=5028±283K
4. Freight is Additional

LED Panel Lights - DLC/UL/CUL - Dimming, Sensor and Emergency Options (Title 24)

Panel Photo	Rated Power	Specification						Part No.	Dimming	FOB Price (USD/PC)		
		Panel Size	Color Temperature	LPW	Luminous flux	CRI	Input Voltage			<200pcs	>200pcs	>2000pcs
	20W	2*2ft 23.7" * 23.7"	3500k,4000k,5000k	120lm/w	2400lm	83Ra	100-277Vac	P2220	Non-Dimmable	\$57.00	\$55.00	\$53.00
	20W	2*2ft 23.7" * 23.7"	3500k,4000k,5000k	120lm/w	2400lm	83Ra	100-277Vac	P2220	Dimmable	\$60.00	\$58.00	\$56.00
	30W	2*2ft 23.7" * 23.7"	3500k,4000k,5000k	107lm/w	3200lm	83Ra	100-277Vac	P2230	Non-Dimmable	\$59.00	\$57.00	\$55.00
	30W	2*2ft 23.7" * 23.7"	3500k,4000k,5000k	107lm/w	3200lm	83Ra	100-277Vac	P2230	Dimmable	\$65.00	\$63.00	\$61.00
	40W	2*2ft 23.7" * 23.7"	3500k,4000k,5000k	100lm/w	4000lm	83Ra	100-277Vac	P2240	Non-Dimmable	\$61.00	\$59.00	\$57.00
	40W	2*2ft 23.7" * 23.7"	3500k,4000k,5000k	100lm/w	4000lm	83Ra	100-277Vac	P2240	Dimmable	\$66.00	\$64.00	\$62.00
	35W	1*4ft 11.7" * 47.72"	3500k,4000k,5000k	100lm/w	3500lm	83Ra	100-277Vac	P1435	Non-Dimmable	\$64.00	\$62.00	\$60.00
	35W	1*4ft 11.7" * 47.72"	3500k,4000k,5000k	100lm/w	3500lm	83Ra	100-277Vac	P1435	Dimmable	\$70.00	\$68.00	\$66.00
	35W	2*4ft 23.7" * 47.72"	3500k,4000k,5000k	115lm/w	4000lm	83Ra	100-277Vac	P2435	Non-Dimmable	\$98.00	\$96.00	\$94.00
	35W	2*4ft 23.7" * 47.72"	3500k,4000k,5000k	115lm/w	4000lm	83Ra	100-277Vac	P2435	Dimmable	\$102.00	\$100.00	\$98.00
	50W	2*4ft 23.7" * 47.72"	3500k,4000k,5000k	100lm/w	5000lm	83Ra	100-277Vac	P2450	Non-Dimmable	\$100.00	\$98.00	\$96.00
	50W	2*4ft 23.7" * 47.72"	3500k,4000k,5000k	100lm/w	5000lm	83Ra	100-277Vac	P2450	Dimmable	\$108.00	\$106.00	\$104.00
	75W	2*4ft 23.7" * 47.72"	3500k,4000k,5000k	100lm/w	7500lm	83Ra	100-277Vac	P2475	Dimmable	\$122.00	\$120.00	\$118.00

Note:

1. The price includes the junction box and power supply inside.
2. Can be used with 12Vdc auxiliary output from lighting controller, sensor etc (Title 24 Compliant).
3. Can be used with our emergency power supply as below .



Emergency Pack:	<200pcs: \$63.00 USD	>200pcs: \$60.00USD
-----------------	----------------------	---------------------

Power : 10W,
Back up time : 90 munites

LED Panel Lights - 130 Lm/W - Wholesale Prices



LED Panel Light ---(Standard Non-dimmable) DLC High lumen 130LM/W

Panel light Type	Model Number	watts	lumen	Additional Model Information	Installed ways	Light Output (lumens)	CCT	CRI	Warranty (years)	Certificate	EXW Unit price	
											1-499pcs	>500pcs
2*2 FT	LP-0606-36W-NA-V2	36w	4680lm	100-277VAC 150° beam angle THD<18 % PF>0.9 Taiwan SMD2835	Bulit in / Suspended/ Surface mount	High luminous efficacy (130LM/W)	3000K 3500K 4000K 4500K 5000K	≥80	5 years	UL(E466848) cUL(E466848) DLC	\$53.00	\$50.00
1*4 FT	LP-1203-36W-NA-V2	36w	4680lm								\$54.00	\$51.00
2*4 FT	LP-1206-50W-NA-V2	50w	6500lm								\$88.60	\$83.60

LED Panel Light ---(0-10V Dimmable) DLC High lumen 130LM/W

Panel light Type	Model Number	watts	lumen	Additional Model Information	Installed ways	Light Output (lumens)	CCT	CRI	Warranty (years)	Certificate	EXW Unit price	
											1-499pcs	>500pcs
2*2 FT	LP-0606-36W-DNA-V2	36w	4680lm	100-277VAC 150° beam angle THD<18 % PF>0.9 Taiwan SMD2835	Bulit in / Suspended/ Surface mount	High luminous efficacy (130LM/W)	3000K 3500K 4000K 4500K 5000K	≥80	5 years	UL(E466848) cUL(E466848) DLC	\$58.40	\$55.00
1*4 FT	LP-1203-36W-DNA-V2	36w	4680lm								\$59.40	\$56.00
2*4 FT	LP-1206-50W-DNA-V2	50w	6500lm								\$94.00	\$88.60

LED Panel Light---(Microwave motion sensor) DLC High lumen 130LM/W

Panel light Type	Model Number	watts	lumen	Additional Model Information	Installed ways	Light Output (lumens)	CCT	CRI	Warranty (years)	Certificate	EXW Unit price	
											1-499pcs	>500pcs
2*2 FT	LP-0606-36W-SNA-V2	36w	4680lm	100-277VAC 150° beam angle THD<18 % PF>0.9 Taiwan SMD2835	Bulit in / Suspended/ Surface mount	High luminous efficacy (130LM/W)	3000K 3500K 4000K 4500K 5000K	≥80	5 years	UL(E466848) cUL(E466848) DLC	\$80.40	\$77.00
1*4 FT	LP-1203-36W-SNA-V2	36w	4680lm								\$81.40	\$78.00
2*4 FT	LP-1206-50W-SNA-V2	50w	6500lm								\$116.00	\$110.60

LED Panel Light-- (Emergency+None-Dimming) DLC High lumen 130LM/W

Panel light Type	Model Number	watts	lumen	Additional Model Information	Installed ways	Light Output (lumens)	CCT	CRI	Warranty (years)	Certificate	EXW Unit price	
											1-499pcs	>500pcs
2*2 FT	LP-0606-36W-ENA-V2	36w	4680lm	100-277VAC 150° beam angle THD<18 % PF>0.9 Taiwan SMD2835	Bulit in / Suspended/ Surface mount	High luminous efficacy (130LM/W)	3000K 3500K 4000K 4500K 5000K	≥80	5 years	UL(E466848) cUL(E466848) DLC	\$90.00	\$87.00
1*4 FT	LP-1203-36W-ENA-V2	36w	4680lm								\$91.00	\$88.00
2*4 FT	LP-1206-50W-ENA-V2	50w	6500lm								\$125.60	\$120.60


LED Panel Light--- (Emergency+0-10V Dimmable) DLC High lumen 130LM/W

Panel light Type	Model Number	watts	lumen	Additional Model Information	Installed ways	Light Output (lumens)	CCT	CRI	Warranty (years)	Certificate	EXW Unit price	
											1-499pcs	>500pcs
2*2 FT	LP-0606-36W-EDNA-V2	36w	4680lm	100-277VAC 150° beam angle THD<18 % PF>0.9 Taiwan SMD2835	Bulit in / Suspended/ Surface mount	High luminous efficacy (130LM/W)	3000K 3500K 4000K 4500K 5000K	≥80	5 years	UL(E466848) cUL(E466848) DLC	\$95.40	\$92.00
1*4 FT	LP-1203-36W-EDNA-V2	36w	4680lm								\$96.40	\$93.00
2*4 FT	LP-1206-50W-EDNA-V2	50w	6500lm								\$131.00	\$125.60

LED Panel Light--- (Emergency+Microwave motion sensor) DLC High lumen 130LM/W

Panel light Type	Model Number	watts	lumen	Additional Model Information	Installed ways	Light Output (lumens)	CCT	CRI	Warranty (years)	Certificate	EXW Unit price	
											1-499pcs	>500pcs
2*2 FT	LP-0606-36W-ESNA-V2	36w		100-277VAC 150° beam angle THD<18 % PF>0.9 Taiwan SMD2835	Bulit in / Suspended/ Surface mount	High luminous efficacy (130LM/W)	3000K 3500K 4000K 4500K 5000K	≥80	5 years	UL(E466848) cUL(E466848) DLC	\$117.40	\$114.00
1*4 FT	LP-1203-36W-ESNA-V2	36w									\$118.40	\$115.00
2*4 FT	LP-1206-50W-ESNA-V2	50w									\$153.00	\$147.60

Remark: Recessed /Build in Installation , no need add cost of accessory




QUOTATION of Installation Accessory for LED Panel Lights




Picture	Accessory Name	Description	UNIT PRICE (USD) EXW Shenzhen	Installation Method	Installation Diagram
	Suspend Kit	4PCS for 2*2 FT Panel 6PCS for 4*1 FT Panel 6PCS for 4*2 FT Panel	1.00 / PC	Suspended	
	Stainless Steel Fram	Size: 1*1 FT	\$8.00 / PC	Surface Mount	
		Size: 2*2 FT	\$14.00 / PC		
		Size: 4*1 FT	\$16.00 / PC		
		Size: 4*2 FT	\$19.00 / PC		




Remark: If need other accessories , such as waterproof connector , or need lengthen input wire , please advise, we will quote you the accessories price.
If need connection one by one in series, we will offer you the updated price according to customer's corresponding requirements.

Freight is additional

LED Troffer								
 <p>UL cUL listed 5years DLC @ 4000K DLC @ 4000K DLC @ 4000K DLC @ 4000K</p>	Housing:		Die-formed heavy gauge cold rolled steel with powder coated white.					
	Lens:		Opal polycarbonate					
	Light source:		Samsung LEDs					
	CCT:		3000K-6000K					
	CRI:		>82					
	Driver:		Optional					
	Power Factor:		>0.92					
	Installation:		Recessed for T-bar ceiling grids					
	Ambient temperature		- 30°C~ +45°C					
	Options:		Dimmable, 347V, sensor, emergency					
Model	Watt	Lumen	Input Volatge	Dimension mm	Package mm	Pcs/ ctn	Unit Price(USD)	
MX892-LD40W-2x2	40W	3660lm	100-277V	605x600x140	640x630x150	1	US\$110.00	
MX892-LD40W-DD-2x2	40W	3660lm	100-277V	605x600x140	640x630x150	1	US\$114.00	
MX892-LD50W-2x2	50W	4300lm	100-277V	605x600x140	640x630x150	1	US\$126.00	
MX892-LD50W-DD-2x2	50W	4300lm	100-277V	605x600x140	640x630x150	1	US\$128.00	
MX892-LD50W-2x4	50W	4300lm	100-277V	1205x600x140	1235x630x150	1	US\$150.00	
MX892-LD50W-DD-2x4	50W	4300lm	100-277V	1205x600x140	1235x630x150	1	US\$152.00	
MX892-LD60W-2x4	60W	5100lm	100-277V	1205x600x140	1235x630x150	1	US\$174.00	
MX892-LD60W-DD-2x4	60W	5100lm	100-277V	1205x600x140	1235x630x150	1	US\$176.00	
LED troffer								
 <p>UL cUL listed 5years</p>	Housing:		Die-formed heavy gauge cold rolled steel with powder coated white.					
	Lens:		Dual opal polycarbonate					
	Light source:		Samsung LEDs					
	CCT:		3000K-6000K					
	CRI:		>82					
	Driver:		Optional					
	Power Factor:		>0.92					
	Installation:		Recessed for T-bar ceiling grids					
	Ambient temperature		- 30°C~ +45°C					
	Options:		Dimmable, 347V, sensor, emergency					
Model	Watt	Lumen	Input Volatge	Dimension mm	Package mm	Pcs/ ctn	Unit Price(USD)	
MX895-LD40W-2x2	40W	3636lm	100-277V	607x605x85	640x630x95	1	US\$120.00	
MX895-LD40W-DD-2x2	40W	3636lm	100-277V	607x605x85	640x630x95	1	US\$122.00	
MX895-LD50W-2x2	50W	4300lm	100-277V	607x605x85	640x630x95	1	US\$138.00	
MX895-LD50W-DD-2x2	50W	4300lm	100-277V	607x605x85	640x630x95	1	US\$140.00	
MX895-LD50W-2x4	50W	4300lm	100-277V	1210x605x85	1240x630x95	1	US\$174.00	
MX895-LD50W-DD-2x4	50W	4300lm	100-277V	1210x605x85	1240x630x95	1	US\$176.00	
MX895-LD60W-2x4	60W	5100lm	100-277V	1210x605x85	1240x630x95	1	US\$182.00	
MX895-LD60W-DD-2x4	60W	5100lm	100-277V	1210x605x85	1240x630x95	1	US\$184.00	
MX895-LD75W-2x4	75W	6800lm	100-277V	1205x600x140	1240x630x95	1	US\$216.00	

LED troffer retrofit								
 <p>UL cUL listed 5years</p> <p>DLC @ 4000K DLC @ 4000K</p>	<p>Housing: Die-formed heavy gauge cold rolled steel with powder coated white.</p> <p>Lens: Opal acrylic</p> <p>Fitting: Steel frame kits</p> <p>Light source: Samsung LEDs</p> <p>CCT: 3000K-6000K</p> <p>CRI: >82</p> <p>Driver: Optional</p> <p>Power Factor: >0.95</p> <p>Installation: Retrofit for traditional troffer</p> <p>Ambient temperature : - 30°C~ +40°C</p> <p>Options: Dimmable, 347V, sensor, emergency</p>							
	Model	Watt	Lumen	Input Volatge	Dimension mm	Package mm	Pcs/ctn	Unit Price(USD)
	MX878-LD25W-2x2	25W	2200lm	100-277V	575x520x76	600x550x190	2	US\$102.00
	MX878-LD25W-DD-2x2	25W	2200lm	100-277V	575x520x76	600x550x190	2	US\$104.00
	MX878-LD40W-2x4	40W	3600lm	100-277V	1190x520x76	1220x560x190	2	US\$136.00
MX878-LD40W-DD-2x4	40W	3600lm	100-277V	1190x520x76	1220x560x190	2	US\$140.00	
LED Linear High Bay								
 <p>UL cUL listed 5years</p> <p>DLC @ 5000K DLC @ 5000K</p>	<p>Housing: Die-formed heavy gauge cold rolled steel with powder coated white.</p> <p>Lens: Clear acrylic</p> <p>Light source: High Lumen LEDs</p> <p>CCT: 3000K-6000K</p> <p>CRI: >82</p> <p>Driver: Meanwell driver</p> <p>Power Factor: >0.92</p> <p>Installation: Suspended with V-Hook or chain</p> <p>Ambient temperature : - 30°C~ +45°C</p> <p>Options: Dimmable, 347V, sensor, emergency</p>							
	Model	Watt	Lumen	Input Volatge	Dimension mm	Package mm	Pcs/ctn	Unit Price(USD)
	MX898-LD60W	60W	6200lm	100-277V	1217x287x100	1247x300x110	1	US\$176.00
	MX898-LD60W-DD	60W	6200lm	100-277V	1217x287x100	1247x300x110	1	US\$182.00
	MX898-LD120W	120W	11000Lm	100-277V	1217x287x100	1247x300x110	1	US\$250.00
	MX898-LD120W-DD	120W	11000Lm	100-277V	1217x287x100	1247x300x110	1	US\$256.00
	MX898-LD150W	150W	13500Lm	100-277V	1217x287x100	1247x300x110	1	US\$264.00
	MX898-LD150W-DD	150W	13500Lm	100-277V	1217x287x100	1247x300x110	1	US\$270.00
	MX898-LD240W	240W	21000Lm	100-277V	1217x407x100	1247x422x110	1	US\$356.00
	MX898-LD240W-DD	240W	21000Lm	100-277V	1217x407x100	1247x422x110	1	US\$362.00
	MX898-LD300W	300W	25000lm	100-277V	1217x527x100	1247x540x110	1	US\$540.00
MX898-LD300W-DD	300W	25000lm	100-277V	1217x527x100	1247x540x110	1	US\$546.00	

LED vapor tight										
 UL cUL listed 5years	Housing:		Polycarbonate housing with SS mounting bracket							
	Lens:		Opal polycarbonate							
	Knockout:		standard 3/4" conduit, or customized							
	Light source:		Samsung LEDs							
	CCT:		3000K-6000K							
	CRI:		>82							
Driver:		Optional								
Power Factor:		>0.92								
Installation:		Ceiling and surface mounted, or suspended								
Ambient temperature		- 30°C ~ +45°C								
:										
Options:		Dimmable, 347V, sensor, emergency								
		Model	Watt	Lumen	Input Volatge	Dimension mm	Package mm	Pcs/ ctn	Unit Price(USD)	
		MX482-LD25W-4ft	25W	2300lm	120-277V	1274x140x90	1310x300x305	9	US\$94.00	
		MX482-LD25W-DD-4ft	25W	2300lm	120-277V	1274x140x90	1310x300x305	9	US\$98.00	
		MX482-LD16W-2ft	16W	1400lm	120-277V	664x140x90	700x300x305	9	US\$78.00	
		MX482-LD16W-DD-2ft	16W	1400lm	120-277V	664x140x90	700x300x305	9	US\$80.00	
LED vapor tight										
 UL cUL listed 5years DLC @ 4000K	Housing:		Polycarbonate housing with SS mounting bracket							
	Lens:		Opal polycarbonate							
	Knockout:		Standard 3/4" conduit, or customized							
	Light source:		Samsung LEDs							
	CCT:		3000K-6000K							
	CRI:		>82							
	Driver:		Optional							
	Power Factor:		>0.92							
	Installation:		Ceiling and surface mounted, or suspended							
	Ambient temperature		- 30°C ~ +40°C							
	:									
Options:		Dimmable, 347V, sensor, emergency								
		Model	Watt	Lumen	Input Volatge	Dimension mm	Package mm	Pcs/ ctn	Unit Price(USD)	
		MX486-LD40W	40W	3300lm	100-277V	1290x135x98	1310x370x320	6	US\$128.00	
		MX486-LD40W-DD	40W	3300lm	100-277V	1290x135x98	1310x370x320	6	US\$130.00	
		MX486-LD60W	60W	5900lm	100-277V	1290x135x98	1310x370x320	6	US\$154.00	
		MX486-LD60W-DD	60W	5900lm	100-277V	1290x135x98	1310x370x320	6	US\$156.00	
		MX486-LD54W	54W	4800lm	120-277V	1290x135x98	1310x370x320	6	US\$144.00	
		MX486-LD75W	75W	7000lm	120-277V	1290x135x98	1310x370x320	6	US\$220.00	
LED ceiling wrap										
	Housing:		Die-formed heavy gauge cold rolled steel with powder coated white.							
	Lens:		Opal PC							
	Light source:		Samsung LEDs							
	CCT:		3000K-6000K							
	CRI:		>82							
	Driver:		Optional							
Power Factor:		>0.95								
Installation:		Ceiling or suspended								
Ambient temperature		- 30°C ~ +42°C								
:										
Options:		Dimmable, 347V, sensor, emergency								
UL cUL listed 5years			Model	Watt	Lumen	Input Volatge	Dimension mm	Package mm	Pcs/ ctn	Unit Price(USD)
			MX464-LD50W-4ft	50W	5200lm	100-277V	1190x208x90	1280x385x235	5	US\$131.00
			MX464-LD60W-4ft	60W	5700lm	100-277V	1190x208x90	1280x385x235	5	US\$134.00

LED ceiling wrap								
 UL cUL listed 5years Double	Housing: Die-formed heavy gauge cold rolled steel with powder coated white. Lens: Clear prismatic acrylic Light source: Samsung LEDs CCT: 3000K-6000K CRI: >82 Driver: Optional Power Factor: >0.95 Installation: Ceiling or suspended Ambient temperature : - 30°C~ +45°C Options: Dimmable, 347V, sensor, emergency							
	Model	Watt	Lumen	Input Volatge	Dimension mm	Package mm	Pcs/ctn	Unit Price(USD)
	MX456A-LD50W-4ft	50W	5700lm	100-277V	1185x122x91	1220x270x320	6	US\$128.00
	MX456A-LD60W-4ft	60W	6100lm	100-277V	1185x122x91	1220x270x320	6	US\$128.00
Single	MX456A-LD60W-DD-4ft	60W	6100lm	100-277V	1185x122x91	1220x270x320	6	US\$131.00
	MX456A-LD25W-4ft	25W	2500lm	100-277V	1185x72x91	1220x275x308	9	US\$101.00
	MX456A-LD25W-DD-4ft	25W	2500lm	100-277V	1185x72x91	1220x275x308	9	US\$104.00
	MX456A-LD40W-4ft	40W	4400lm	100-277V	1185x72x91	1220x275x308	9	US\$111.00
	MX456A-LD40W-DD-4ft	40W	4400lm	100-277V	1185x72x91	1220x275x308	9	US\$114.00
LED suspended linear light								
 UL cUL listed 5years	Housing: Extruded aluminum housing with silver or white coated Lens: Opal acrylic Light source: Samsung LEDs CCT: 3000K-6000K CRI: >82 Driver: Optional Power Factor: >0.95 Installation: Suspended Ambient temperature : - 30°C~ +45°C Options: Dimmable, 347V, sensor, emergency							
	Model	Watt	Lumen	Input Volatge	Dimension mm	Package mm	Pcs/ctn	Unit Price(USD)
	MX811B-LD50W-4ft	50W	4200lm	100-277V	1220x70x80	1255x250x200	6	US\$114.00
	MX811B-LD50W-DD-4ft	50W	4200lm	100-277V	1220x70x80	1255x250x200	6	US\$116.00
	MX811B-LD20W-2ft	20W	1650lm	100-277V	645x70x80	675x250x200	6	US\$80.00
	MX811B-LD20W-DD-2ft	20W	1650lm	100-277V	645x70x80	675x250x200	6	US\$84.00
LED suspended linear light								
 UL cUL listed 5years	Housing: Extruded aluminum housing with white coated Lens: Opal acrylic Light source: Samsung LEDs CCT: 3000K-6000K CRI: >82 Driver: Optional Power Factor: >0.95 Installation: Suspended Ambient temperature : - 30°C~ +45°C Options: Dimmable,sensor, emergency							
	Model	Watt	Lumen	Input Volatge	Dimension mm	Package mm	Pcs/ctn	Unit Price(USD)
	MX834-LD50W-4ft	50W	4200lm	100-277V	1200x86x86	1230x250x200	6	US\$120.00
	MX834-LD50W-DD-4ft	50W	4200lm	100-277V	1200x86x86	1230x250x200	6	US\$122.00





Terms:
 Freight is additional

DLC LED Troffers - Indirect Light - 0-10V Dimming - Wholesale Prices

Product Name	Picture	Model	Watt	Price(\$)	Aux 10V	Lumens	Size
2X2		ECO-ID238/35K ECO-ID238/40K ECO-ID238/50K	38W	\$89.22	YES	3500Lm	603x603x114mm
2X4		ECO-ID850/35K ECO-ID850/40K ECO-ID850/50K	50W	\$148.22	YES	4800Lm	603mmX1212mmX114mm
2X4		ECO-ID876/35K ECO-ID876/40K ECO-ID876/50K	76W	\$170.44	YES	6900Lm	603mmX1212mmX114mm

Notes:
 Freight is additional
 Warranty: 5 Years, 50,000 Hour Rated, ETL and DLC Listed
 120-277V, CRI >80, PF>98%, THD: <20%, Color Temps: 3500/4000/5000K, 0-10V Dimmable, Epistar 2835 Chips

LED G24/PL/E26 LAMPS - WHOLESALE PRICES

Picture	Model	Dimension (mm)	LED Q'TY	LED Type	Lumen	Luminous flux	Base Type	Unit Price	
								999pcs	=1000pcs
	ECO-PL-N12-6W	L 146 x W 35.3	12 PCS	Epistar 5730	55-60LM / LED	550 Lm	G24 / G23 / E26	\$12.25	\$11.75
	ECO-PL-N16-8W	L 167 x W 35.3	16 PCS	Epistar 5730	55-60LM / LED	720 Lm	G24 / G23 / E26	\$14.00	\$13.50
	ECO-PL-N20-10W	L 176 x W 35.3	20 PCS	Epistar 5730	55-60LM / LED	900 Lm	G24 / G23 / E26	\$15.75	\$14.75
	ECO-PL-N24-12W	L 185 x W 35.3	24 PCS	Epistar 5730	55-60LM / LED	1080 Lm	G24 / G23 / E26	\$17.25	\$16.25
	ECO-PL-S25-5W	L 124 x W 35	25 PCS	Epistar 5050	22-24LM / LED	450 Lm	G24 / G23 / E26	\$12.25	\$11.75
	ECO-PL-S35-7W	L 124 x W 35	35 PCS	Epistar 5050	22-24LM / LED	630 Lm	G24 / G23 / E26	\$14.00	\$13.50
	ECO-PL-S40-8W	L 147 x W 35	40 PCS	Epistar 5050	22-24LM / LED	725 Lm	G24 / G23 / E26	\$17.25	\$16.25
	ECO-PL-S44-9W	L 147 x W 35	44 PCS	Epistar 5050	22-24LM / LED	820 Lm	G24 / G23 / E26	\$18.00	\$17.25
	ECO-PL-S50-10W	L 152 x W 35	50 PCS	Epistar 5050	22-24LM / LED	900 Lm	G24 / G23 / E26	\$19.00	\$18.50
	ECO-PL-S60-12W	L 164 x W 35	60 PCS	Epistar 5050	22-24LM / LED	1080 Lm	G24 / G23 / E26	\$21.25	\$20.50
	ECO-PL-S64-14W	L 192 x W 35	64 PCS	Epistar 5050	22-24LM / LED	1200 Lm	G24 / G23 / E26	\$24.75	\$24.00
	ECO-PL-X25-5W	L 127 x W 35	25 PCS	Epistar 5050	22-24LM / LED	450 Lm	G24 / G23 / E26	\$12.25	\$11.75
	ECO-PL-X35-7W	L 127 x W 35	35 PCS	Epistar 5050	22-24LM / LED	630 Lm	G24 / G23 / E26	\$14.00	\$13.50
	ECO-PL-S40-8W	L 151 x W 35	40 PCS	Epistar 5050	22-24LM / LED	725 Lm	G24 / G23 / E26	\$17.25	\$16.25
	ECO-PL-X44-9W	L 151 x W 35	44 PCS	Epistar 5050	22-24LM / LED	820 Lm	G24 / G23 / E26	\$18.00	\$17.25
	ECO-PL-X50-10W	L 155 x W 35	50 PCS	Epistar 5050	22-24LM / LED	900 Lm	G24 / G23 / E26	\$19.00	\$18.50
	ECO-PL-X60-12W	L 167 x W 35	60 PCS	Epistar 5050	22-24LM / LED	1080 Lm	G24 / G23 / E26	\$21.25	\$20.50
	ECO-PL-X64-14W	L 196 x W 35	64 PCS	Epistar 5050	22-24LM / LED	1200 Lm	G24 / G23 / E26	\$24.75	\$23.75
	ECO-PL5050-24-5W	L 110 x W 40	24 PCS	Epistar 5050	22-24LM / LED	500LM	G24 / G23 / E26	\$10.89	\$10.44
	ECO-PL5050-35-7W	L 110 x W 40	35 PCS	Epistar 5050	22-24LM / LED	700LM	G24 / G23 / E26	\$12.44	\$12.00
	ECO-PL5050-40-8W	L 134 x W 40	40 PCS	Epistar 5050	22-24LM / LED	800LM	G24 / G23 / E26	\$14.00	\$13.56
	ECO-PL5050-44-9W	L 134 x W 40	44 PCS	Epistar 5050	22-24LM / LED	900LM	G24 / G23 / E26	\$15.33	\$14.44
	ECO-PL5050-50-10W	L 139 x W 40	50 PCS	Epistar 5050	22-24LM / LED	1000LM	G24 / G23 / E26	\$16.00	\$15.33
	ECO-PL5050-52-11W	L 151 x W 40	52 PCS	Epistar 5050	22-24LM / LED	1100LM	G24 / G23 / E26	\$16.89	\$16.44
	ECO-PL5050-60-12W	L 151 x W 40	60 PCS	Epistar 5050	22-24LM / LED	1200LM	G24 / G23 / E26	\$18.89	\$18.22
	ECO-PL5050-64-13W	L 179 x W 40	64 PCS	Epistar 5050	22-24LM / LED	1300LM	G24 / G23 / E26	\$22.00	\$21.11

LED G24 / G23 / 2G7 / 2G11 - Inductive Ballast Compatible - Wholesale Prices

	G24	ECO-O-08-4W	4W	SMD5630	300lm	L116mm W34mm	370*190*180mm 50pcs/CTN	US\$15.20
		ECO-O-15-6W	6W	SMD5630	450lm	L146mm W34mm	370*190*180mm 50pcs/CTN	US\$17.20
		ECO-O-21-8W	8W	SMD5630	550lm	L157mm W34mm	370*190*180mm 50pcs/CTN	US\$19.00
		ECO-O-18-10W	10W	SMD5630	750lm	L171mm W34mm	370*190*190mm 50pcs/CTN	US\$21.00
	G24	ECO-O-15-6W-2835	6W	SMD2835	450lm	L146mm W34mm	245*245*361mm 50pcs/CTN	US\$16.00
		ECO-O-15-8W-2835	8W	SMD2835	600-700lm	L125mm W45mm	245*245*361mm 50pcs/CTN	US\$16.80
		ECO-O-21-10W-2835	10W	SMD2835	800-900lm	L140mm 45mm	245*245*361mm 50pcs/CTN	US\$18.40
		ECO-O-18-12W-2835	12W	SMD2835	1100-1200lm	L160mm 45mm	245*245*361mm 50pcs/CTN	US\$20.20
	G23	ECO-O-G23-12-6W	6W	SMD5630	450lm	L167mm W30mm	270*200*180mm 50pcs/CTN	US\$13.40
		ECO-O-G23-18-8W	8W	SMD5630	550lm	L237mm W30mm	270*255*180mm 50pcs/CTN	US\$17.20
	2G7	ECO-O-2G7-12-6W	6W	SMD5630	450lm	L148mm W30mm	260*170*200mm 50pcs/CTN	US\$13.40
		ECO-O-2G7-18-8W	8W	SMD5630	550lm	L216mm W30mm	260*230*200mm 50pcs/CTN	US\$17.20
	2G11	ECO-O-2G11-21-7W	7W	SMD5630	650lm	L217xW43xH23mm	250*250*190mm 24pcs	US\$22.80
		ECO-O-2G11-30-10W	10W	SMD5630	1000lm	L317xW43xH23mm	355*265*180mm 24pcs	US\$30.60
		ECO-O-2G11-40-17W	17W	SMD5630	1500lm	L411xW43xH23mm	440*290*180mm 24pcs	US\$34.40
		ECO-O-2G11-54-22W	22W	SMD5630	2000lm	L530xW43xH23mm	560*265*180mm 24pcs	US\$40.00
	2G11	ECO-O-2G11-21-7W	7W	SMD5630	600lm	L217xW40xH35mm	250*250*190mm 24pcs	US\$24.20
		ECO-O-2G11-30-10W	10W	SMD5630	900lm	L317xW40xH35mm	355*265*180mm 24pcs	US\$29.40
		ECO-O-2G11-40-17W	17W	SMD5630	1200lm	L411xW40xH35mm	440*290*180mm 24pcs	US\$37.40
		ECO-O-2G11-54-22W	22W	SMD5630	1700lm	L530xW40xH35mm	560*265*180mm 24pcs	US\$43.20

Note:

- Freight is additional
- Delivery: 15 days after order confirmed.
- 2 Year Warranty





Product Picture



Item No	ECO-360-16W-D
LED Quantity	98SMD
LED Luminous Flux	50-55LM
Color	Warm White/Cool White
Color Temperature	2800K-7000K
Voltage (V)	AC110V
Dimmable	yes
Wattage (W)	16W
Bulb Luminous Flux (Lm)	1300-1430LM
LED Viewing Angle	360
Long Life(Hours)	Over 30,000 hrs
Warranty	2years
Quantity / Carton	36
size(mm)	Φ 72* 150mm

Wholesale Price:

\$41.60

	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT *Lamp bases 	<ul style="list-style-type: none"> 6W LED Corn lamp GW-CL-SMD54 90lm/Watt 6W 54pcs high bright 3014 SMD LED D48*H118mm 85-265V AC 50-60Hz >0.75 >75 360 degrees 2800-7000k E27 / G24
Price: \$21.76		
	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT *Lamp bases 	<ul style="list-style-type: none"> 8W LED Corn lamp GW-CL-SMD72 90lm/Watt 8W 72pcs high bright 3014 SMD LED D48*H131mm 85-265V AC 50-60Hz >0.75 >75 360 degrees 2800-7000k E27 / G24
Price: \$27.76		
	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT *Lamp bases 	<ul style="list-style-type: none"> 11W LED Corn lamp GW-CL-SMD96 90lm/Watt 11W 96pcs high bright 3014 SMD LED D60*H157mm 85-265V AC 50-60Hz >0.75 >75 360 degrees 2800-7000k E27 / G24
Price: \$29.76		
	<ul style="list-style-type: none"> * Item name * Code * Light output * Power consumption * Light source * Dimension * Working voltage * Power factor * Ra * Beam Angle * CCT *Lamp bases 	<ul style="list-style-type: none"> 13W LED Corn lamp GW-CL-SMD120 90lm/Watt 12W 120pcs high bright 3014 SMD LED D60*H174mm 85-265V AC 50-60Hz >0.75 >75 360 degrees 2800-7000k E27 / G24
Price: \$33.76		

LED G24/G12/E27 Lamp Wholesale Prices



COB Series

Model#	Power(W)	Voltage(V)	Lumen(LM)	LED	Color Temp.(K)	CRI	Base	Product Size(mm)	WHL Price
									USD
ECO-G24/E27-COB-11W-PF	11	85-265	900-1000	1pcs 11W COB	2800-6500	75-80	G24d(2 Pin) G24q(4 Pin) E27	145*39.5*35	US\$22.00
ECO-G24/E27-COB-8W-PF	8	85-265	650-750	1pcs 8W COB	2800-6500	75-80		125*39.5*35	US\$17.80
ECO-G24/E27-COB-6W-PF	6	85-265	450-550	1pcs 6W COB	2800-6500	75-80		125*39.5*35	US\$15.40
ECO-G24/E27-COB-11W	11	85-265	900-1000	1pcs 11W COB	2800-6500	75-80	G24d(2 Pin) G24q(4 Pin) E27	145*39.5*35	US\$17.80
ECO-G24/E27-COB-8W	8	85-265	650-750	1pcs 8W COB	2800-6500	75-80		125*39.5*35	US\$15.00
ECO-G24/E27-COB-6W	6	85-265	450-550	1pcs 6W COB	2800-6500	75-80		125*39.5*35	US\$14.20



SMD3014 Series

Model#	Power(W)	Voltage(V)	Lumen(LM)	LED	Color Temp.(K)	CRI	Base	Product Size(mm)	WHL Price
									USD
ECO-G24/E27-SMD3014-11W	11	85-265	1050-1200	104pcs SMD3014	2800-6500	75-80	G24d(2 Pin) G24q(4 Pin) E27	145*39.5*35	US\$18.40
ECO-G24/E27-SMD3014-8W	8	85-265	720-850	64pcs SMD3014	2800-6500	75-80		125*39.5*35	US\$15.80
ECO-G24/E27-SMD3014-6W	6	85-265	530-650	48pcs SMD3014	2800-6500	75-80		125*39.5*35	US\$13.80



SMD5630 Series

Model#	Power(W)	Voltage(V)	Lumen(LM)	LED	Color Temp.(K)	CRI	Base	Product Size(mm)	WHL Price
									USD
ECO-G24-SMD5630-11W	11	85-265	1000-1200	22pcs SMD5630	2800-6500	75-80	G24d(2 Pin) G24q(4 Pin) E27	145*39.5*35	US\$16.40
ECO-G24-SMD5630-8W	8	85-265	720-850	16pcs SMD5630	2800-6500	75-80		125*39.5*35	US\$15.00
ECO-G24-SMD5630-6W	6	85-265	530-650	12pcs SMD5630	2800-6500	75-80		125*39.5*35	US\$14.00



G24 Bulb

Model#	Power(W)	Voltage(V)	Lumen(LM)	LED	Color Temp.(K)	CRI	Base	Product Size(mm)	WHL Price
									USD
ECO-G24-BULB-12W	12	85-265	1150-1250	24pcs SMD5630	2800-6500	75-80	G24d(2 Pin) G24q(4 Pin) E27	D70*135	US\$15.80
ECO-G24-BULB-9W	9	85-265	850-950	18pcs SMD5630	2800-6500	75-80		D67.5*120	US\$15.00
ECO-G24-BULB-7W	7	85-265	650-750	14pcs SMD5630	2800-6500	75-80		D60*102	US\$13.80



GU24 Bulb

Model#	Power(W)	Voltage(V)	Lumen(LM)	LED	Color Temp.(K)	CRI	Base	Product Size(mm)	WHL Price
									USD
ECO-GU24-12W	12	85-265	1150-1250	24pcs SMD5630	2800-6500	75-80		D70*140	US\$15.80

ECO-GU24-9W	9	85-265	850-950	18pcs SMD5630	2800-6500	75-80	GU24	D67.5*125	US\$15.00
ECO-GU24-7W	7	85-265	650-750	14pcs SMD5630	2800-6500	75-80		D60*118	US\$13.80



G23 Tube

Model#	Power(W)	Voltage(V)	Lumen(LM)	LED	Color Temp.(K)	CRI	Base	Product Size(mm)	WHL Price
									USD
ECO-G23-6W	6	180-260	450-520	28pcs SMD2835	2800-6500	75-80	G23	167*21*31.5	US\$11.00
ECO-G23-8W	8	180-260	650-720	35pcs SMD2835	2800-6500	75-80	G23	237*21*31.5	US\$12.60



GX53

Model#	Power(W)	Voltage(V)	Lumen(LM)	LED	Color Temp.(K)	CRI	Base	Product Size(mm)	WHL Price
									USD
ECO-GX53-6W	6	85-265	580-620	12pcs SMD5630	2800-6500	75-80	GX53	D75*125	US\$11.80



SMD2835 G12

Model#	Power(W)	Voltage(V)	Lumen(LM)	LED	Color Temp.(K)	CRI	Base	Product Size(mm)	WHL Price
									USD
ECO-G12-8W	8	85-265	800 to 880	103pcs SMD2835	2800-6500	75-80	G12	D28x92	US\$23.60
ECO-G12-10W	10	85-265	1000-1100	108pcs SMD2835	2800-6500	75-80	G12	D30x100	US\$25.60
ECO-G12-12W	12	85-265	1200 to 1320	108pcs SMD2835	2800-6500	75-80	G12	D26x115	US\$25.60



G12 Par Lamp

Model#	Power(W)	Voltage(V)	Lumen(LM)	LED	Color Temp.(K)	CRI	Base	Product Size(mm)	WHL Price
									USD
ECO-G12-PAR30-15W	15	85-265	1250-1400	COB	2800-6500	75-80	G12	D94.8*111.5	US\$35.40
ECO-G12-PAR30-25W	25	85-265	1950-2050	12PCS SMD3030	2800-6500	80		D95.5*127	US\$43.20
ECO-G12-PAR30-40W	35	85-265	2900-3100	16PCS SMD3030	2800-6500	80		D95.5*127	US\$47.20

Warranty: 2 Years

LED G12 Base Lamps - Wholesale Prices









Picture	Description			
	1, Part Item: ECO-G12-8WA1 2, Light Source: 84pcs Epistar 5050 SMD 3, Power: 8W 4, Input Voltage: DC12V, AC84-265V 5, Luminous Flux: 700-800LM 6, Frequency:50-60HZ 7, Power Efficiency: >80% 8, Lumens Efficiency: >0.92 9, CCT: 2700-7000K 10, CRI: Ra>75 11, Lamp Base: G12 12, Size : Φ 26*H118mm 13, Replaced Bulb : 70-80W Metal Halide Light 14, Beam Angle: 360degree 15, Net weight:135g 16, Material: Aluminum+PC			
	Price(1-99pcs)	Price(100-499pcs)	Price(500-999pcs)	Price(>1000pcs)
	\$33.60	\$31.20	\$27.60	\$25.00

Picture	Description			
	1, Part Item: ECO-G12-10WA1 2, Light Source: 102pcs Epistar 5050 SMD 3, Power: 10W 4, Input Voltage: DC12V,AC84-265v 5, Luminous Flux: 1000-1100LM 6, Frequency:50-60HZ 7, Power Efficiency: >80% 8, Lumens Efficiency: >0.92 9, CCT: 2700-7000K 10, CRI: Ra>75 11, Lamp Base: G12 12, Size : Φ 26*H118mm 13, Replaced Bulb : 70-80W Metal Halide Light 14, Beam Angle: 360degree 15, Net weight:135g 16, Material: Aluminum+PC			
	Price(1-99pcs)	Price(100-499pcs)	Price(500-999pcs)	Price(>1000pcs)
	\$37.80	\$35.00	\$29.96	\$27.40

Picture	Description			
 	1, Part Item: ECO-G12-12WA1 2, Light Source: 120pcs Epistar 5050 SMD 3, Power: 12W 4, Input Voltage: DC12V,AC84-265V 5, Luminous Flux: 1100-1200LM 6, Frequency:50-60HZ 7, Power Efficiency: >80% 8, Lumens Efficiency: >0.92 9, CCT: 2700-7000K 10, CRI: Ra>75 11, Lamp Base: G12 12, Size : Φ 26*H118mm 13, Replaced Bulb : 70-80W Metal Halide Light 14, Beam Angle: 360degree 15, Net weight:135g 16, Material: Aluminum+PC			
	Price(1-99pcs)	Price(100-499pcs)	Price(500-999pcs)	Price(>1000pcs)
	\$40.30	\$37.70	\$35.10	\$32.50

Warranty: 2 Years / MOQ 10pcs / Production Lead Time: 7-10 Days









LED R7S Lamp 180 Degree - UL Listed - Wholesale Prices

Picture	Spec.	Unit Price (EXW,USD)		Package
	ITEM NO: ECO-R7S-5630-8W	Non - Dimmable	Dimmable	Box Anti-static bag QTY:1pc/white box Gross weight:80g/pc Size:92(L)x60(W)x43(H)mm  Carton QTY:210pcs/carton Gross weight: 20kg Size:480(L)x330(W)x350(H)mm
	Power: 8W±10%	\$14.20	\$17.20	
	Voltage: 85-265V AC			
	LED: 24pcs Samsung 5630SMD			
	Lumen: 680-700lm			
	Dim:78mm(L)x45(W)x40(H)mm			
	Approx. Equiv: halogen 60 watts			
	Beam Angle: 180°			
	Material: Extruded aluminum			
	Base:R7S/RX7S			
CCT: 3000/4000/>6000K				
CRI>83; Power Factor: >0.65				
Lifespan: 50,000hours				
	ITEM NO: ECO-R7S-5630-14W	Non - Dimmable	Dimmable	Box Anti-static bag QTY: 1pc/white box Gross weight:180g/pc Size:126(L)x60(W)x43(H)mm  Carton QTY:134pcs/carton Gross weight: 25kg Size:480(L)x330(W)x350(H)mm
	Power: 14W±10%	\$24.60	\$27.80	
	Voltage: 85-265V AC			
	LED: 48pcs Samsung 5630SMD			
	Lumen: 1250-1300lm			
	Dim:118mm(L)x45(W)x40(H)mm			
	Approx. Equiv: halogen 125 watts			
	Beam Angle: 180°			
	Material: Extruded aluminum			
	Base:R7S/RX7S			
CCT: 3000/4000/>6000K				
CRI>83; Power Factor: >0.95				
Lifespan: 50,000hours				
	ITEM NO: ECO-R7S-5630-16W	Non - Dimmable		Box QTY: 1pc/white box Anti-static bag Gross weight:200g/pc Size:140(L)x60(W)x43(H)mm  Carton QTY:100pcs/carton Gross weight: 22kg Size:480(L)x330(W)x350(H)mm
	Power: 16W±10%	\$27.00		
	Voltage: 85-265V AC			
	LED: 60pcs Samsung Samsung 5630SMD			
	Lumen: 1450-1550lm			
	Dim:138mm(L)x45(W)x40(H)mm			
	Approx. Equiv: halogen 150 watts			
	Beam Angle: 180°			
	Material: Extruded aluminum			
	Base:R7S/RX7S			
CCT: 3000/4000/>6000K				
CRI>83; Power Factor: >0.95				
Lifespan: 50,000hours				
	ITEM NO: ECO-R7S-5630-20W	Non - Dimmable		Single box Anti-static bag QTY: 1pc/white box Gross weight:250g/pc Size:126(L)x60(W)x43(H)mm  Carton QTY:80pcs/carton Gross weight: 22kg Size:480(L)x330(W)x350(H)mm
	Power: 20W±10%	\$30.78		
	Voltage: 85-265V AC			
	LED: 78pcs Samsung Samsung 5630SMD			
	Lumen: 1850-1930lm			
	Dim:189mm(L)x45(W)x40(H)mm			
	Approx. Equiv:halogen 200 watts			
	Beam Angle: 180°			
	Material: Extruded aluminum			
	Base:R7S/RX7S			
CCT: 3000/4000/>6000K				
CRI>83; Power Factor: >0.95				
Lifespan: 50,000hours				




Notice:

Notice:







- 1) Freight is additional
- 2) Warranty: 3 years
- 3) UL / cUL listed
- 4) Lead time: 7 days production
- 5) MOQ: 10pc.

LED R7S Lamp 270 Degree - UL Listed - Wholesale Prices				
Picture	Specification	Unit Price (EXW,USD)		Packing Detail
 <p>CE RoHS UL LISTED</p>	ITEM NO: ECO-R7S-2835-8W	Non - Dimmable	Dimmable	Box QTY: 1pc/white box Gross weight: 80g/pc Size: 92(L)x60(W)x43(H)mm  Carton QTY: 210pcs/carton Gross weight: 20kg Size: 480(L)x330(W)x350(H)mm
	Power: 8W±10%	\$23.00	\$27.33	
	Voltage: 85-265V AC			
	LED: Epistar 2835SMD			
	Lumen: 720lm±10%			
	Dim: 78mm(L)x55(W)x38(H)mm			
	Approx. Equiv: halogen 80 watts			
	Beam Angle: 270°			
	Material: Extruded aluminum			
	Power Factor: >0.85			
CCT: 3000/4500/>6000K				
CRI>83				
Lifespan: 50,000hours				
Warranty: 3 years				
 <p>CE RoHS UL LISTED</p>	ITEM NO: ECO-R7S-2835-15W	Non - Dimmable	Dimmable	Box QTY: 1pc/white box Gross weight: 180g/pc Size: 126(L)x60(W)x43(H)mm  Carton QTY: 134pcs/carton Gross weight: 25kg Size: 480(L)x330(W)x350(H)mm
	Power: 15W±10%	\$37.33	\$42.67	
	Voltage: 85-265V AC			
	LED: Epistar 2835SMD			
	Lumen: 1450lm±10%			
	Dim: 118mm(L)x55(W)x38(H)mm			
	Approx. Equiv: halogen 150 watts			
	Beam Angle: 270°			
	Material: Extruded aluminum			
	Power Factor: >0.95			
CCT: 3000/4500/>6000K				
CRI>83				
Lifespan: 50,000hours				
Warranty: 3 years				
 <p>CE RoHS UL LISTED</p>	ITEM NO: ECO-R7S-2835-17W	Non - Dimmable		Box QTY: 1pc/white box Gross weight: 200g/pc Size: 145(L)x60(W)x43(H)mm  Carton QTY: 100pcs/carton Gross weight: 25kg Size: 480(L)x330(W)x350(H)mm
	Power: 17W±10%	\$41.00		
	Voltage: 85-265V AC			
	LED: Epistar 2835SMD			
	Lumen: 1650lm±10%			
	Dim: 138mm(L)x55(W)x38(H)mm			
	Approx. Equiv: halogen 175 watts			
	Beam Angle: 270°			
	Material: Extruded aluminum			
	Power Factor: >0.95			
CCT: 3000/4500/>6000K				
CRI>83				
Lifespan: 50,000hours				
Warranty: 3 years				
 <p>CE RoHS UL LISTED</p>	ITEM NO: ECO-R7S-2835-22W			Box QTY: 1pc/white box Gross weight: 250g/pc Size: 195(L)x64(W)x43(H)mm  Carton QTY: 80pcs/carton Gross weight: 23kg Size: 480(L)x330(W)x350(H)mm
	Power: 22W±10%	\$53.00		
	Voltage: 85-265V AC			
	LED: Epistar 2835SMD			
	Lumen: 2000lm±10%			
	Dim: 189mm(L)x55(W)x38(H)mm			
	Approx. Equiv: halogen 200 watts			
	Beam Angle: 270°			
	Material: Extruded aluminum			
	Power Factor: >0.95			
CCT: 3000/4500/>6000K				
CRI>83				
Lifespan: 50,000hours				
Warranty: 3 years				
Notice: 1) Freight is additional 2) Warranty: 3 years 3) UL / cUL listed 4) Lead time: 7 days production 5) MOQ: 10pc.				

LED R7S Lamp 360 Degree - UL Listed - Wholesale Prices

Picture	Specification	Unit Price (EXW,USD)		Packing Detail
	ITEM NO: ECO-R7S-2835-6WD	Non-dimmable	Dimmable	Box QTY: 1pc/white box Gross weight: 50g/pc Size:92(L)x35(W)x35(H)mm Carton QTY:300pcs/carton Gross weight: 16kg Size:400(L)x310(W)x210(H)mm
	Power: 6W±10%	\$16.33	\$19.67	
	Voltage: 85-265V AC			
	LED: 48pcs Epistar 2835SMD			
	CRI: >80			
	Lumen: 660lm±10%			
	Dim: 30x78(L)mm			
	Lamp Base: R7S			
	Bean Angle: 360°			
	Material: Extruded aluminum			
	Power Factor: >0.55			
	CCT: 2700/3000/4500/>6000K			
Lifespan: 50,000hours				
Warranty: 3 years				
	ITEM NO: ECO-R7S-2835-12WD	Non-dimmable	Dimmable	Box QTY: 1pc/white box Gross weight:100g/pc Size:126(L)x35(W)x35(H)mm Carton QTY:150pcs/carton Gross weight: 16kg Size:480(L)x310(W)x210(H)mm
	Power: 12W±10%	\$26.00	\$31.67	
	Voltage: 85-265V AC			
	LED: 96pcs Epistar 2835SMD			
	CRI: >80			
	Lumen: 1350lm±10%			
	Dim: 30x118(L)mm			
	Lamp Base: R7S			
	Bean Angle: 360°			
	Material: Extruded aluminum			
	Power Factor: >0.9			
	CCT: 2700/3000/4500/>6000K			
Lifespan: 50,000hours				
Warranty: 3 years				
	ITEM NO: ECO-R7S-2835-15WD	Non-dimmable	Dimmable	Box QTY: 1pc/white box Gross weight:130g/pc Size:145(L)x350(W)x35(H)mm Carton QTY:150pcs/carton Gross weight: 19kg Size:400(L)x330(W)x210(H)mm
	Power: 15W±10%	\$30.33	\$35.67	
	Voltage: 85-265V AC			
	LED: 96pcs Epistar 2835SMD			
	CRI: >80			
	Lumen: 1650lm±10%			
	Dim: 30x135(L)mm			
	Lamp Base: R7S			
	Bean Angle: 360°			
	Material: Extruded aluminum			
	Power Factor: >0.9			
	CCT: 2700/3000/4500/>6000K			
Lifespan: 50,000hours				
Warranty: 3 years				



















- Notice:**
- 1) Freight is additional
 - 2) Warranty: 3 years
 - 3) UL / cUL listed
 - 4) Lead time: 7 days production
 - 5) MOQ: 10pc.

30W LED R7S Lamp - 270 Degree - WholesalePrices				
Picture	Spec.	WHL Price		Package
	ITEM NO: ECO-R7S-2835-30W-118	Non-Dimmable	Dimmable	Box QTY: 1pc/white box Gross weight:200g/pc Size:145(L)x60(W)x43(H)mm  Carton QTY:100pcs/carton Gross weight: 25kg Size:480(L)x330(W)x350(H)mm
	Power: 30W			
	Voltage: 85-265V AC			
	LED: 64pcs Epistar 2835SMD			
	Lumen: 3000-3300lm			
	Dim: 118mm(L)x55(W)x38H)mm			
	Approx. Equiv: halogen 300W			
	Beam Angle: 270°			
	Material: Extruded aluminum			
	CCT: 3000/4500/>6000K			
CRI>83, CRI>0.95				
Lifespan: 50,000hours				
	ITEM NO: ECO-R7S-2835-30W-138	Non-Dimmable	Dimmable	Box QTY: 1pc/white box Gross weight:200g/pc Size:145(L)x60(W)x43(H)mm  Carton QTY:100pcs/carton Gross weight: 25kg Size:480(L)x330(W)x350(H)mm
	Power: 30W			
	Voltage: 85-265V AC			
	LED: 64pcs Epistar 2835SMD			
	Lumen: 3000-3300lm			
	Dim: 138mm(L)x55(W)x38H)mm			
	Approx. Equiv: halogen 300W			
	Beam Angle: 270°			
	Material: Extruded aluminum			
	CCT: 3000/4500/>6000K			
CRI>83, CRI>0.95				
Lifespan: 50,000hours				
	ITEM NO: ECO-R7S-5630-30W	Non-Dimmable		Box QTY: 1pc/white box Gross weight:180g/pc Size:126(L)x60(W)x43(H)mm  Carton QTY:134pcs/carton Gross weight: 25kg Size:480(L)x330(W)x350(H)mm
	Power: 30W			
	Voltage: 85-265V AC			
	LED: 64pcs Samsung 5630smd			
	Lumen: 3000-3300lm			
	Dim: 118mm(L)x55(W)x38H)mm			
	Approx. Equiv: halogen 300W			
	Beam Angle: 270°			
	Material: Extruded aluminum			
	CCT: 3000/4500/>6000K			
CRI>83, CRI>0.95				
Lifespan: 50,000hours				

Notice:

- 1) Freight is additional
- 2) Warranty: 3 years
- 3) CE / ROHS listed
- 4) Lead time: 7 days production
- 5) MOQ: 10pc.

LED 2G11 Lamps - 360° and 180° - UL Listed - Wholesale Prices

Model	Picture	Power	Beam Angle	Lumens ±10%	LEDs qty (Epistar 2835SMD)	Base	Dimension	Dimming	WHL Price
ECO-2G11-2835-10W360	 EPISTAR	10W	360°	1100lm	144	2G11	225*(L)*42(W)*22(H)mm	No	\$18.89
ECO-2G11-2835-15W360	 EPISTAR	15W	360°	1600lm	144	2G11	320*(L)*42(W)*22(H)mm	No	\$22.67
ECO-2G11-2835-18W360	 EPISTAR	18W	360°	1920lm	208	2G11	410*(L)*42(W)*22(H)mm	No	\$24.89
ECO-2G11-2835-23W360	 EPISTAR	23W	360°	2460lm	384	2G11	535*(L)*42(W)*22(H)mm	No	\$29.33
ECO-2G11-2835-9W	 EPISTAR	9W	180°	850lm	48	2G11/GY10	225*(L)*38(W)*28(H)mm	No	\$16.67
ECO-2G11-2835-15W	 EPISTAR	15W	180°	1350lm	76	2G11/GY10	320*(L)*38(W)*28(H)mm	No	\$20.44
ECO-2G11-2835-18W	 EPISTAR	18W	180°	1650lm	96	2G11/GY10	410*(L)*38(W)*28(H)mm	No	\$22.89
ECO-2G11-2835-22W	 EPISTAR	22W	180°	2200lm	144	2G11/GY10	535*(L)*38(W)*28(H)mm	No	\$26.44
ECO-2G11-5630-9W	  SAMSUNG	9W	180°	850lm	20	2G11/GY10	225*(L)*38(W)*28(H)mm	No	\$21.84
								Yes	\$27.78
ECO-2G11-5630-12W	  SAMSUNG	12W	180°	1020lm	30	2G11/GY10	320*(L)*38(W)*28(H)mm	No	\$26.62
								Yes	\$32.22
ECO-2G11-5630-15W	  SAMSUNG	15W	180°	1235lm	30	2G11/GY10	320*(L)*38(W)*28(H)mm	No	\$27.33
								Yes	\$32.89
ECO-2G11-5630-18W	  SAMSUNG	18W	180°	1650lm	40	2G11/GY10	410*(L)*38(W)*28(H)mm	No	\$30.00
								Yes	\$35.56
ECO-2G11-5630-22W	  SAMSUNG	22W	180°	2200lm	48	2G11/GY10	535*(L)*38(W)*28(H)mm	No	\$32.67
								Yes	\$39.16

Note:

1. High brightness SMD 90-100lm/W, Epistar 2835 SMD / Samsung 5630SMD;
2. Isolated constant current led driver for lighting stability;
3. CCT: Warm white 2700, 3000K; Pure white 4000-4500K; Cool white 6000-6500K;
4. Pf>0.95 CRI 80;
5. Input Voltage: AC 85-277V/50-60Hz;
6. UL Listed, 3 Year Warranty

Picture:

360° LED 2G11:







180° LED 2G11:



isolated led driver:


LED G8.5 LED Lamp - Wholesale Prices

Photo	Model No.	Power	Input voltage	Power factor	led type	CCT	Output Lumens	Base type	Beam angle	Size (mm)	Price(US\$)
	ECO-G8.5-10W	10w	AC85-265V	>0.6	96pcs SMD2835	2800-6500k	1050-1150lm	G8.5	360°	D29.5* 105	\$20.8
	ECO-G8.5-PAR20 -10W	10w	AC85-265V	>0.6	COB	2800-6500k	800-900lm	G8.5	60°	D64*99	\$21.6
	ECO-G8.5-PAR30 -17W	17w	AC85-265V	>0.9	12pcs OSRAM	2800-6500k	1450-1600lm	G8.5	24°	D94.8*111.5	\$34.6
	ECO-G12-PAR30-25W	25w	AC85-265V	>0.9	24pcs OSRAM	2800-6500k	1950-2050lm	G8.5	25° /45°	D95.5* 130	\$43.4
	ECO-G12-PAR30-35W	35w	AC85-265V	>0.9	24pcs OSRAM	2800-6500k	2900-3100lm	G8.5	25° /45°	D95.5* 130	\$44.6

Notes:

- Freight is additional
- Delivery: 10 days after order confirmed.
- 2 Year Warranty, CE, ROHS Approved

LED GY6.35 Wholesale Prices

Pic	Code	Power (w)	Lumens	Leds	Socket	Input	Size	Color temperature	US\$ Price
	ECO-GY6.35-8SMD	1.4	120-150LM	8 SMD 5050	GY6.35 (p=6.35mm)	DC12V	19X12mm	Warm White/ White/ Blue/Green/Red /Yellow	US\$4.40
	ECO-GY6.35-13SMD	2.3	200-240LM	13 SMD 5050	GY6.35 (p=6.35mm)	DC12V	19X19mm	Warm White/ White/ Blue/Green/Red /Yellow	US\$7.08
	ECO-GY6.35-16SMD	2.8	250-290LM	16 SMD 5050	GY6.35 (p=6.35mm)	DC12V	20X15mm	Warm White/ White/ Blue/Green/Red /Yellow	US\$8.20
	ECO-GY6.35-18SMD	3.2	280-330LM	18 SMD 5050	GY6.35 (p=6.35mm)	DC12V	18X25mm	Warm White/ White/ Blue/Green/Red /Yellow	US\$8.84
						AC/DC 12V			US\$10.16
	ECO-GY6.35-21SMD	3.7	330-380LM	21 SMD 5050	GY6.35 (p=6.35mm)	DC12V	20X25mm	Warm White/ White/ Blue/Green/Red /Yellow	US\$9.52
						AC/DC 12V			US\$10.80
	ECO-GY6.35-27SMD	4.8	430-490LM	27 SMD 5050	GY6.35 (p=6.35mm)	DC12V	20X25mm	Warm White/ White/ Blue/Green/Red /Yellow	US\$10.80
						AC/DC 12V			US\$12.12
	ECO-GY6.35-34SMD	6.0	540-620LM	34 SMD 5050	GY6.35 (p=6.35mm)	DC12V	20X30mm	Warm White/ White/ Blue/Green/Red /Yellow	US\$12.12
						AC/DC 12V			US\$13.44
	ECO-GY6.35-8SMD-HP	4.0	400-480LM	8 SMD 5630	GY6.35 (p=6.35mm)	AC/DC 12V	26X40mm	Warm White / White	US\$12.20
	ECO-GY6.35-12SMD-HP	6.0	600-700LM	12 SMD 5630	GY6.35 (p=6.35mm)	AC/DC 12V	26X40mm	Warm White / White	US\$13.00

Remarks:

1. Freight is additional
2. Payment term: Prepaid
3. Delivery time: 5-10 working days after receive payment
4. Warranty: 2 Years

G4 LED Lamps - Wholesale Prices					
No.	Product picture	Item No	Product Specification	MQQ	Unit Price (US\$)
1		G4-24SMD-3014 (1.5W)	Base:G4 Size: 10*35MM LED Quantity:24PCS 3014SMD Voltage:DC12V Power:1.2W Luminous flux:90-100LM	100-499	US\$2.20
				500-1000	US\$2.00
				≥1000	US\$1.80
2		G4-48SMD-3014 (3W)	Base:G4 Size: 13*38MM LED Quantity:48PCS 3014SMD Voltage:DC12V Power:1.5W Luminous flux:150-160LM	100-499	US\$3.40
				500-1000	US\$3.20
				≥1000	US\$3.20
3		G4-1LED-1.5W	Base:G4 Size: 12*29MM LED Quantity:1PCS 1.5W Voltage:DC12V Power:0.72W Luminous flux:60-70LM	100-499	US\$2.00
				500-1000	US\$1.80
				≥1000	US\$1.80
4		G4-1LED-2W	Base:G4 Size: 16*36MM LED Quantity:1PCS 2W Voltage:DC12V Power:1.08W Luminous flux:80-90LM	100-499	US\$3.00
				500-1000	US\$2.80
				≥1000	US\$2.60
5		G4-1LED-3W	Base:G4 Size: 18*42MM LED Quantity:1PCS 3W Voltage:DC12V Power:1.31W Luminous flux:90-100LM	100-499	US\$3.60
				500-1000	US\$3.40
				≥1000	US\$3.20
6		G4-5LED-5W	Base:G4 Size: 12*37MM LED Quantity:5PCS 1.5W Voltage:DC12V Power:1.8W Luminous flux:150-160LM	100-499	US\$7.80
				500-1000	US\$7.40
				≥1000	US\$7.20
7		G4-4LED-6W	Base:G4 Size: 16*50MM LED Quantity:4PCS 1.5W Voltage:DC12V Power:2W Luminous flux:190-200LM	100-499	US\$9.20
				500-1000	US\$8.60
				≥1000	US\$8.20
8		G4-5LED-7.5W	Base:G4 Size: 16*50MM LED Quantity:5PCS 1.5W Voltage:DC12V Power:2.16W Luminous flux:210-220LM	100-499	US\$10.00
				500-1000	US\$9.60
				≥1000	US\$9.20
DC12/AC12V					
9		G4-24SMD-3014 (1.5W)	Base:G4 Size: 10*35MM LED Quantity:24PCS 3014SMD Voltage:DC/AC12V Power:1W Luminous flux:90-100LM	100-499	US\$3.20
				500-1000	US\$3.00
				≥1000	US\$3.00
10		G4-48SMD-3014 (3W)	Base:G4 Size: 13*38MM LED Quantity:48PCS 3014SMD Voltage:DC/AC12V Power:1.5W Luminous flux:150-160LM	100-499	US\$4.40
				500-1000	US\$4.20
				≥1000	US\$4.00
11		G4-1LED-1.5W	Base:G4 Size: 12*36MM LED Quantity:1PCS 1.5W Voltage:DC/AC12V Power:0.72W Luminous flux:60-70LM	100-499	US\$3.40
				500-1000	US\$3.20
				≥1000	US\$3.00

12		G4-1LED-2W	Base:G4 Size: 16*39MM LED Quantity:1PCS 2W Voltage:DC/AC12V Power:1.2W Luminous flux:80-90LM	100-499	US\$4.00
				500-1000	US\$3.60
				≥1000	US\$3.40
13		G4-1LED-3W	Base:G4 Size: 15*41MM LED Quantity:1PCS 3W Voltage:DC/AC12V Power:1.8W Luminous flux:90-100LM	100-499	US\$4.40
				500-1000	US\$4.20
				≥1000	US\$4.00
14		G4-1SMD-7030 (2W)	Base:G4 Size: 12*32MM LED Quantity:1PCS 7030SMD Voltage:DC/AC12V Power:0.96W Luminous flux:60-70LM	100-499	US\$3.20
				500-1000	US\$3.00
				≥1000	US\$2.80
15		G4-1LED-2W	Base:G4 Size: 18*60MM LED Quantity:1PCS 2W Voltage:DC/AC9-24V Power:1.62W Luminous flux:130-140LM	100-499	US\$5.80
				500-1000	US\$5.60
				≥1000	US\$5.40
16		G4-4LED-6W	Base:G4 Size: 16*50MM LED Quantity:4PCS 1.5W Voltage:DC/AC8-30V Power:2.64W Luminous flux:230-250LM	100-499	US\$10.00
				500-1000	US\$9.60
				≥1000	US\$9.20
17		G4-5LED-7.5W	Base:G4 Size: 16*50MM LED Quantity:5PCS 1.5W Voltage:DC/AC8-30V Power:2.76W Luminous flux:240-260LM	100-499	US\$10.80
				500-1000	US\$10.40
				≥1000	US\$10.00
G4 High Voltage					
18		G4-1LED-3W	Base:G4 Size: 20*55MM LED Quantity:1PCS 3W Voltage:AC85-265V Power:1.71W Luminous flux:100-110LM	100-499	US\$5.20
				500-1000	US\$5.00
				≥1000	US\$4.80
19		G4-24SMD-3014 (High Voltage)	Base:G4 Size: 10*35MM LED Quantity:24PCS 3014SMD Voltage:AC110Vor220V Power:1.5W Luminous flux:90-100LM	100-499	US\$2.80
				500-1000	US\$2.60
				≥1000	US\$2.40
20		G4-32SMD-3014 (High Voltage)	Base:G4 Size: 13*38MM LED Quantity:32PCS 3014SMD Voltage:AC110Vor220V Power:2W Luminous flux:140-160LM	100-499	US\$3.40
				500-1000	US\$3.20
				≥1000	US\$3.00
21		G4-48SMD-3014 (High Voltage)	Base:G4 Size: 13*38MM LED Quantity:48PCS 3014SMD Voltage:AC110Vor220V Power:2.2W Luminous flux:150-160LM	100-499	US\$4.40
				500-1000	US\$4.20
				≥1000	US\$4.00
22		G4-64SMD-3014 (3W)	Base:G4 Size: 16*40MM LED Quantity:64PCS 3014SMD Voltage:AC110Vor220V Power:2.5W Luminous flux:180-200LM	100-499	US\$5.60
				500-1000	US\$5.40
				≥1000	US\$5.20
23		G4-24SMD-5630	Base:G4 Size: 30*50MM LED Quantity:24PCS 5630SMD Voltage:AC220V Power:3.11W Luminous flux:290-300LM	100-499	US\$8.20
				500-1000	US\$7.80
				≥1000	US\$7.60
Color Temp: 2700 to 6500K					
Warranty: 2 Years, CE Certified					

LED T8 V-SHAPED TUBES - WHOLESALE PRICES

Ballast Compatible T8 V-Shaped LED Tube (See Compatible Ballast List)

Model	Size(mm)	Power	Input	LED/2835	PF	Lumens(lm)	Material	Length	usd/pcs
ECO-T8V-S144-B	26*1198	18W	Ac85-264	144PCS	0.95	2480	Alu+pc	4FT	US\$22.22
ECO-T8V-S192-B	26*1498	28W	Ac85-264	192PCS	0.95	2980	Alu+pc	5FT	US\$34.44
ECO-T8V-S216-B	26*1763	36W	Ac85-264	216PCS	0.95	3780	Alu+pc	6FT	US\$36.67



3 Socket Types

V-Shaped T8 LED Tube (Direct Wire High Voltage to Sockets)

Model	Size(mm)	Power(w)	Input	LED/2835	PF	Lumens(lm)	Material	Length	usd/pcs
ECO-T8V-S72	26*589	12W	Ac85-264	72PCS	0.95	1380	Alu+pc	2FT	US\$15.56
ECO-T8V-S96	26*893	16W	Ac85-264	96PCS	0.95	1780	Alu+pc	3FT	US\$18.89
ECO-T8V-S144	26*1198	23W	Ac85-264	144PCS	0.95	2480	Alu+pc	4FT	US\$23.33
ECO-T8V-S192	26*1498	28W	Ac85-264	192PCS	0.95	2980	Alu+pc	5FT	US\$32.22
ECO-T8V-S216	26*1763	36W	Ac85-264	216PCS	0.95	3780	Alu+pc	6FT	US\$40.00
ECO-T8V-S288	26*2374	46W	Ac85-264	288PCS	0.95	5060	Alu+pc	8FT	US\$46.67



Beam Angle Shown

Integrative V-Shaped T8 LED Tube Fixture (UL Driver, Lead-in Wire, Linkable)

Model	Size(mm)	Power(w)	Input	LED/2835	PF	Lumens(lm)	Material	Length	usd/pcs
ECO-T8U-S72	26*598	12W	Ac85-264	72PCS	0.95	1380	Alu+pc	2FT	US\$16.67
ECO-T8U-S96	26*898	16W	Ac85-264	96PCS	0.95	1780	Alu+pc	3FT	US\$20.00
ECO-T8U-S144	26*1198	23W	Ac85-264	144PCS	0.95	2480	Alu+pc	4FT	US\$25.56
ECO-T8U-S192	26*1498	28W	Ac85-264	192PCS	0.95	2980	Alu+pc	5FT	US\$34.44
ECO-T8U-S216	26*1798	36W	Ac85-264	216PCS	0.95	3780	Alu+pc	6FT	US\$41.11



Linkable Fixture Type Shown

Freight is Additional

T8V Models Socket: Bi-pin, Single Pin or R17D

3 Year Warranty, 50,000 Hour Life Expectancy


CE ROHS, Isolated Internal Driver, Operating Temp: -30C to 60C

Case Quantity Orders Only: 25 pieces

220 Degree Beam Angle, Plus Lamp is Rotatable After Installation

LED REFRIGERATOR / FREEZER CASE LIGHTING - WHOLESALE PRICES

UL/cUL/DLC Listed (External Driver)



Technology Parameter and Quotation:

5 Years Warranty 180 Degree Two rows Version **3528SMD** Only suggest clear lens

Model No.	Length	Led Qty(Pcs)	Power(W)	Lumen/w	Unit Price (USD) EXW		
					<1,000	1,000-5,000	>5,000
ECO-T8-600EV	2FT	144	9	110±10%	\$27.20	\$27.00	\$26.80
ECO-T8-900EV	3FT	240	14		\$30.40	\$30.20	\$30.00
ECO-T8-1200EV	4FT	288	18		\$34.40	\$34.20	\$34.00
ECO-T8-1500EV	5FT	384	22		\$42.60	\$42.40	\$42.00
ECO-T8-1800EV	6FT	480	24		\$50.40	\$50.20	\$50.00
ECO-T8-2400EV	8FT	576	36		\$62.60	\$62.40	\$62.00

5 Years Warranty 120 Degree One rows Version **2835SMD** Only suggest clear lens

Model No.	Length	Led Qty(Pcs)	Power(W)	Lumen/w	Unit Price (USD) EXW		
					<1,000	1,000-5,000	>5,000
ECO-T8-600E	2FT	60	9	120±10%	\$22.80	\$22.60	\$22.40
ECO-T8-900E	3FT	96	14		\$24.80	\$24.60	\$24.40
ECO-T8-1200E	4FT	120	18		\$28.80	\$28.60	\$28.40
ECO-T8-1500E	5FT	144	22		\$37.20	\$37.00	\$36.80
ECO-T8-1800E	6FT	192	24		\$46.80	\$42.60	\$42.40
ECO-T8-2400E	8FT	240	36		\$53.00	\$50.80	\$50.60

Size	Length Excluding Pins	Length Including Pins
2FT	553.5mm(L)×c26mm	588mm(L)×c26mm
3FT	859.5mm(L)×c26mm	894mm(L)×c26mm
4FT	1163.5mm(L)×c26mm	1198mm(L)×c26mm
5FT	1463.5mm(L)×c26mm	1498mm(L)×c26mm
6FT	1725.5mm(L)×c26mm	1760mm(L)×c26mm
8FT	2334.5mm(L)×c26mm	2369mm(L)×c26mm

Remarks:

Freight is additional.



Voltage: 120-277V, Color Temp:2700-6500K, Clear or Frosted Lens, CRI: >80, PF: >0.92, THD <15%

Lead time: 5-7 days for samples; volume goods pls confirm with sales person;


Warranty: 5 years (including both led tube and power supply);

The above price includes all accessories to fix external driver (screws etc);









LED V-Shaped and Double Sided Lamps - UL and DLC - Wholesale Prices

Picture	Item No.	Dimensions	Power	Luminous Flux (LM)	EXW Price (USD/PC)		
					25~3K	3K~10K	>10K
V Shaped LED Cooler Tube, Ballast Compatible UL cUL DLC 130lm/w							
	ECO-T8-CL-4FT-V-Y	4FT	18W	2160	\$32.6	\$31.4	\$30.2
	ECO-T8-CL-5FT-V-Y	5FT	20W	2400	\$40.4	\$37.8	\$35.6
	ECO-T8-CL-6FT-V-Y	6FT	24W	2880	\$45.2	\$43.2	\$41.2
Double Sided LED Cooler Tube, Ballast Compatible UL cUL DLC 130lm/w							
	ECO-T8-CL-4FT-Y	4FT	18W	2160	\$41.0	\$38.4	\$35.2
	ECO-T8-CL-5FT-Y	5FT	20W	2400	\$45.0	\$42.0	\$40.6
	ECO-T8-CL-6FT-Y	6FT	24W	2880	\$49.2	\$47.2	\$45.2
Remarks:							
1.Freight is additional							
2.The price base on G13 and FA8 end cap, For R17D & rotate end cap, pls add \$1.00 per lamp							
3.Minimum Order Quantity: 25pcs/item							
4.5 Year Warranty, UL and DLC Listed, 100-277V							
5.LEDs: SMD2835, Color Temps: 3000K/4000K/5000K/65000K, Clear or Milky Cover, 240 Degree Beam Angle, CRI>80							

LED EZ Kit

	ECO-EZBK-40	LED Strip of EZ Kit, 2ft, 4000K or 5000K, 8W, 1000+lm (Magnetic Installation)	\$9.33	DLC , ETL, LM79, LM80, Lighting Facts, CE, RoHS
	ECO-PSCC45020HU100	External Driver, 1-10V dimming, Input: 100-277VAC, Output: 450mA, 36VDC, Family Model #: WP-UL-T25-36-0.45A Red Sticker (1-2 Strips)	\$23.33	UL/cUL, CE, RoHS
	ECO-PSCC70025HU100	External Driver, 1-10V dimming, Input: 100-277VAC, Output: 700mA, 36VDC, Family Model #: WP-UL-T25-36-0.7A Yellow Sticker (3 Strips)	\$33.67	
	ECO-PSCC90035HU100	External Driver, 1-10V dimming, Input: 100-277VAC, Output: 900mA, 36VDC, Family Model #: LPS30W-36-C0830-RD Green Sticker (4 Strips)	\$36.00	
	ECO-PSCCA4050HU100	External Driver, 1-10V dimming, Input: 100-277VAC, Output: 1400mA, 36VDC, Family Model #: WP-UL-T50-36-1.4A Blue Sticker (6 Strips)	\$45.67	

LED Dimmable Track Lights - 30 to 50W - Wholesale Prices

Picture	Size Picture	Model Number	Power	LED Chip	Lumen(lm)	Type	EXW Unit Price (≤50PCS)	EXW Unit Price (≥200PCS)
		ECO-3T285-30W	30W	Epistar	2500-2700lm	3wires 1circuit	\$113.00	\$111.00
		ECO-3T285-50W	50W	Bridgelux	4000-4500lm	3wires 1circuit	\$129.00	\$126.00
		ECO-4T285-30W	30W	Epistar	2500-2700lm	4 wires 3circuit	\$115.00	\$113.00
		ECO-4T285-50W	50W	Bridgelux	4000-4500lm	4 wires 3circuit	\$130.00	\$128.00




Above prices not include track cost. 3 wire track: \$8.5 USD/M; 4 wire track:\$18.00USD/M

Remark:

- 1.Freight is additional. Unit size: 285x106x85mm
- 2.3 year warranty.
- 3.Color temp choose from 2700 to 6500K, beam angle options: 15, 25, 40, 50 degrees
- 4.Usually $Ra \geq 72$, $Ra \geq 80$ $Ra \geq 85$ available.
- 6.Usually Votage 100-265v;100-277v available
- 7.**UL,CE,TUV PSE,SAA approved LED Driver**(indoor)

High CRI Frosted Dimmable Downlights

Wholesale Prices

PN	Product Image	Description	Color	Voltage	Unit Price(EXW)			
					1-500 pcs	500-1K pcs	1K-2K pcs	2K-5K pcs
ECO-FBS6-13W-N		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),13 watt.,non-dimmable	warm white white	85-265VAC	\$66.00	\$64.68	\$62.04	\$59.40
ECO-FBS6-13W-D		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),13 watt.,dimmable		110/220VAC	\$68.00	\$66.64	\$63.92	\$61.20
ECO-FBS6-15W-N		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),15 watt.,non-dimmable		85-265VAC	\$72.00	\$70.56	\$67.68	\$64.80
ECO-FBS6-15W-D		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),15 watt.,dimmable		110/220VAC	\$76.00	\$74.48	\$71.44	\$68.40
ECO-FBS6-20W-L		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),20 watt.,non-dimmable		24VAC/DC	\$80.00	\$78.40	\$75.20	\$72.00
ECO-FBS6-20W-D		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),20 watt.,dimmable		110/220VAC	\$90.00	\$88.20	\$84.60	\$81.00
ECO-FBS6-20W-N		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),20 watt.,non-dimmable		85-265VAC	\$84.00	\$82.32	\$78.96	\$75.60
ECO-FBS6-32W-N		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),32 watt.,non-dimmable		85-265VAC	\$94.00	\$92.12	\$88.36	\$84.60
ECO-FBS6-32W-D		ECO-FBS6,Frosted LED down light,D7.4"*H5.8",cut size: 6.3"(161mm),32 watt., dimmable		110/220VAC	\$100.00	\$98.00	\$94.00	\$90.00
ECO-FBS8-20W-N		ECO-FBS8,Frosted LED down light,D8.1"*H6.0",cut size: 7.1"(180mm),20 watt., non-dimmable	warm white white	85-265VAC	\$80.00	\$78.40	\$75.20	\$72.00
ECO-FBS8-20W-D		ECO-FBS8,Frosted LED down light,D8.1"*H6.0",cut size: 7.1"(180mm),20 watt., dimmable		110/220VAC	\$84.00	\$82.32	\$78.96	\$75.60
ECO-FBS8-26W-N		ECO-FBS8,Frosted LED down light,D8.1"*H6.0",cut size: 7.1"(180mm),26 watt., non-dimmable		85-265VAC	\$90.00	\$88.20	\$84.60	\$81.00
ECO-FBS8-26W-D		ECO-FBS8,Frosted LED down light,D8.1"*H6.0",cut size: 7.1"(180mm),26 watt., dimmable		110/220VAC	\$94.00	\$92.12	\$88.36	\$84.60
ECO-FBS8-32W-N		ECO-FBS8,Frosted LED down light,D8.1"*H6.0",cut size: 7.1"(180mm),32 watt., non-dimmable		85-265VAC	\$94.00	\$92.12	\$88.36	\$84.60
ECO-FBS8-32W-D		ECO-FBS8,Frosted LED down light,D8.1"*H6.0",cut size: 7.1"(180mm),32 watt., dimmable		110/220VAC	\$100.00	\$98.00	\$94.00	\$90.00
ECO-FBS9-20W-N		ECO-FBS9, Frosted LED down light,D9.6"*H6.4",cut size: 8.9"(225mm),20 watt., non-dimmable	warm white white	85-265VAC	\$90.00	\$88.20	\$84.60	\$81.00
ECO-FBS9-20W-D		ECO-FBS9, Frosted LED down light,D9.6"*H6.4",cut size: 8.9"(225mm),20 watt., dimmable		110/220VAC	\$94.00	\$92.12	\$88.36	\$84.60
ECO-FBS9-26W-N		ECO-FBS9, Frosted LED down light,D9.6"*H6.4",cut size: 8.9"(225mm),26 watt., non-dimmable		85-265VAC	\$90.00	\$88.20	\$84.60	\$81.00
ECO-FBS9-26W-D		ECO-FBS9, Frosted LED down light,D9.6"*H6.4",cut size: 8.9"(225mm),26 watt., dimmable		110/220VAC	\$94.00	\$92.12	\$88.36	\$84.60
ECO-FBS9-32W-N		ECO-FBS9, Frosted LED down light,D9.6"*H6.4",cut size: 8.9"(225mm),32 watt., non-dimmable		85-265VAC	\$94.00	\$92.12	\$88.36	\$84.60
ECO-FBS9-32W-D		ECO-FBS9, Frosted LED down light,D9.6"*H6.4",cut size: 8.9"(225mm),32 watt., dimmable		110/220VAC	\$100.00	\$98.00	\$94.00	\$90.00
Remarks:								
1. Color range available: warm white,(2600-2800K),(2800-3200K),(3200-3600K),(3800-4200K),white (5000-6000K)(6000-7000K)								
2. All downlights produce approximately 85 lumens per watt.								
3. The trim available: black, matt white etc... provide customized services for bulk order.								
4. All downlights come with 3 years limited warranty under normal operating conditions. UL Listed								

LED Down Light Screw-Based Retrofit - UL and Energy Star Listed









Model No.	Picture	Power	Voltage	PF	CCT	LED	Beam angle	Lumen	Size	Packing(cm)	Wholesale Price	
											<5000pcs	5000pcs
ECO-DL32-4-9WD 4inch		9W	AC120V Triac Dim	>0.9	2700K 3000K 4000K 5000K	SMD	90°	660-750lm	130*74.3mm	52*47*33 30PCS 18.5KG	US\$17.80	US\$17.20
ECO-DL32-4-12WD 4inch		12W	AC120V Triac Dim	>0.9		SMD	90°	860-990lm	130*74.3mm	52*47*33 30PCS 18.5KG	US\$18.00	US\$17.40
ECO-DL32-5&6-11WD 5&6inch		11W	AC120V Triac Dim	>0.9	2700K 3000K 4000K 5000K	SMD	90°	755-855lm	188*86.5mm	52*43*43 20PCS 16KG	US\$20.40	US\$19.80
ECO-DL32-5&6-14WD 5&6inch		14W	AC120V Triac Dim	>0.9		SMD	90°	1045-1200lm	188*86.5mm	52*43*43 20PCS 16KG	US\$21.00	US\$20.40
ECO-DL32-6-12WD 6inch		12W	AC120V Triac Dim	>0.9	2700K 3000K 4000K 5000K	SMD	90°	860-990lm	190*77.8mm	52*43*43 20PCS 17KG	US\$23.40	US\$22.80
ECO-DL32-6-15WD 6inch		15W	AC120V Triac Dim	>0.9		SMD	90°	1220-1400lm	190*77.8mm	52*43*43 20PCS 17KG	US\$24.00	US\$22.00
ECO-DL32-4-9WN 4inch		9W	AC100-277V Non-dim	>0.9	2700K 3000K 4000K 5000K	SMD	90°	660-750lm	130*74.3mm	52*47*33 30PCS 18.5KG	US\$15.80	US\$15.40
ECO-DL32-4-12WN 4inch		12W	AC100-277V Non-dim	>0.9		SMD	90°	860-990lm	130*74.3mm	52*47*33 30PCS 18.5KG	US\$16.20	US\$15.60
ECO-DL32-5&6-11WN 5&6inch		11W	AC100-277V Non-dim	>0.9	2700K 3000K 4000K 5000K	SMD	90°	755-855lm	188*86.5mm	52*43*43 20PCS 16KG	US\$18.80	US\$18.20
ECO-DL32-5&6-14WN 5&6inch		14W	AC100-277V Non-dim	>0.9		SMD	90°	1045-1200lm	188*86.5mm	52*43*43 20PCS 16KG	US\$19.40	US\$18.80
ECO-DL32-6-12WN 6inch		12W	AC100-277V Non-dim	>0.9	2700K 3000K 4000K 5000K	SMD	90°	860-990lm	190*77.8mm	52*43*43 20PCS 17KG	US\$21.60	US\$21.00
ECO-DL32-6-15WN 6inch		15W	AC100-277V Non-dim	>0.9		SMD	90°	1220-1400lm	190*77.8mm	52*43*43 20PCS 17KG	US\$22.40	US\$21.60

Sample MOQ: 1 carton.

Warranty: 5 Years

Freight is additional.

LED Dimmable Down Light Fixture UL / Energy Star

Item name	Watts	LED	Size	Lumens	Picture	WHL Price	
						1-499pcs	>500pcs
ECO-DL33-6-20W	20W	SHARP	7.5*6.6"	1400lm		US\$90.00	US\$87.20
ECO-DL33-6-25W	25W	SHARP	7.5*6.6"	2000lm		US\$92.00	US\$89.00
ECO-DL33-6-30W	30W	SHARP	7.5*6.6"	2300lm		US\$102.00	US\$98.80
ECO-DL33-8-20W	20W	SHARP	9.3*6.9"	1400lm		US\$94.00	US\$91.00
ECO-DL33-8-25W	25W	SHARP	9.3*6.9"	2000lm		US\$98.00	US\$94.60
ECO-DL33-8-30W	30W	SHARP	9.3*6.9"	2300lm		US\$106.00	US\$103.00
ECO-DL33-8-35W	35W	SHARP	9.3*7.5"	2700lm		US\$110.00	US\$106.80
ECO-DL33-8-43W	43W	SHARP	9.3*7.5"	3300lm		US\$122.00	US\$118.00

Notes:

2700 to 5000K, >83 CRI, 0.9 PF, 45 Deg. Beam Angle, 90 to 305V, 0 to 10V Dimmable

Warranty: 5 years

LED DIMMABLE DOWN LIGHT REPLACEMENT - UL and ENERGY STAR LISTED - WHOLESALE PRICES

Model No.	Picture	Power	Lumen	Size	Packing(cm)	EXW Price USD(0-10V dim)	
						<500pcs	≥500pcs
ECO-DL36-15W (4inch)		15W	920-1020lm	Ø142*185mm	62*56*26 4pcs 7kg	US\$52.00	US\$50.40
ECO-DL36-20W (4inch)		20W	1100-1200lm	Ø142*185mm	62*56*26 4pcs 7kg	US\$63.00	US\$61.00
ECO-DL36-20W (6inch)		20W	1400-1600lm	190*190mm	62*62*28 4pcs 7.6kg	US\$75.00	US\$72.80
ECO-DL36-25W (6inch)		25W	1620-1900lm	190*205mm	62*62*28 4pcs 7.6kg	US\$77.00	US\$74.60
ECO-DL36-25W (8inch)		25W	1620-1900lm	236*220mm	71*62*31 4pcs 7kg	US\$80.00	US\$77.60
ECO-DL36-35W (8inch)		35W	2500-2800lm	236*220mm	71*62*31 4pcs 7.5kg	US\$94.00	US\$91.80
ECO-DL36-42W (8inch)		42W	3200-3600lm	236*235mm	71*62*31 4pcs 7.5kg	US\$108.00	US\$104.80
ECO-DL36-42W (10inch)		42W	3200-3600lm	276*235mm	71*71*31 4pcs 9kg	US\$114.00	US\$110.60
ECO-DL36-50W (10inch)		50W	3500-4000lm	276*220mm	71*71*31 4pcs 10.5kg	US\$130.00	US\$126.00

Sample MOQ: 1 carton (4 pcs.)

Voltage: AC100-277V, PF >0.9, Color Temp: 2700K/3000K/4000K/5000K, CREE COB LED

Beam Angle: 40 Degrees

Lead time: 2 weeks

Warranty: 5 years

Waterproof LED Downlight - Wholesale Prices

Item No.	Picture	Specification		WHL Unit Price(USD)
ECO-DL-5W-2.5"-A12		Power: 5W Lumen: 500-550lm	Voltage: AC85-265V LED: Original Samsung 5630SMD Size: D90mm*H45mm Cut hole: 72-75mm Beam Angle: 120° Material: Dia-casting aluminum	US\$15.00
ECO-DL-7W-2.5"-A12		Power: 7W Lumen: 700-770lm	PF: >0.9 CCT: WW3000K/NW4500K/CW6000K Lifespan: 50,000hours Warranty: 3 years Waterproof IP65 Housing Color: white and white+balck available	
ECO-DL-5W-2.5"-A12-SQ		Power: 5W Lumen: 500-550lm	Voltage: AC85-265V LED: Original Samsung 5630SMD Size: L90mm*W90mm*H45mm Cut hole: 72-75mm Beam Angle: 120° Material: Dia-casting aluminum	US\$15.60
ECO-DL-7W-2.5"-A12-SQ		Power: 7W Lumen: 700-770lm	PF: >0.9 CCT: WW3000K/NW4500K/CW6000K Lifespan: 50,000hours Warranty: 3 years Waterproof IP65 Housing Color: white and white+balck available	US\$16.60
ECO-DL-12W-3"-A12		Power: 12W Lumen: 1200-1350lm	Voltage: AC85-265V LED: Original Samsung 5630SMD Size: D108mm*H50mm Cut hole: 90mm Beam Angle: 120° Material: Dia-casting aluminum	US\$25.00
ECO-DL-15W-3"-A12		Power: 15W Lumen: 1550-1650lm	PF: >0.9 CCT: WW3000K/NW4500K/CW6000K Lifespan: 50,000hours Warranty: 3 years Waterproof IP65 Housing Color: white and white+balck available	
ECO-DL-12W-3"-A12-SQ		Power: 12W Lumen: 1200-1350lm	Voltage: AC85-265V LED: Original Samsung 5630SMD Size: L108mm*W108mm*H50mm Cut hole: 90mm Beam Angle: 120° Material: Dia-casting aluminum	US\$25.60
ECO-DL-15W-3"-A12-SQ		Power: 15W Lumen: 1550-1650lm	PF: >0.9 CCT: WW3000K/NW4500K/CW6000K Lifespan: 50,000hours Warranty: 3 years Waterproof IP65 Housing Color: white and white+balck available	US\$29.60

Remark:

1. Freight is additional.
2. Terms: Prepaid.
3. Delivery Date: samples for 3-5 working days, bulk for 7-10 working days

LED UNDERWATER / POOL LIGHTING - WHOLESALE PRICES

Item No.	Power	Description	Picture	Single Color	RGB Changeable
ECO-UWL 01	1W	Input voltage: AC/DC12-24V , Stainless steel body & Cover, with 1meter VED cable, IP68, 48*75mm		\$27.60	N/A
ECO-UWL 02	3*1W	Input voltage: AC/DC12-24V , Stainless steel body & Cover, with 1meter VED cable, IP68, 90*140mm		\$35.00	\$41.00
ECO-UWL 03	3*1W	Input voltage: AC/DC12-24V , Stainless steel body & Cover, IP68,with 1meter VED cable, 80*80*65mm		\$44.60	\$56.40
ECO-UWL 04	5*1W	Input voltage: AC/DC12-24V , Stainless steel body & Cover, IP68,with 1meter VED cable, 105*135mm		\$52.00	\$0.00
ECO-UWL 05	6*1W	Input voltage: AC/DC12-24V , Stainless steel body & Cover, IP68,with 1meter VED cable, 143*190mm		\$54.00	\$62.00
ECO-UWL 06	6*1W	Input voltage: AC/DC12-24V , Stainless steel body & Cover, IP68,with 1meter VED cable, 160*250mm		\$66.00	\$74.00
ECO-UWL 07	6*1W	Input voltage: AC/DC12-24V , Stainless steel body & Cover, IP68,with 1meter VED cable, 155*105mm		\$56.00	\$64.00
ECO-UWL 08	9*1W	Input voltage: AC/DC12-24V , Stainless steel, IP68,with 1meter VED cable, 165*85mm		\$106.00	\$120.00
ECO-UWL 09	12*1W	Input voltage: AC/DC12-24V , Stainless steel, IP68,with 1meter VED cable, 185*85mm		\$114.00	\$128.00
ECO-UWL 10	9*1W	Input voltage: AC/DC12-24V , Stainless steel body & Cover, IP68,with 1meter VED cable, 160*250mm		\$90.00	\$110.00
ECO-UWL 11	18*1W	Input voltage: AC/DC12-24V , Zinc alloy, IP68,with 1meter VED cable, 180*240mm		\$148.00	\$176.00
ECO-UWL 12	9*1W	Input voltage: AC/DC12-24V , Zinc alloy, IP68,with 1meter VED cable, 150*200mm		\$90.00	\$112.00

Remarks:

- 1, Freight is additional, quoted.**
- 2, Single colors available: White, Warm White, Red, Green, Blue, Yellow**
- 3, All LEDs are U.S. made Bridgelux**
- 4, Warranty: 1 Year**

PAR 56 LED Underwater Lamp

Wholesale Prices



Item No	ECO-PAR56C-10W-R	ECO-PAR56-10W
LED Quantity	252LEDS	252LEDS
LED Luminous Flux		4-5LM
Color	R G B	Warm White/Cool White
Color Temperature		2800K-3000K/6000K-7000K
Voltage (V)	AC/DC12V	AC/DC12V
Wattage (W)	10W	10W
Bulb Luminous Flux (Lm)		650lm
LED Viewing Angle	30°/60°/120° With the lens	30°/60°/120° With the lens
Long Life(Hours)	Over 30,000 hrs	Over 30,000 hrs
Warranty	2 years	2 years
Quantity / Carton	6PCS	6PCS
WHL Price:	\$67.80	\$58.40



Item No	ECO-PAR56C-13W-R	ECO-PAR56-13W
LED Quantity	315LEDS	315LEDS
LED Luminous Flux		4-5LM
Color	R G B	Warm White/Cool White
Color Temperature		2800K-3000K/6000K-7000K
Voltage (V)	AC/DC12V	AC/DC12V
Wattage (W)	13W	13W
Bulb Luminous Flux (Lm)		780lm
LED Viewing Angle	30°/60°/120° With the lens	30°/60°/120° With the lens
Long Life(Hours)	Over 30,000 hrs	Over 30,000 hrs
Warranty	2years	2 years
Quantity / Carton	6PCS	6PCS
WHL Price:	\$74.52	\$59.80



Item No	ECO-PAR56C-15W-R	ECO-PAR56-15W
LED Quantity	510LEDS	510LEDS
LED Luminous Flux		4-5LM
Color	R G B	Warm White/Cool White
Color Temperature		2800K-3000K/6000K-7000K
Voltage (V)	AC/DC12V	AC/DC12V
Wattage (W)	15W	15W
Bulb Luminous Flux (Lm)		950lm
LED Viewing Angle	30°/60°/120° With the lens	30°/60°/120° With the lens
Long Life(Hours)	Over 30,000 hrs	Over 30,000 hrs
Warranty	2years	2 years
Quantity / Carton	6PCS	6PCS
WHL Price:	\$89.20	\$74.86

Freight is additional, quoted by order

LED Flood Light - DLC Listed - 10 to 200W - Wholesale Prices

	Item NO.	FDL-10W			<ol style="list-style-type: none"> 1. Wattage:10W 2. Luminous Flux:1200Lm; CRI > 80 3. Light Source:Osram led 4. Power supply: SAA driver 5. Base: wires 6. Input Voltage: 100-277VAC,50/60Hz 7. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 100pcs	101-500pcs	>500pcs	
	Price	US\$27.58	US\$26.78	US\$26.00	
					
	Item NO.	FDL-20W			<ol style="list-style-type: none"> 1. Wattage:20W 2. Luminous Flux:2400Lm; CRI > 80 3. Light Source:Osram led 4. Power supply: SAA driver 5. Base: wires 6. Input Voltage: 100-277VAC,50/60Hz 7. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 100pcs	101-500pcs	>500pcs	
	Price	US\$40.31	US\$39.14	US\$38.00	
					
	Item NO.	FDL-30W			<ol style="list-style-type: none"> 1. Wattage:30W 2. Luminous Flux:3600Lm; CRI > 80 3. Light Source:Osram led 4. Power supply: SAA driver 5. Base: wires 6. Input Voltage: 100-277VAC,50/60Hz 7. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 100pcs	101-500pcs	>500pcs	
	Price	US\$57.29	US\$55.62	US\$54.00	
					
	Item NO.	FDL-50W			<ol style="list-style-type: none"> 1. Wattage:50W 2. Luminous Flux:6000Lm; CRI > 80 3. Light Source:Osram led 4. Power supply: SAA driver 5. Base: wires 6. Input Voltage: 100-277VAC,50/60Hz 7. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 100pcs	101-500pcs	>500pcs	
	Price	US\$84.87	US\$82.40	US\$80.00	
					
	Item NO.	FDL-100W			<ol style="list-style-type: none"> 1. Wattage:100W 2. Luminous Flux:12000Lm; CRI > 80 3. Light Source:Osram led 4. Power supply: Meanwell driver 5. Base: wires 6. Input Voltage: 100-277VAC,50/60Hz 7. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 100pcs	101-500pcs	>500pcs	
	Price	US\$161.26	US\$156.56	US\$152.00	
					
	Item NO.	FDL-150W			<ol style="list-style-type: none"> 1. Wattage:150W 2. Luminous Flux:18000Lm; CRI > 80 3. Light Source:Osram led 4. Power supply: Meanwell driver 5. Base: wires 6. Input Voltage: 100-277VAC,50/60Hz 7. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 100pcs	101-500pcs	>500pcs	
	Price	US\$203.69	US\$197.76	US\$192.00	
					
	Item NO.	FDL-200W			<ol style="list-style-type: none"> 1. Wattage:200W 2. Luminous Flux:24000Lm; CRI > 80 3. Light Source:Osram led 4. Power supply: Meanwell driver 5. Base: wires 6. Input Voltage: 100-277VAC,50/60Hz 7. Color Temperature: WW(2700-3500K) / NW(4000-4500K) / CW(5500-6700K)
	Quantity	< 100pcs	101-500pcs	>500pcs	
	Price	US\$265.23	US\$257.50	US\$250.00	
					

Ultra Slim LED Flood Light Wholesale Prices (UL / DLC, Optional Sensors) - MOQ 100 PCS Per Type



Without Sensor



Microwave Motion Sensor



PIR Sensor








1. Patented Design & Ultra Slim & Small Size & Light weight
2. High purity aluminum alloy with good heat dissipation
3. Toughened glass cover with 98% light transmittance
4. Frame color can be Black / White
5. Waterproof Performance is better than traditional IP65 LED Floodlight
6. There are 2 options for the model with sensor:
 - * **Microwave Motion Sensor:** 3-8 meters adjustable & 5-300 seconds adjustable; When Ambient brightness above 8 LUX, LED Floodlight will not work
 - * **PIR Sensor:** 1.8-8 meters adjustable & 5-300 seconds adjustable; When Ambient brightness above 8 LUX, LED Floodlight will not work

Part No.	Power	Lumen	Input Voltage	PF	CRI	IP Grade	Frame color	Warranty	Certificate	Inner Box	Outer Box	NW/pcs	GW/CTN	Qty/CTN	Price (Without Sensor)	
															100-5,000pcs	5,000pcs+
ECO-01-10W	10W	700LM	AC120V	PF>0.9	Ra>80	IP65	Black / White	5 years	UL&cUL DLC listed	175*145*40mm	417*365*310mm	0.44KG	21.50KG	40PCS	US\$18.25	US\$17.00
ECO-02-20W	20W	1400LM	AC120V	PF>0.9	Ra>80	IP65	Black / White	5 years	UL&cUL DLC listed	230*190*43mm	447*245*400mm	0.79KG	18.90KG	20PCS	US\$29.50	US\$27.50
ECO-03-30W	30W	2400LM	AC100-277V	PF>0.9	Ra>80	IP65	Black / White	5 years	UL&cUL DLC listed	297*226*54mm	470*295*315mm	1.40KG	17.20KG	10PCS	US\$52.50	US\$49.25
ECO-05-50W	50W	4000LM	AC100-277V	PF>0.9	Ra>80	IP65	Black / White	5 years	UL&cUL DLC listed	355*272*82mm	512*287*375mm	2.36KG	16.90KG	6PCS	US\$79.75	US\$74.50
Part No.	Power	Lumen	Input Voltage	PF	CRI	IP Grade	Frame color	Warranty	Certificate	Inner Box	Outer Box	NW/pcs	GW/CTN	Qty/CTN	Price (Microwave Motion Sensor)	
ECO-01A-10W	10W	700LM	AC120V	PF>0.9	Ra>80	IP65	Black / White	5 years	UL&cUL is pending	205*145*40mm	425*340*310mm	0.55KG	21.80KG	32PCS	US\$27.75	
ECO-02A-20W	20W	1400LM	AC120V	PF>0.9	Ra>80	IP65	Black / White	5 years	UL&cUL is pending	267*190*43mm	455*282*400mm	0.90KG	21.20KG	20PCS	US\$40.50	
ECO-03A-30W	30W	2400LM	AC120V	PF>0.9	Ra>80	IP65	Black / White	5 years	UL&cUL is pending	325*226*54mm	470*430*345mm	1.55KG	18.70KG	10PCS	US\$62.50	
ECO-05A-50W	50W	4000LM	AC120V	PF>0.9	Ra>80	IP65	Black / White	5 years	UL&cUL is pending	385*272*82mm	510*287*405mm	2.55KG	17.50KG	6PCS	US\$91.00	
Part No.	Power	Lumen	Input Voltage	PF	CRI	IP Grade	Frame color	Warranty	Certificate	Inner Box	Outer Box	NW/pcs	GW/CTN	Qty/CTN	Price (PIR Sensor)	
ECO-01B-10W	10W	700LM	AC120V	PF>0.9	Ra>80	IP65	Black / White	5 years	UL&cUL is pending	170*150*70mm	470*395*360mm	0.58KG	22.90KG	30PCS	US\$29.50	
ECO-02B-20W	20W	1400LM	AC120V	PF>0.9	Ra>80	IP65	Black / White	5 years	UL&cUL is pending	230*197*75mm	475*395*415mm	0.93KG	22.60KG	20PCS	US\$40.75	
ECO-03B-30W	30W	2400LM	AC120V	PF>0.9	Ra>80	IP65	Black / White	5 years	UL&cUL is pending	285*240*75mm	495*395*305mm	1.54KG	18.90KG	10PCS	US\$64.00	
ECO-05B-50W	50W	4000LM	AC120V	PF>0.9	Ra>80	IP65	Black / White	5 years	UL&cUL is pending	355*290*85mm	495*305*375mm	2.50KG	15.20KG	5PCS	US\$91.25	

Notes:

1. Freight is additional (MOQ 100 pieces per model, but samples are available)
2. Delivery Time: 2-5 working days for sample order, 10-15 working days for bulk order.

LED SOLAR POWERED FLOOD LIGHT - WHOLESALE PRICES

Photo	Item	Dimension	Feature	Battery	Solar Panel	Working Time	Unit Price
	SD-FL-R5W	115*132*85mm	Lumen: 450±5% lm Power: 5W Beam Angel: 120° IP65	2pcs 2000mA Li Battery	10W	8 hrs	\$103.20
	SD-FL-R10W	115*132*85mm	Lumen: 900±5% lm Power: 10W Beam Angel: 120° IP65	4pcs 2000mA Li Battery	20W	9 hrs	\$167.40
	SD-FL-R20W	180*140*110mm	Lumen: 1800±5% lm Power: 20W Beam Angel: 120° IP65	6pcs 2000mA Li Battery	50W	7 hrs	\$299.60
	SD-FL-R30W	225*185*128mm	Lumen: 2700±5% lm Power: 30W Beam Angel: 120° IP65	9pcs 1500mA Li Battery	60W	6 hrs	\$356.60
	SD-FL-R50W	290*240*150mm	Lumen: 4500±5% lm Power: 50W Beam Angel: 120° IP65	12pcs 1500mA Li Battery	100W	5 hrs	\$473.00



Battery is inside flood light



PV has adjustable mounting bracket

Freight is additional.

Warranty: Battery - 1 Year, Light Fixture - 3 Years, PV - 20 Years

LED Wall Pack - DLC and UL - Wholesale Prices

Photo	Item Number	Certification CE, ROHS, other	LED Chip	LED Qty	IP Standard	Beam Angle	Driver brand	Dimmable		Cover clear matt	lamp Size mm			Net Weight	Input		Power Factor	Power Efficiency	Ra	Available Kelvin	Lumen output	USD EXW <10pcs	USD EXW <150pcs	USD EXW <500pcs	USD EXW <1000pcs
			(patented)					Yes	No		L	W	H		Voltage	Watt									
	ECO-WP02W27-xxK-D	Pending CE ROHS FCC CUL+UL E354939	Philips	30	65 Wet	160	Mester	Yes		Y	278	172	132	1.5kg	100-277	20	0.95	90%	75	3000-6500	1600	\$98.00	\$92.00	\$88.00	\$84.00
	ECO-SWP035W27-xxK	Pending CE ROHS FCC CUL+UL E354939	Philips	56	65 Wet	180	Mester	No		Y	269	265	196	3.0kg	100-277	35	0.95	90%	75	3000-6500	3000	\$138.00	\$126.00	\$120.00	\$116.00
	ECO-WP06W27-xxK	CE,ROHS, FCC CUL+UL E354939 DLC	Philips	90	65 Wet	110*130	Mester	NO		Y	366	226	196	4.0kg	100-277	60	0.95	90%	75	3000-6500	5100	\$198.00	\$190.00	\$180.00	\$174.00
	ECO-WP06W27-xxK	Pending CE ROHS FCC CUL+UL E354939	Philips	90	65 Wet	110*130	Mean Well	NO		Y	366	226	196	4.0kg	100-277 347V+\$25	60	0.95	90%	75	3000-6500	5100	\$210.00	\$200.00	\$198.00	\$190.00
	ECO-LWP10W27-xxK	CE,ROHS, FCC CUL+UL E354939 DLC	Philips	150	65 Wet	110*130	Mean Well	NO		Y	366	226	196	4.6kg	100-277 200-480	100	0.95	90%	75	3000-6500	8500	\$258.00 \$320.00	\$250.00 \$310.00	\$238.00 \$304.00	\$230.00 \$298.00
	ECO-LWP10W27-xxK	Pending CE ROHS FCC CUL+UL E354939	Philips	150	65 Wet	110*130	OWN	NO		Y	366	226	196	6.2kg	100-277	100	0.95	90%	80	3000-6500	7963	\$220.00	\$210.00	\$196.00	\$190.00
	ECO-WP05W27-xxK	CE,ROHS, FCC CUL+UL E354939	CREE	36	65 Wet	180	MeanWell	NO		Y	264	308	182	3.0kg	100-277 100-240	50	0.95	92%	75	2700-7000	4500	\$218.00 \$198.00	\$210.00 \$190.00	\$198.00 \$178.00	\$190.00 \$166.00
	ECO-WP10W27-xxK ECO-WP12W27-xxK ECO-WP15W27-xxK	CE,ROHS, FCC CUL+UL E354939 DLC for 150W	CREE	72	65 Wet	110*130	MeanWell	NO		Y	366	226	196	8.5kg	100-277	120W 150W Same Price	0.95	94%	75	2700-7000	11400 13500	\$358.00	\$350.00	\$338.00	\$304.00
	ECO-WP10W48-xxK ECO-WP12W48-xxK ECO-WP15W48-xxK	CE,ROHS, FCC CUL+UL E354939 DLC for 150W	CREE	72	65 Wet	110*130	MeanWell	NO		Y	366	226	196	8.5kg	200-480	120W 150W Same Price	0.95	94%	75	2700-7000	11400 13500	\$418.00	\$410.00	\$398.00	\$330.00


Warranty: UL - 3 Years, DCL - 5 Years
Lifetime: 35000 Hrs
Minimum Order qty:10 unit

If add photo cell, unit price need to be increased by USD13.00/Unit.
If add motion sensor with cover outsider, unit price need to be increased by USD\$62/Unit.
If you do not need dimmable for 20w wall pack, unit price can be less USD\$5.00/Pcs.
Delivery time: 15-20days based order Qty. Payment terms: Deposit 100% start production.



CREE LED & MEAN WELL POWER SUPPLY INSIDE

LED Wall Light - IP65 / PIR Sensor / Solar Powered

Model No.	Picture	Watt	Power	LED	IP Grade	CCT	Beam Angle	Size	Lumen	EXW Unit Price		
										1-500pcs	500-1000pcs	>1000pcs
ECO-WL-PIR-6W		6W	1.6W Solar Panel	Epistar 2835 SMD	IP65	WW-2800-3000K NW-4000-4500K PW-5500-6000K CW-6000-	120°	180*125*30mm	WW - 600lm CW - 700lm	\$48.75	\$46.25	\$43.75


Features and Advantages

- | | |
|--|--|
| <ol style="list-style-type: none"> 1. Patented Design. 2. Solar panel performs as <u>Battery Charger</u> - save 100% electric energy. 3. PIR Sensor and Optically Controlled. | <ol style="list-style-type: none"> 4. Outdoor use - IP65 Waterproof Design. 5. PMMA LGP - very soft and uniform light, no dark zone, no glare. 6. 3 years "no quibble" guarantee. |
|--|--|


Trade Terms

Freight is additional.	MOQ: 28pcs (one carton).
Leadtime: 2 days for sample order, 3-5 days for regular bulk order.	Warranty: 3 years "no quibble" guarantee.


Install



Function



Sensing range:



LED Flood, High Bay, Canopy Lighting Wholesale Prices - UL and DLC

Part No	Picture	Description	Price(usd/pcs)
ECO-FLA100W		Input: AC100-240V/277V 50-60HZ Power: 100W Color temperature:2800K-3200K / 4000-4500K / 5500-6500K Flux: $\geq 10000\text{lm}$ CRI: ≥ 80 Beam Angle:105° IP Grade: IP65	\$230.00
ECO-FLA150W		Input: AC100-240V/277V 50-60HZ Power: 150W Color temperature:2800K-3200K / 4000-4500K / 5500-6500K Flux: $\geq 15000\text{lm}$ CRI: ≥ 80 Beam Angle:105° IP Grade: IP65	\$315.00
ECO-FLA200W		Input: AC100-240V/277V 50-60HZ Power: 200W Color temperature:2800K-3200K / 4000-4500K / 5500-6500K Flux: $\geq 20000\text{lm}$ CRI: ≥ 80 Beam Angle:105° IP Grade: IP65	\$401.67
ECO-FLA480W		Input: AC100-240V/277V 50-60HZ Power: 480W Color temperature:2800K-3200K / 4000-4500K / 5500-6500K Flux: $\geq 40800\text{lm}$ CRI: ≥ 80 Beam Angle:X:30° -Y:90°;X:60°-Y:90° IP Grade: IP65	\$1,108.33
ECO-FLA960W		Input: AC100-240V/277V 50-60HZ Power: 960W Color temperature:2800K-3200K / 4000-4500K / 5500-6500K Flux: $\geq 81600\text{lm}$ CRI: ≥ 80 Beam Angle:X:10°-Y:90°;X:50°-Y:90° IP Grade: IP65	\$2,246.15
ECO-SPA240W		Input: AC100-240V/277V 50-60HZ Power: 240W Color temperature:2800K-3200K / 4000-4500K / 5500-6500K Flux: $\geq 20000\text{lm}$ CRI: ≥ 75 Beam Angle:5°,10°,20°,30°,60° IP Grade: IP65	\$593.33
ECO-SPA480W		Input: AC100-240V/277V 50-60HZ Power: 480W Color temperature:2800K-3200K / 4000-4500K / 5500-6500K Flux: $\geq 40000\text{lm}$ CRI: ≥ 75 Beam Angle:5°,10°,20°,30°,60° IP Grade: IP65	\$1,266.67

LED Flood, High Bay, Canopy Lighting Wholesale Prices - UL and DLC

Part No	Picture	Description	Price(usd/pcs)
ECO-HBA100W		Input: AC100-240V/277V 50-60HZ Power: 100W Color temperature:2800K-3200K / 4000-4500K / 5500-6500K Flux: $\geq 10000\text{lm}$ CRI: ≥ 80 Beam Angle:25°,45°,60°,90°,120° IP Grade: IP65	\$208.33
ECO-HBA150W		Input: AC100-240V/277V 50-60HZ Power: 150W Color temperature:2800K-3200K / 4000-4500K / 5500-6500K Flux: $\geq 15000\text{lm}$ CRI: ≥ 80 Beam Angle:25°,45°,60°,90°,120° IP Grade: IP65	\$260.00
ECO-HBA200W		Input: AC100-240V/277V 50-60HZ Power: 200W Color temperature:2800K-3200K / 4000-4500K / 5500-6500K Flux: $\geq 20000\text{lm}$ CRI: ≥ 80 Beam Angle:25°,45°,60°,90°,120° IP Grade: IP65	\$313.33
ECO-CPA100W		Input: AC100-240V/277V 50-60HZ Power: 100W Color temperature:2800K-3200K / 4000-4500K / 5500-6500K Flux: $\geq 10000\text{lm}$ CRI: ≥ 75 Beam Angle:90° IP Grade: IP65	\$320.00
ECO-CPA140W		Input: AC100-240V/277V 50-60HZ Power: 140W Color temperature:2800K-3200K / 4000-4500K / 5500-6500K Flux: $\geq 12600\text{lm}$ CRI: ≥ 75 Beam Angle:90° IP Grade: IP65	\$356.67

UL and DLC approved.

Detailed Specs, IES file, Testing Report, Installation Instructions, Dialux Simulation - Available.

Dimming Driver: Available.

Warranty : 5 years

LED High Bay Lighting - DLC - 3 Styles - Wholesale Prices

Picture	Luminaire model	Power(w)	Wholesale Price	Wholesale Price	Wholesale Price
   			1<Qty<20	20<Qty<200	Qty>200

LED High/Low Bay Lighting

 	ECO-HB11A-100	100	US\$278.04	US\$262.30	US\$247.45
	ECO-HB11A-120	120	US\$282.44	US\$266.45	US\$251.37
If the half clear PMMA cover is needed,the price will be USD30 higher					
	ECO-HB12A-150	150	US\$341.93	US\$322.57	US\$304.31
	ECO-HB12A-180	180	US\$363.52	US\$342.94	US\$323.53
 	If the half clear PMMA cover is needed,the price will be USD40 higher				
	ECO-HB13A-200	200	US\$427.41	US\$403.22	US\$380.39
	ECO-HB13A-230	230	US\$436.22	US\$411.53	US\$388.24
If the half clear PMMA cover is needed,the price will be USD50 higher					
	ECO-HB21A-60	60	US\$240.58	US\$226.96	US\$214.12
	ECO-HB21A-80	80	US\$257.77	US\$243.18	US\$229.41
	ECO-HB22A-100	100	US\$317.69	US\$299.71	US\$282.75
	ECO-HB22A-120	120	US\$335.32	US\$316.34	US\$298.43
	ECO-HB23A-150	150	US\$357.35	US\$337.12	US\$318.04
	ECO-HB23A-200	200	US\$424.72	US\$400.68	US\$378.00
 	ECO-HB31A-80	80	US\$395.98	US\$373.56	US\$352.42
	ECO-HB31A-100	100	US\$399.94	US\$377.30	US\$355.95
	ECO-HB31A-120	120	US\$440.97	US\$417.34	US\$393.72
	ECO-HB32A-150	150	US\$521.41	US\$491.90	US\$464.05
	ECO-HB32A-180	180	US\$605.38	US\$572.95	US\$540.52
	ECO-HB33A-200	200	US\$644.64	US\$608.15	US\$573.73
	ECO-HB33A-220	220	US\$702.44	US\$664.81	US\$627.18
	ECO-HB34A-300	300	US\$962.17	US\$910.62	US\$859.08
	ECO-HB34A-360	360	US\$1,028.05	US\$972.97	US\$917.90
	ECO-HB35A-400	400	US\$1,212.90	US\$1,144.25	US\$1,079.48
	ECO-HB35A-450	450	US\$1,415.74	US\$1,335.60	US\$1,260.00

(1)Freight is additional.

(2)Terms: Prepaid





(3)Warranty: 5 years

LED Shoe Box - DLC Listed - Wholesale Prices

Picture	Luminaire model	Power(w)	Wholesale Price
   			
 	ECO-SB11A-60	60	US\$317.52
	ECO-SB11A-80	80	US\$328.72
	ECO-SB11A-100	100	US\$361.50
	ECO-SB11A-120	120	US\$379.98
	ECO-SB11A-150	150	US\$429.10
 	ECO-SB12A-180	180	US\$576.28
	ECO-SB12A-230	230	US\$610.75
	ECO-SB12A-300	300	US\$724.55
 	ECO-SB01A-80	80	US\$268.28
	ECO-SB01A-100	100	US\$283.30
 	ECO-SB01C-120	120	US\$326.12
	ECO-SB01C-150	150	US\$378.25
	ECO-SB01C-180	180	US\$454.65
 	ECO-SB05A-40	40	US\$159.17
	ECO-SB05A-60	60	US\$206.22
	ECO-SB05A-80	80	US\$215.85
 	ECO-SB06A-240	240	US\$550.95
	ECO-SB06A-300	300	US\$651.53
	ECO-SB06A-380	380	US\$800.07
	ECO-SB06A-450	450	US\$956.35
 	ECO-SB09C-100	100	US\$333.22
	ECO-SB09C-120	120	US\$358.47
	ECO-SB09C-150	150	US\$396.40
	ECO-SB09C-180	180	US\$465.52

Freight is additional

LED Wall Pack, Canopy Light, Shoe Box - DLC Listed - 10 Year Warranty

Type	Picture	Wattage	CCT	LUMEN(5000K)	Certificate	WHL Price (EA)
ECO-WPA White/Black/Dark Brown		36W	4000K-6700K	3600lm	UL/CUL DLC Listed	\$150.00
		60W		6000lm		\$238.00
		100W		10000lm		\$310.00
ECO-CNL-60005 White/Black/Dark Brown		60w	4000K-6700K	6000lm	UL/CUL DLC Listed	\$196.00
		100w		10000lm		\$290.00
		120w		12000lm		\$310.00
		150w		15000lm		\$370.00
ECO-SHB White/Black/Dark Brown		60W	4000K-6700K	6000lm	UL/CUL DLC Pending	\$262.00
		80W		8000lm		\$308.00
		100W		10000lm		\$372.00
		120W		12000lm		\$378.00
ECO-SHB-A White/Black/Dark Brown		150w	4000K-6700K	15000lm	UL/CUL DLC Listed	\$390.00
		300w		30000lm		\$591.67
		450w		45000lm		\$846.15

SERVICE TERMS:

1. Freight is additional
2. Warranty:10 years replacement for defective item.
3. Lead Time:3-5 days for samples,10-20 days for official order
4. Indicate color and wattage with model number when ordering (ECO-WPA-DarkBrown-60W, e.g.)

LED HIGH MAST LIGHT FIXTURES - 240W / 300W / 450W / 600W / 900W - DLC

Features:

- 1) Private Tooling+ Nichia Chips+ Meanwell Driver
- 2) High Wattage to 900w, Integrated Design, Easy Maintenance
- 3) System efficacy up to 110lm/W
- 4) Accurate 30*30/60*90degree Beam Angle
- 5) 1-10V dimming, PLC System, Microwave motion sensor available.
- 6) **5 year warranty**
- 7) ISO9001 & ISO14001 Qualified
- 8) Since 2002. Products including: LED Display, LED Lighting, LED Traffic display

Certificates & Files:

LEDs: LM80 TM-21
 Fixtures: ETL, DLC, PSE, CE
 IES files, Specifications, Cut Sheets, Photos available.



Applications:

Indoor and Outdoor High Mounting Applications
 Applicable For Gyms, Ports, Highways, Rail yards, Container Yards,
 Parking Areas, Security Lighting, & Sports Lighting.
 IP65 Rating. Working Temperature:-40~ +50°C



240W / 300W




450W / 600W



900W



30*30



60*90

Beam Angles

Wholesale Prices



AC 100-277V 50/60HZ

Model	Power (Watt)	Lumen (LM)	Beam Angle	LEDs/ Driver Brand	Materials	Certificates	Fixture Dimension (mm)/ Weight(KG)	EXW Unit Price(USD)	
								≤100pcs	101 to 500pcs
ECO-PO-240(IN)	240	21,600	30*30/ 60*90 Deg Optional	Nichia/Cree Chips /Meanwell HLG Driver	ALU Alloy+PC Lens	ETL, CE	438*360*113 /7.6KG	US\$631.67	US\$598.33
ECO-PO-300(IN)	300	33,000					438*360*113 /7.6KG	US\$665.00	US\$621.67
ECO-PO-450(IN)	450	40,500					620*460*113 /16.5KG	US\$931.67	US\$875.00
ECO-PO-600(IN)	600	66,000					620*460*113 /16.5KG	US\$1,430.00	US\$1,296.67
ECO-PO-900(IN)	900	103,500					680*680*113 /24.5KG	US\$2,658.33	US\$2,236.67

Notes for products:

- 1). **5 Years Warranty at Factory for the whole Lamp.**
- 2). Nichia Chips + Meanwell Driver. Standard 0.3M Power Cable.
- 3). Power Input: AC 100-277V, 50/60HZ. AC 347V-480V Available
- 4). Standard CRI: 70RA (80Ra optional)
- 5). Standard CCT: 4500-5500K, (3000K-6000K optional)
- 6). PLC Control System, 1-10V Dimming, Available.
- 6). Freight is additional.

LED HIGH POWER FLOOD LIGHTS - WHOLESALE PRICES

Photo	Model	Power	Voltage	Lumens	LED Driver	LED Chip	Beam Angle	Product Size(mm) L x W x H	Price (USD ex-work)			Certificate	
									<100pcs	>100pcs	>1000pcs		
	ECO-FLHB-100WAN-YYK	100W	100-277VAC	110-120lm/w	Inventronics	Philips	25/60/90/100°	367*367*410	\$200.98	\$209.35	\$200.98	ETL cETL	
	ECO-FLHB-150WAN-YYK	150W		110-120lm/w	Inventronics	Philips	25/60/90/100°	367*367*410	\$207.58	\$216.23	\$207.58	ETL cETL	
	ECO-FLHB-200WAN-YYK	200W		110-120lm/w	Inventronics	Philips	25/60/90/100°	367*367*410	\$233.72	\$243.46	\$233.72	ETL cETL	
	ECO-FLHB-300WAN-YYK	300W		110-120lm/w	Inventronics	CREE	25/60/90/100°	367*367*410	\$411.42	\$395.60	\$379.77	ETL cETL	DLC
	ECO-FLHB-400WAN-YYK	400W		110-120lm/w	Inventronics	CREE	25/60/90/100°	367*367*448	\$505.29	\$485.86	\$466.43	ETL cETL	DLC
	ECO-FLHB-500WAN-YYK	500W		110-120lm/w	Inventronics	CREE	25/60/90/100°	367*367*449	\$537.24	\$516.58	\$495.92	ETL cETL	DLC
	ECO-FLHB-600WAN-YYK	600W		110-120lm/w	Inventronics	CREE	X30° Y90° X60° Y90°	439*419*337	\$1,029.95	\$990.34	\$950.72	ETL cETL	
	ECO-FLHB-800WAN-YYK	800W		110-120lm/w	Inventronics	CREE	X10° Y90° X50° Y90°	534*436*602	\$1,815.17	\$1,745.36	\$1,675.54	ETL cETL	
	ECO-FLHB-1000WAN-YYK	1000W		110-120lm/w	Inventronics	CREE	X10° Y90° X50° Y90°	534*436*497	\$2,161.61	\$2,084.88	\$2,006.15	ETL cETL	
	ECO-FLHB-100WAN-HV-YYK	100W	347-480VAC	110-120lm/w	Inventronics	Philips	25/60/90/100°	367*367*410	\$221.87	\$213.33	\$204.80	ETL cETL	
	ECO-FLHB-150WAN-HV-YYK	150W		110-120lm/w	Inventronics	Philips	25/60/90/100°	367*367*410	\$233.80	\$224.80	\$215.81	ETL cETL	
	ECO-FLHB-200WAN-HV-YYK	200W		110-120lm/w	Inventronics	Philips	25/60/90/100°	367*367*410	\$243.00	\$233.65	\$224.31	ETL cETL	
	ECO-FLHB-300WAN-HV-YYK	300W		110-120lm/w	Inventronics	CREE	25/60/90/100°	367*367*410	\$457.62	\$440.02	\$422.42	ETL cETL	DLC
	ECO-FLHB-400WAN-HV-YYK	400W		110-120lm/w	Inventronics	CREE	25/60/90/100°	367*367*448	\$586.23	\$563.68	\$541.13	ETL cETL	DLC
	ECO-FLHB-500WAN-HV-YYK	500W		110-120lm/w	Inventronics	CREE	25/60/90/100°	367*367*449	\$618.17	\$594.40	\$570.62	ETL cETL	DLC
	ECO-FLHB-600WAN-HV-YYK	600W		110-120lm/w	Inventronics	CREE	X30° Y90° X60° Y90°	439*419*337	\$1,125.54	\$1,082.25	\$1,038.96	ETL cETL	
	ECO-FLHB-800WAN-HV-YYK	800W		110-120lm/w	Inventronics	CREE	X10° Y90° X50° Y90°	534*436*602	\$1,977.03	\$1,900.99	\$1,824.95	ETL cETL	
	ECO-FLHB-1000WAN-HV-YYK	1000W		110-120lm/w	Inventronics	CREE	X10° Y90° X50° Y90°	534*436*497	\$2,330.95	\$2,247.71	\$2,164.46	ETL cETL	

- The prices are EXW price, if order amount above \$100,000, EXW = FOB Shenzhen, quotation valid 30 days
- ETL CCT: 3000-6500K; DLC CCT: 3000K 4000K 5000K 5700K / Surge protection: 10KV
- Payment term: Prepaid / Warranty: 5 years after delivery date.



LED Canopy Lights - Flush Mount - Wholesale Prices

Picture	Luminaire model	Power / Lumens	<100pcs	>100pcs <300pcs	> 300pcs
	ECO-CP01A-40	40 / 4400	US\$182.42	US\$172.65	US\$162.88
	ECO-CP01A-60	60 / 6600	US\$212.58	US\$201.19	US\$189.80
	ECO-CP01A-80	80 / 8800	US\$243.22	US\$230.19	US\$217.16
	ECO-CP01A-100	100 / 11000	US\$298.59	US\$282.60	US\$266.60
	ECO-CP01B-40	40 / 4400	US\$260.16	US\$246.22	US\$232.29
	ECO-CP01B-60	60 / 6600	US\$263.97	US\$249.83	US\$235.69
	ECO-CP03A-40	40 / 4400	US\$182.42	US\$172.65	US\$162.88
	ECO-CP03A-60	60 / 6600	US\$212.58	US\$201.19	US\$189.80
	ECO-CP03A-80	80 / 8800	US\$243.22	US\$230.19	US\$217.16
	ECO-CP03A-100	100 / 11000	US\$298.59	US\$282.60	US\$266.60
	ECO-CP03B-40	40 / 4400	US\$182.42	US\$172.65	US\$162.88
	ECO-CP03B-60	60 / 6600	US\$212.58	US\$201.19	US\$189.80
	ECO-CP03B-80	80 / 8800	US\$243.22	US\$230.19	US\$217.16
	ECO-CP03B-100	100 / 11000	US\$298.59	US\$282.60	US\$266.60
	ECO-CP03C-60	60 / 6600	US\$260.67	US\$246.71	US\$232.75
	ECO-CP03C-75	75 / 8250	US\$299.22	US\$283.19	US\$267.16

(1)UL listed driver, CREE U.S. made LEDs

(2)Freight is additional (quoted)


(3)Warranty: 5 years

LED Emergency Lights - Wholesale Prices

Model No.	Product Picture	Wholesale Price USD	Desc.
ECO-1038-01		\$34.00	POWER CONSUMPTINON: 2*0.75w (90LM) LIGHT SOURCE: 2*0.5w high power LED MATERIAL: cold rolled steel sheet NET WEIGHT: 1.4KG LIGHT SIZE: 270*80*300mm LAMP HOUSING: white INNER BOX SIZE: 283*267*78mm EXPORT CARTON: 30*48*62cm packing: 10boxes/carton
ECO-1038-02		\$38.00	POWER CONSUMPTINON: 2*1w(120LM) LIGHT SOURCE: 2*1w high power LED MATERIAL: cold rolled steel sheet NET WEIGHT: 1.4KG LIGHT SIZE: 270*75*280mm LAMP HOUSING: white INNER BOX SIZE: 270*85*310mm EXPORT CARTON: 50.5*30*63cm packing: 10boxes/carton
ECO-1038-03		\$40.00	POWER CONSUMPTINON: 2*2w(130LM) LIGHT SOURCE: 2*1w high power LED MATERIAL: cold rolled steel sheet NET WEIGHT: 1.4KG LIGHT SIZE: 270*75*310mm LAMP HOUSING: white INNER BOX SIZE: 283*267*78mm EXPORT CARTON: 50.5*30*63cm packing: 10boxes/carton
ECO-1038-04		\$42.00	POWER CONSUMPTINON: 2*1w(130ML) LIGHT SOURCE: 2*1W MATERIAL: matel PLASTIC NET WEIGHT: 1.4KG LIGHT SIZE: 270*80*300MM LAMP HOUSING: white INNER BOX SIZE: 283*267*78mm EXPORT CARTON: 30*48*62cm 10 boxes / carton
ECO-1038-05		\$42.00	POWER CONSUMPTINON: 2*1w(130ML) LIGHT SOURCE: 2*1W MATERIAL: matel PLASTIC NET WEIGHT: 1.4KG LIGHT SIZE: 270*80*300MM LAMP HOUSING: white INNER BOX SIZE: 283*267*78mm EXPORT CARTON: 30*48*62cm 10 boxes / carton
ECO-1038-06		\$40.00	POWER CONSUMPTINON: 2*2w(130ML) LIGHT SOURCE: 2*2W MATERIAL: PLASTIC NET WEIGHT: 1.4KG LIGHT SIZE: 278*281*73mm LAMP HOUSING: white INNER BOX SIZE: 283*303*90mm EXPORT CARTON: 30*48*62cm 10 boxes / carton

Freight is added. Terms: Prepaid. Production time: 20 days. Certificate: CE, ROHS. Plug: American. Warranty: 2 Years. Protection: IP 30. Full charge: 20 Hours. Working time: 3 hours (8 hours for 1038-01). Installation: Wall hang. Battery: Dry battery 3.6V 3000MAH. Input Voltage: 95-265V 50/60HZ.

LED Exit Signs - Wholesale Prices

Model No.	Product Picture	Wholesale Price	Specs (All Exit Signs)
ECO-2340-00		\$50.00	
ECO-2340-01		\$35.00	
ECO-2340-02		\$36.67	
ECO-2340-03		\$30.00	Light source: 6 LED / Battery type:NI-CD1.2V600MAH / Switching time : 0.1s / Bulb power: 3W / Recharge time: 20hours / Light distance: 20M / Materials: aluminum + glass (aluminum +acrylic for model ECO-2340-00) / Rated voltage: 180V-245V, 50/60hz / Illumination time:180 minutes / Two year warranty / Freight is additional / Production time: 15 to 20 days / CE, ROHS
ECO-2340-04		\$33.33	
ECO-2340-05		\$30.00	
ECO-2340-06		\$28.33	

Tri-Proof LED Fixture (UL for all 4 models, DLC for 30w,70w and 80w)



Photo	Model Number	Color K	LED Type	LED Qty. pcs	Dimension L*W (mm)	Power W	Beam Angle degree	Unit Price (US\$)
								1-1000 pcs
	ECO-TP-030-AW-W-02	5500-7000	2835	252	603*106	30W	230	\$89.20
	ECO-TP-030-AW-NW-02	4000-4500						
	ECO-TP-030-AW-WW-02	2700-3200						
	ECO-TP-055-AW-W-02	5500-7000	2835	420	1003*105	55W	230	\$159.20
	ECO-TP-055-AW-NW-02	4000-4500						
	ECO-TP-055-AW-WW-02	2700-3200						
	ECO-TP-070-AW-W-02	5500-7000	2835	480	1203*105	70W	230	\$183.20
	ECO-TP-070-AW-NW-02	4000-4500						
	ECO-TP-070-AW-WW-02	2700-3200						
	ECO-TP-080-AW-W-02	5500-7000	2835	600	1503*105	80W	230	\$217.40
	ECO-TP-080-AW-NW-02	4000-4500						
	ECO-TP-080-AW-WW-02	2700-3200						

Tri-proof LED lamp



	ECO-TP-010-AW-W-02	5500-6500k	2835	48	612*40	10	120	\$30.80
	ECO-TP-010-AW-NW-02	4000-4500k						
	ECO-TP-010-AW-WW-02	2700-3200k						
	ECO-TP-020-AW-W-02	5500-6500K	2835	96	1212*40	20	120	\$43.00
	ECO-TP-020-AW-NW-02	4000-4500K						
	ECO-TP-020-AW-WW-02	2700-3200K						
	ECO-TP-025-AW-W-02	5500-6500K	2835	120	1512*40	25	120	\$54.00
	ECO-TP-025-AW-NW-02	4000-4500K						
	ECO-TP-025-AW-WW-02	2700-3200K						

Tri-Proof LED Fixture



	ECO-TP-020-AW-W-01	5500-6500K	2835	120	600*80	20	129	\$59.60
	ECO-TP-020-AW-NW-01	4000-4500K						
	ECO-TP-020-AW-WW-01	2700-3200K						
	ECO-TP-040-AW-W-01	5500-6500K	2835	240	1200*80	40	129	\$107.00
	ECO-TP-040-AW-NW-01	4000-4500K						
	ECO-TP-040-AW-WW-01	2700-3200K						
	ECO-TP-050-AW-W-01	5500-6500K	2836	300	1500*50	50	129	\$120.20
	ECO-TP-050-AW-NW-01	4000-4500K						
	ECO-TP-050-AW-WW-01	2700-3200K						
	695-05-0006-060	Accessory for 3P lamp,Sling for suspended installation,1.5m long, 2pcs						\$12.00

Freight is additional. All units operate at 100-277V.

Great Features:

- 1) IP65
- 2) 5 Years warranty
- 3) Patent product, Intellectual property right protection.
- 4) High performance SMD design
- 5) Lumen Efficiency of Lamp Fixture up to 120Lm/w.
- 6) Multiple installations: hook/bracket/wall mounting
- 7) High Quality Aluminium Body, Great heat sink design
- 8) Philips Lumileds Luxeon 3030 LED and Meanwell driver.
- 9) Value added function, such as 1-10V, Dali, Microwave motion sensor and ZigBee control.



IP65 LED Flood / Stadium / Sports Light - Wholesale Prices

Internal Model No.	Dimension (mm)	Beam Angle	Power (W)	Driver Brand	LED Brand	Luminous Flux (Lm)	Color Temperature	Lifespan	Unit Price (FOB)	Package (mm)
ECO-SN-FL-060	366x327x90	15*15 30*30 40*40 60*60 60*135 85*135	60	90-305VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	7200	4000K-7000K	50000H	\$188.47	430x370x180
ECO-SN-FL-080	366x387x91		80	180-295VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	9600	4000K-7000K	50000H	\$220.18	450x425x180
ECO-SN-FL-100	366x387x91		100	180-295VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	12000	4000K-7000K	50000H	\$223.33	450x425x180
ECO-SN-FL-150	366x507x91		150	180-295VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	18000	4000K-7000K	50000H	\$300.00	525x425x180
ECO-SN-FL-200	366x507x91		200	90-305VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	24000	4000K-7000K	50000H	\$371.17	525x425x180
ECO-SN-FL-250	366x545x91		250	180-295VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	30000	4000K-7000K	50000H	\$441.67	570x450x180
ECO-SN-FL-300	606x507x117		300	180-295VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	36000	4000K-7000K	50000H	\$618.33	640x540x250
ECO-SN-FL-350	606x507x117		350	90-305VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	42000	4000K-7000K	50000H	\$741.67	640x540x250
ECO-SN-FL-400	606x545x117		400	90-305VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	48000	4000K-7000K	50000H	\$808.33	695x725x230
ECO-SN-FL-500	606x811x117		500	90-305VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	60000	4000K-7000K	50000H	\$1,076.67	606x811x369
ECO-SN-FL-600	606x811x117		600	90-305VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	70500	4000K-7000K	50000H	\$1,230.87	606x811x369
ECO-SN-FL-600S	764x624x170		600	90-305VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	70500	4000K-7000K	50000H	\$1,230.87	750x870x270
ECO-SN-FL-800	764x743x170		800	90-305VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	92000	4000K-7000K	50000H	\$2,322.02	860x870x270
ECO-SN-FL-1000	764x833x170		1000	90-305VAC MEANWELL	Philips Lumileds (LUXEON Rebel)	116000	4000K-7000K	50000H	\$2,873.53	942x870x265

Freight is additional

LED 360W RGB Spotlight with Moving Head - Wholesale Price / Specs

Product Description
Specifications Input Voltage: AC110-240V 50-60Hz
LED Quantities: 36pcs 10W 4 in 1 RGBW or RGBA LEDs
Control Signal: DMX512, master-slave and sound activated or auto operation
Control Channel: 14 DMX Channels
Power Consumption: 360W/ 380W(max)
Size: 350x260x350mm
Packing size: 395x320x460mm
Net Weight: 9kgs
Gross Weight: 11kgs
DMX Channels: 14CH
Control mode: DMX512, master-slave and sound activated controllable or auto operation
36PCS 10W RGBW high power LEDs
50,000 hours lifespan and low power consumption, 3 year warranty
Blue background LCD display
8 bit smooth and 16 Bit precise resolution for PAN/TILT movement
540°/630° pan and 265° tilt movement
10 degrees to 60 degrees zoom
Scan position memory, auto reposition after unexpected movement
RGBWcolor mixing system
LED shutter
LED dimming
LED rainbow effect
Macros effect
Strobe effect with 18 flashes per second and pulse effect
DIM4 technology(4096 step linearity dimmer)
Wholesale price: \$1486.00 ea.



LED WALL WASHER FIXTURES - WHOLESALE PRICES

	PART #	Description	WHL
	WW18H1T0058U15	X18LT LED Wall Washer, 18LEDs, 120VAC, RGB, 15°, L580*W130*H82 mm US Plug, Family Model #: HWW-X018T-058070-H1, UL,CE, RoHS Certified	\$220.00
	WW36H1T0124U15	X36LT LED Wall Washer, 36LEDs, 120VAC, RGB, 15°, L1240*W130*H82 mm US Plug, Family Model #: HWW-X036T-124070-H1, UL,CE, RoHS Certified	\$345.00
	WW30H1T0100U30	X30T LED Wall Washer, IP65, 30LEDs, 120VAC, RGB, 30°, L1000*W76*H163 mm US Plug, Family Model #: HWW-X030T-10015Z-H1	\$326.67
	WW36H1T0038U15	X36T LED Wall Washer, 36LEDs, 120VAC, RGB, 15°, L333*W147*H210 mm US Plug, Family Model #: HWW-X036T-038070-H1, UL,CE, RoHS Certified	\$310.00
	WW72H1T0065U15	X72T LED Wall Washer, 72LEDs, 120VAC, RGB, 15°, L636*W150*H172 mm US Plug, Family Model #: WW72, UL,CE, RoHS Certified	\$615.00
	HCD-SL500-000000-0U	DynColor 500-SL RGB DMX Controller, USB Connection, CE, RoHS Certified	\$675.00

UL Listed. Freight is additional. 1 Year Warranty. Detailed specifications available.






LED LINEAR LINKABLE FIXTURES - WHOLESALE PRICES

Item	Picture	Description			Price(USD)
DG06A		Dimension: L(30cm),W(50cm),H(48cm)	Power: 10W		\$31.00
		Housing Material: Die casting Aluminium	LED Type: SMD		
		Dimming: Non-Dim	PF >0.9		
		Color Temperature: 2700K-5500K	Voltage: 120-277VAC		
		Beam Angle: 120°	Package 30pcs/CTN		
		Luminous Flux: 950-1000lm	Weight per carton 14KGs		
		CRI: >80	Operation Temp: '-30℃~+45℃		
		Efficacy: 100lm/W			
DG06C		Dimension: L(60cm),W(50cm),H(48cm)	Power: 20w		\$47.00
		Housing Material: Die casting Aluminium	LED Type: SMD		
		Dimming: Non-Dim	PF >0.9		
		Color Temperature: 2700K-5500K	Voltage: 120-277VAC		
		Beam Angle: 120°	Package 20pcs/CTN		
		Luminous Flux: 1900-2100lm	Weight per carton 15KGs		
		CRI: >80	Operation Temp: '-30℃~+45℃		
		Efficacy: 100lm/W			
DG06E		Dimension: L(120cm),W(50cm),H(48cm)	Power: 35W		\$77.20
		Housing Material: Die casting Aluminium	LED Type: SMD		
		Dimming: Non-Dim	PF >0.9		
		Color Temperature: 2700K-5500K	Voltage: 120-277VAC		
		Beam Angle: 120°	Package 10pcs/CTN		
		Luminous Flux: 3400-3900lm	Weight per carton 13KGs		
		CRI: >80	Operation Temp: '-30℃~+45℃		
		Efficacy: 100lm/W			
DG06E		Dimension: L(120cm),W(50cm),H(48cm)	Power: 45W		\$84.60
		Housing Material: Die casting Aluminium	LED Type: SMD		
		Dimming: Non-Dim	PF >0.9		
		Color Temperature: 2700K-5500K	Voltage: 120-277VAC		
		Beam Angle: 120°	Package 10pcs/CTN		
		Luminous Flux: 4050-4600lm	Weight per carton 13KGs		
		CRI: >80	Operation Temp: '-30℃~+45℃		
		Efficacy: 100lm/W			
DG06F		Dimension: L(150cm),W(50cm),H(48cm)	Power: 45W		\$102.40
		Housing Material: Die casting Aluminium	LED Type: SMD		
		Dimming: Non-Dim	PF >0.9		
		Color Temperature: 2700K-5500K	Voltage: 120-277VAC		
		Beam Angle: 120°	Package 10pcs/CTN		
		Luminous Flux: 4050-4600lm	Weight per carton 16KGs		
		CRI: >80	Operation Temp: '-30℃~+45℃		
		Efficacy: 100lm/W			
DG06F		Dimension: L(150cm),W(50cm),H(48cm)	Power: 55W		\$111.20
		Housing Material: Die casting Aluminium	LED Type: SMD		
		Dimming: Non-Dim	PF >0.9		
		Color Temperature: 2700K-5500K	Voltage: 120-277VAC		
		Beam Angle: 120°	Package 10pcs/CTN		
		Luminous Flux: 4650-5600lm	Weight per carton 16KGs		
		CRI: >80	Operation Temp: '-30℃~+45℃		
		Efficacy: 100lm/W			
Part A		Input Wire			\$2.80
Part B		Connection Wire			\$2.40
Part C		Accessories for suspended function			\$2.00
Part D		Accessories for surface mounting function			\$2.80

Remark:
 1. Freight is additional.
 2. 3 Year Warranty.
 3. ETL, CETL, FCC Listed

Example Photos:



LED NEON FLEX - Domed Shape



UV proof



Dimmable



IP65



270 °



In/outdoor

Item No.	Color	Light source	LED QTY	Size	Power	IP Grade	Cutting intervals	Volt.	Price (USD/Meter)	
									QTY < 50m	QTY ≥ 50m
ECO-NF-120V-R	red	2835 SMD	84LED/M	13.5x27mm	9W/M	IP65	0.429m	120V	18.67	16.56
ECO-NF-120V-Y	yellow									
ECO-NF-120V-GY	golden yellow									
ECO-NF-120V-G	green									
ECO-NF-120V-B	blue									
ECO-NF-120V-IB	ice blue									
ECO-NF-120V-W	cool white									
ECO-NF-120V-NW	natural white									
ECO-NF-120V-WW	warm white									
ECO-NF-120V-P	pink-purple									
ECO-NF-24V-R	red	2835 SMD	84LED/M	13.5x27mm	9W/M	IP65	0.143M	24V	19.89	17.56
ECO-NF-24V-Y	yellow									
ECO-NF-24V-GY	golden yellow									
ECO-NF-24V-G	green									
ECO-NF-24V-B	blue									
ECO-NF-24V-IB	ice blue									
ECO-NF-24V-W	cool white									
ECO-NF-24V-NW	natural white									
ECO-NF-24V-WW	warm white									
ECO-NF-24V-P	pink-purple									
ECO-RGB-NF-24V	RGB	5050 SMD	72LED/M	13.5x27mm	14.4W/M	IP65	0.168M	24V	37.33	34.22
ECO-NF-12V-R	red	2835 SMD	84LED/M	13.5x27mm	9W/M	IP65	0.072M	12V	21.56	20.56
ECO-NF-12V-Y	yellow									
ECO-NF-12V-GY	golden yellow									
ECO-NF-12V-G	green									
ECO-NF-12V-B	blue									
ECO-NF-12V-IB	ice blue									
ECO-NF-12V-W	cool white									
ECO-NF-12V-NW	natural white									
ECO-NF-12V-WW	warm white									
ECO-NF-12V-P	pink-purple									

Freight is additional. MOQ: 10M Roll

Conducting wire : Pure copper @ 0.75m² measure


Light source : 2835 SMD LED (0.2W/LED) - super bright

Eco-friendly PVC materials added with UV-resistant materials, and with PVC heat / cool stabilizer.

High bright NEON lighting effect, uniform light, no dots, no dark points

With 17mm dome luminous surface, 270 ° viewing angle












Cutttable & Bendable, Waterproof IP65, 2 Year Warranty








Colors



Accessories - Dome Shaped LED Neon Flex

Item No.	Description	QTY		Unit Price	Picture
ECO-NF-PCC-240V	Power cable in 1.22m , EUROPE PLUG, AC to DC convertor incl. (240V use)	1	pc	\$4.00	
ECO-NF-PCC-120V	Power cable in 1.22m , USA PLUG, AC to DC convertor incl. (120V use)	1	pc	\$4.00	
ECO-NF-PC-24V/12V	Power cable in 0.75m(for 24V/12V use)	1	pc	\$3.00	
ECO-NF-EXT-C	Extension Cable in 0.75m with connectors on both ends (to connect 2 sections of led neon flex)	1	pc	\$3.20	
ECO-NF-FP	Front Pin (Power pin) for power cables or extension cables	1	pc	\$0.40	
ECO-NF-SP	Splice Pin (Joint pin) to connect 2 sections of led neon flex	1	pc	\$0.40	
ECO-NF-EC	End Cap for covering the end	1	pc	\$0.40	
ECO-NF-PVCTUBE	Heat-Shrink tube in Ø28x60mm for joints use	1	pc	\$0.16	
ECO-NF-CL	Aluminum Mounting Clip for installation; 5cm/pc	1	pc	\$0.60	
ECO-NF-CH-AL	Aluminum Channel for installation; 1m/pc	1	m	\$3.60	
ECO-NF-SA	Mounting accessories : 1pc Screw + 1pc Expansion Anchor	1	set	\$0.10	

Accessories - Dome Shaped LED Neon Flex - RGB

ECO-RGB-NF-PC	Power cable in 0.75m to connect RGB LED neon flex and Controller	1	pc	\$3.60	
ECO-RGB-EXT-C	Extension Cord in 0.75m with connectors on both ends	1	pc	\$4.00	
ECO-RGB-NF-FP	Front Pin (Power pin) to connect power cable with RGB LED neon flex	1	pc	\$0.50	
ECO-RGB-NF-SP	Splice Pin (Joint pin) to connect two sections of RGB led neon flex	1	pc	\$0.50	
ECO-LCM3+M3	Mini RGB LED Controller and Remote, 24V, 216W, Max 3A x 3CH. 40-50M Range (Remote), 11 Modes: Static red/ green/ blue/yellow/cyan/ purple/white-RGB skipping-7 color skipping -RGB color smooth -Full color smooth	1	set	\$49.60	









RGB LED Neon Flex - 7 Color Changing Colors:











LED Flex Strip Crystal series (IP68) - Wholesale Prices

With IP68, the Crystal Series prevents the moisture and water from getting inside, and also protect the LEDs from "touching damage".

1. Crystal series : 3528 60LED/meter(DC12V/DC24V) , White PCB/Brown PCB are both available:

Picture	Item NO.	Color	Dimension	LED QTY	Voltage	Power	Water proof	Lumen	Unit price/M
			(mm)	Meter				Meter	Meter
 White PCB  Brown PCB	ECO-FL-C3528R-12/24-60-A	Red 	5000*8/10*4	60	12V/24V	4.8 watt	IP68	120	\$8.40
	ECO-FL-C3528Y-12/24-60-A	Yellow 						120	
	ECO-FL-C3528B-12/24-60-A	Blue 						150	
	ECO-FL-C3528W-12/24-60-A	Green 						240	
	ECO-FL-C3528W-12/24-60-A	white 						390	
	ECO-FL-C3528WW-12/24-60-A	Warm white 						360	












2. Crystal series : 3528 120LED/meter(DC24V) , White PCB/Brown PCB are both available:

Picture	Item NO.	Color	Dimension	LED QTY	Voltage	Power	Water proof	Lumen	Unit price/M
			(mm)	Meter				Meter	Meter
 White PCB  Brown PCB	ECO-FL-C3528R-24-120-A	Red 	5000*8/10*4	120	24	9.6 watt	IP68	240	\$12.40
	ECO-FL-C3528Y-24-120-A	Yellow 						240	
	ECO-FL-C3528B-24-120-A	Blue 						300	
	ECO-FL-C3528G-24-120-A	Green 						480	
	ECO-FL-C3528W-24-120-A	white 						780	
	ECO-FL-C3528WW-24-120-A	Warm white 						720	












3528 SMD Strip is also available for 20LED/M,30LED/M,48LED/M,78LED/M,ect.

5050 SMD Waterproof series

3. Crystal series: 5050 30LED/meter (DC12V), White PCB/ Brown PCB are both available:

Picture	Item NO.	Color	Dimension	LED QTY	Voltage	Power	Water proof	Lumen	Unit price/M
			(mm)	Meter				Meter	Meter
 White PCB	ECO-FL-C5050RGB-12-30-A	Red 	5000*12*4	30	12	7.2 watt	IP68	60	\$10.40
		Green 						120	
		Blue 						75	
 Brown PCB	ECO-FL-C5050R-12-30-A	Red 	5000*12*4	30	12	7.2 watt	IP68	180	\$10.40
	ECO-FL-C5050Y-12-30-A	Yellow 						360	
	ECO-FL-C5050B-12-30-A	Blue 						225	
	ECO-FL-C5050G-12-30-A	Green 						360	
	ECO-FL-C5050W-12-30-A	white 						450-585	
	ECO-FL-C5050WW-12-30-A	Warm white 						360-540	


4. Crystal series: 5050 60LED/meter(DC12V/DC24V), White PCB/Brown PCB are both available:

Picture	Item NO.	Color	Dimension	LED QTY	Voltage	Power	Water proof	Lumen	Unit price/M
			(mm)	Meter				Meter	Meter
 White PCB	ECO-FL-C5050RGB-12/24-60-A	Red 	5000*12*4	60	12V/24V	14.4 watt	IP68	120	\$16.40
		Green 						240	
		Blue 						150	
 Brown PCB	ECO-FL-C5050R-12/24-60-A	Red 	5000*12*4	60	12V/24V	14.4 watt	IP68	360	\$16.40
	ECO-FL-C5050Y-12/24-60-A	Yellow 						720	
	ECO-FL-C5050B-12/24-60-A	Blue 						450	
	ECO-FL-C5050G-12/24-60-A	Green 						720	
	ECO-FL-C5050W-12/24-60-A	white 						900-1170	
ECO-FL-C5050WW-12/24-60-A	Warm white 	720-1080							

Controller	ECO-3800-6A	6A*3CH Max 18A 90W/216W/432W (5V/12V/24V)	Output: Constant Voltage PWM	\$104.00
-------------------	-------------	---	------------------------------	----------











LED Strip Accessories

	Standard
	Accessories are designed according to the products, easily for installation, no effects to the light sources.








Remark:




1. Freight is additional.
2. MOQ: 1 Roll (5 Meters/Roll);
3. Delivery Time: 7-10 working days, according to your quantity.

LED Grow Lights - Wholesale Prices

Item No.	Picture	Description	Price-USD		
			EXW Price		
ECO-AP 4		60pcs 3w 4 modular units red: blue, orange,white,green	1-12pcs	13-32pcs	33-52pcs
			US\$145.33	US\$138.67	US\$132.00
ECO-AP 6		90pcs 3w 6 modular units red: blue, orange,white,green	US\$212.00	US\$205.33	US\$198.67
ECO-AP 8		120pcs 3w 8 modular units red: blue, orange,white,green	US\$277.33	US\$270.67	US\$264.00
ECO-AP 10		150pcs 3w 10 modular units red: blue, orange,white,green	US\$345.33	US\$338.67	US\$332.00
ECO-AP 12		180 pcs 3w 12 modular units red: blue, orange,white,green	US\$400.00	US\$389.33	US\$378.67
ECO-AP 16		240pcs 3w 16 modular units red: blue, orange,white,green	US\$537.33	US\$526.67	US\$516.00
ECO-AP 18		270pcs 3w 18 modular units red: blue, orange,white,green	US\$597.33	US\$584.00	US\$570.67
ECO-AP 20		300pcs 3w 20 modular units red: blue, orange,white,green	US\$652.00	US\$638.67	US\$625.33
<p>Notes:</p> <p>UL Driver, 85-265V</p> <p>Custom colors - no extra charge. If add UV, price + \$5.00 usd/pcs; IR+\$4.00 usd/pcs</p> <p>Payment terms: prepaid</p> <p>Sample orders are accepted; 3yrs warranty, 50,000 hours lifetime</p> <p>Lead time: 5-15 workdays after received the payment</p>					
<p style="text-align: right;">Standard Light Color Mix (each 15 LED module)</p> <p>4pcs red 660nm 4pcs red 630m, 2pcs blue 430nm 2pcs blue 460nm 1pcs orange 610nm 1pcs white 6500k 1pcs IR 730nm</p>					

LED Lighting Emergency Backup - Wholesale Prices


Item Name	Photo	Item number	Output Wattage	Specifications	EX-work price(USD/pc)		
					<100pcs	>300pcs	>500pcs
Emergency driver of internal and non-isolated.		BLD-AM08D-950400	8W	UL Listed LED Emergency backup; Charging time :24hours Emergency time : 90 minutes Battery: High Temp Nickel-Cadmium 7-10 Year Life Expectancy Output Current and Voltage 400mA 95VDC, 8W max output power.can be adjusted from 8W ,5W ,3W ; Size :235*50*46mm ; used for Isolated internal Driver led luminaires	\$72.00	\$71.00	\$70.00
		BLD-AM08N-950400	8W	UL Listed LED Emergency backup; Charging time :24hours Emergency time : 90 minutes Battery: High Temp Nickel-Cadmium 7-10 Year Life Expectancy Output Current and Voltage 400mA 95VDC, 8W max output power.can be adjusted from 8W ,5W ,3W ; Size :235*50*46mm ; used for NON-Isolated internal Driven led luminaires	\$72.00	\$71.00	\$70.00
Emergency driver 8W max.		BLD-AM8D-480320	8W	UL Listed LED Emergency backup; Charging time :24hours Emergency time : 90 minutes Battery: High Temp Nickel-Cadmium 7-10 Year Life Expectancy Output Current and Voltage 400mA ; 25-48VDC, 8W max output power.can be adjusted from 8W ,5W ,3W ;Size:382*55*33mm; Used for external Driven Led Luminaires	\$74.00	\$73.00	\$72.00
Emergency driver 15W max.		BLD-AM15D-480600	15W	UL Listed LED Emergency backup; Charging time :24hours Emergency time : 90 minutes Battery: High Temp Nickel-Cadmium 7-10 Year Life Expectancy Output Current and Voltage 320-600mA 25V- 48VDC (Class 2) , 15W max output power.can be adjusted from 15W ,12W ,8W ;Size :382*55*33mm ;Used for external Driven Led Luminaires	\$77.00	\$76.00	\$75.00
Emergency driver 20W max.		BLD-AM20D-480800	20W	UL Listed LED Emergency backup; Charging time :24hours Emergency time : 90 minutes Battery: High Temp Nickel-Cadmium 7-10 Year Life Expectancy Output Current and Voltage 470-720MA 28V-48VDC (CLASS2) ,20W max output power ;can be adjusted from 20W ,15W ,10W ;Size:382*55*33mm; Used for external Driven Led Luminaires	\$77.00	\$76.00	\$75.00
Intelligent emergency driver (the battery is separated)		BLD-CM20D-480800	20w	UL Listed LED Emergency backup;100-277 VAC, 50/60HZ,PF>0.9, Charging time :24hours Emergency time : 90 minutes Battery:LiFePO4 Output power : 20w ,Working temperature:60 °C ,For cove lighting,troffer application etc.	\$79.00	\$78.00	\$77.00
Economic emergency driver		BLD-CM20E-480800	15w	UL Listed LED Emergency backup; Input Voltage : 100-277 VAC, 50/60HZ,PF>0.9, Charging time :24hours Emergency time : 90 minutes Battery:Li-ion Working temperature:45 °C ,Forcove lighting,troffer application and so on	\$56.00	\$55.00	\$54.00
			12W		\$53.00	\$52.00	\$51.00
			10W		\$50.00	\$49.00	\$48.00
			8W		\$39.00	\$38.00	\$37.00
			6W		\$37.00	\$36.00	\$35.00
			4W		\$33.00	\$32.00	\$31.00
Combination AC and Emergency LED Driver		BLD-DM75I-421750	10W	UL certification, Input Voltage: 100-277 VAC, 50/60HZ,AC Maximum input power:30W, Emergency output power :10W Working temperature:45 °C , Battery:Lithium,For panel light etc.	\$43.00	\$42.00	\$41.00
			12W	UL certification, Input Voltage: 100-277 VAC, 50/60HZ, AC Maximum input power:40W, emergency output power :12W ,Working temperature:45 °C , battery:Lithium,For panel light etc.	\$43.00	\$42.00	\$41.00
			15W	UL certification, Input Voltage: 100-277 VAC, 50/60HZ, AC Maximum input power:50W, emergency output power :15W ,Working temperature:45 °C , battery:Lithium,For panel light etc.	\$51.00	\$50.00	\$49.00

			18W	UL certification, Input Voltage: 100-277 VAC , 50/60HZ,AC Maximum input power:60W, emergency output power :18W ,Working temperature:45 °C , battery:Lithium ,For panel light etc.	\$59.00	\$58.00	\$57.00
			20W	UL certification, Input Voltage: 100-277 VAC , 50/60HZ,AC Maximum input power:75W, emergency output power :20W ,Working temperature:45 °C , battery:Lithium ,For panel light etc.	\$70.00	\$69.00	\$68.00
Combination AC and Emergency LED Driver With High Voltage (200-347V)	 	BLD-DM75H-421750	10W	UL certification, Input Voltage: 200-347 VAC , 50/60HZ,AC Maximum input power:30W, emergency output power :10W ,Emergency Time≥ 90Mins ,Working temperature:45 °C , battery:Lithium ,For panel light etc.	\$49.00	\$48.00	\$47.00
			12W	UL certification, Input Voltage: 200-347 VAC , 50/60HZ,AC Maximum input power:40W, emergency output power :12W ,Emergency Time≥ 90Mins ,Working temperature:45 °C , battery:Lithium ,For panel light etc.	\$49.00	\$48.00	\$47.00
			15W	UL certification, Input Voltage: 200-347 VAC , 50/60HZ,AC Maximum input power:50W, emergency output power :15W ,Emergency Time≥ 90Mins ,Working temperature:45 °C , battery:Lithium ,For panel light etc.	\$59.00	\$58.00	\$57.00
			18W	UL certification, Input Voltage: 200-347 VAC , 50/60HZ,AC Maximum input power:60W, emergency output power :18W ,Emergency Time≥ 90Mins ,Working temperature:45 °C , battery:Lithium ,For panel light etc.	\$69.00	\$68.00	\$67.00
			20W	UL certification, Input Voltage: 200-347 VAC , 50/60HZ,AC Maximum input power:75W, emergency output power :20W ,Emergency Time≥ 90Mins ,Working temperature:45 °C , battery:Lithium ,For panel light etc.	\$81.00	\$80.00	\$79.00

■ Wiring Diagram



NOTE: Take BLD-AM08D-950400 for example, When "1" and "2" turn off,the emergency power is 8 W, "1" turn off and "2" turn on, the emergency power is 5W, "1" turn on and "2" turn off, the emergency power is 3W.



1. DO NOT MATE CONNECTOR UNTIL INSTALLATION IS COMPLETE AND AC POWER IS SUPPLIED
2. TEST ACCESSORY LEADS-OBSERVE PROPER POLARITY WIRING.

Features:

UL Listed LED Emergency backup;
Charging time :24hours
Emergency time : 90 minutes
Battery: High Temp Nickel-Cadmium 7-10 Year Life Expectancy