

LED High Bay Lights

Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$170.00
	LED High bay - 30W	Item NO.: 30W-1	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:3.3kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:4.2kg/pcs		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*300mm		
	Power:1*30W	Surface temperature:+56°C	Color		
	Material:Die casting aluminum	Working temperature:-30°C—+55°C	Warm white >> 2700LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 2850LM(3900K-6000K)		
	Length:371mm	Lumen:2700-3000lm	Cool white >> 3000IM(6000K-7000K)		
	Width:500mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:120°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				
	LED High bay - 30W	Item NO.: 30W-2	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:3.3kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:4.2kg/pcs		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*300mm		
	Power:1*30W	Surface temperature:+56°C	Color		
	Material:Die casting aluminum	Working temperature:-30°C—+55°C	Warm white >> 2700LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 2850LM(3900K-6000K)		
	Length:371mm	Lumen:2700-3000lm	Cool white >> 3000IM(6000K-7000K)		
	Width:420mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:45°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				

LED High Bay Lights

Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$180.00
<p>LED High bay -40W</p>	Item NO.:40W-1	Efficiency:50-60HZ	Package:1pcs/carton		
	LED Type: High power	Light efficiency:≥95%	Net weight:4.7kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:5.5kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*300mm		
	Power:1*40W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-30°C—+55°C	Warm white >> 3600LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 3800LM(3900K-6000K)		
	Length:386mm	Lumen:3600-4000lm	Cool white >>4000LM(6000K-7000K)		
	Width:500mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:120°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				
Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$180.00
<p>LED High bay -40W</p>	Item NO.: 40W-2	Efficiency:50-60HZ	Package:1pcs/carton		
	LED quantity:1pcs	Light efficiency:≥95%	Net weight:4.7kg/pcs		
	Chip:Bridgelux (U.S. Made)	Power factor:≥0.95	Gross weight:5.5kg		
	Power:1*40W	Lumen:90-100lm/W	Package sizes:240*240*300mm		
	Material:Die casting aluminum	Surface temperature:56°C	Color		
	IP code:IP45	Working temperature:-30°C—+55°C	Warm white >> 3600LM(2700K-3900K)		
	Length:501m	Storage tempwerature:-25°C—+65°C	Day light>> 3800LM(3900K-6000K)		
	Width:420mm	Lumen:3600-4000lm	Cool white >>4000LM(6000K-7000K)		
	Input voltage:AC85-265V	CRI:>78-85Ra	Ceritificate :		
	Working voltage:30-36V	Color temperature:2700-7000K	CE ROHS		
Driver:Built-in (UL Listed)	Angle:45°C				
	Lifetime:>50000hrs - 3 Year Warranty				

LED High Bay Lights

Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$200.00
	LED High bay -50W	Item NO.: 50W-1	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:4.7kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:5.5kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*300mm		
	Power:1*50W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-30°C—+55°C	Warm white >> 4500LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 4750LM(3900K-6000K)		
	Length:386mm	Lumen:4500-5000lm	Cool white >> 5000LM(6000K-7000K)		
	Width:500mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:120°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				
Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$200.00
	LED High bay -50W	Item NO.: 50W-2	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:4.7kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:5.5kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*300mm		
	Power:1*50W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-30°C—+55°C	Warm white >> 4500LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 4750LM(3900K-6000K)		
	Length:501m	Lumen:4500-5000lm	Cool white >> 5000LM(6000K-7000K)		
	Width:420mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:45°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				

LED High Bay Lights

Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$210.00
	LED High bay -60W	Item NO.: 60W-1	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:4.7kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:5.5kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*300mm		
	Power:1*60W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-30°C—+55°C	Warm white >> 5400LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 5700LM(3900K-6000K)		
	Length:386mm	Lumen:5400-6000lm	Cool white >> 6000LM(6000K-7000K)		
	Width:500mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:120°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				
Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$210.00
	LED High bay -60W	Item NO.: 60W-2	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:4.7kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:5.5kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*300mm		
	Power:1*60W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-30°C—+55°C	Warm white >> 5400LM(2700K-3900K)		
	IP code:IP65	Storage tempwerature:-25°C—+65°C	Day light>> 5700LM(3900K-6000K)		
	Length:501m	Lumen:5400-6000lm	Cool white >> 6000LM(6000K-7000K)		
	Width:420mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:45°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				

LED High Bay Lights

Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$220.00
	LED High bay - 70W	Item NO.: 70W-1	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:5kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:5.8kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*350mm		
	Power:1*70W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-30°C—+55°C	Warm white >> 6300LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 6650LM(3900K-6000K)		
	Length:441mm	Lumen:6300-7000lm	Cool white >> 7000LM(6000K-7000K)		
	Width:500mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:120°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				
Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$220.00
	LED High bay - 70W	Item NO.: 70W-2	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:5kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:5.8kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*350mm		
	Power:1*70W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-30°C—+55°C	Warm white >> 6300LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 6650LM(3900K-6000K)		
	Length:556mm	Lumen:6300-7000lm	Cool white >> 7000LM(6000K-7000K)		
	Width:420mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:45°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				

LED High Bay Lights

Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$230.00
	LED High bay -80W	Item NO.: 80W-1	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:5kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:5.8kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*350mm		
	Power:1*80W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-30°C—+55°C	Warm white >> 7200LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 760LM(3900K-6000K)		
	Length:441mm	Lumen:7200-8000lm	Cool white >> 8000LM(6000K-7000K)		
	Width:500mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:120°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				
Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$230.00
	LED High bay -80W	Item NO.: 80W-2	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:5kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:5.8kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*350mm		
	Power:1*80W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-30°C—+55°C	Warm white >> 7200LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 7600LM(3900K-6000K)		
	Length:556mm	Lumen:7200-8000lm	Cool white >> 8000LM(6000K-7000K)		
	Width:420mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:45°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				

LED High Bay Lights

Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$240.00
	LED High bay - 90W	Item NO.: 90W-1	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:5.5kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:6.4kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*350mm		
	Power:1*90W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-40°C—+55°C	Warm white >>8100LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 8550LM(3900K-6000K)		
	Length:466mm	Lumen:8100-9000lm	Cool white >> 9000LM(6000K-7000K)		
	Width:500mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:120°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				
Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$240.00
	LED High bay - 90W	Item NO.: 90W-2	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:5.5kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:6.3kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*350mm		
	Power:1*90W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-40°C—+55°C	Warm white >>8100LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 8550LM(3900K-6000K)		
	Length:581mm	Lumen:8100-9000lm	Cool white >> 9000LM(6000K-7000K)		
	Width:420mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:45°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				

LED High Bay Lights

Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$246.00
LED High bay - 100W	Item NO.: 100W-1	Efficiency:50-60HZ	Package:1pcs/carton		
	LED Type: High power	Light efficiency:≥95%	Net weight:5.5kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:6.4kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*350mm		
	Power:1*100W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-40°C—+55°C	Warm white >> 9000LM(2700K-3900K)		
	IP code:IP45	Storage tempwerture:-25°C—+65°C	Day light>> 9500LM(3900K-6000K)		
	Length:466mm	Lumen:9000-10000lm	Cool white >> 10000LM(6000K-7000K)		
	Width:500mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
	Working voltage:30-36V	Angle:120°C			
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				
Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$246.00
LED High bay - 100W	Item NO.: 100W-2	Efficiency:50-60HZ	Package:1pcs/carton		
	LED Type: High power	Light efficiency:≥95%	Net weight:5.5kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:6.3kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:240*240*350mm		
	Power:1*100W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-40°C—+55°C	Warm white >> 9000LM(2700K-3900K)		
	IP code:IP45	Storage tempwerture:-25°C—+65°C	Day light>> 9500LM(3900K-6000K)		
	Length:581mm	Lumen:9000-10000lm	Cool white >> 10000LM(6000K-7000K)		
	Width:420mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
	Working voltage:30-36V	Angle:45°C			
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				

LED High Bay Lights

Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$254.00
	LED High bay -120W	Item NO.: 120W-1	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:5.8kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:6.6kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:470*270*330mm		
	Power:1*80W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-40°C—+55°C	Warm white >> 10800LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 11400LM(3900K-6000K)		
	Length:599mm	Lumen:10800-12000lm	Cool white >> 12000LM(6000K-7000K)		
	Width:500mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K			
Working voltage:30-36V	Angle:120°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				
Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$254.00
	LED High bay -120W	Item NO.: 120W-2	Efficiency:50-60HZ	Package:1pcs/carton	
	LED Type: High power	Light efficiency:≥95%	Net weight:5.8kg/pcs		
	LED quantity:1pcs	Power factor:≥0.95	Gross weight:6.6kg		
	Chip:Bridgelux (U.S. Made)	Lumen:90-100lm/W	Package sizes:470*270*330mm		
	Power:1*120W	Surface temperature:56°C	Color		
	Material:Die casting aluminum	Working temperature:-40°C—+55°C	Warm white >> 10800LM(2700K-3900K)		
	IP code:IP45	Storage tempwerature:-25°C—+65°C	Day light>> 11400LM(3900K-6000K)		
	Length:599mm	Lumen:10800-12000lm	Cool white >> 12000LM(6000K-7000K)		
	Width:420mm	CRI:>78-85Ra	Ceritificate :		
	Input voltage:AC85-265V	Color temperature:2700-7000K	CE ROHS		
Working voltage:30-36V	Angle:45°C				
Driver:Built-in (UL Listed)	Lifetime:>50000hrs - 3 Year Warranty				

LED High Bay Lights

Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$290.00
	Item NO.: 150W-1	Efficiency:50-60HZ	Package:1pcs/carton		
	LED Type: High power LED quantity:1pcs Chip:Bridgelux (U.S. Made) Power:1*150W Material:Die casting aluminum IP code:IP45 Length:684mm Width:500mm Input voltage:AC85-265V Working voltage:30-36V Driver:Built-in (UL Listed)	Light efficiency:≥95% Power factor:≥0.95 Lumen:90-100lm/W Surface temperature:56°C Working temperature:-40°C—+55°C Storage temperature:-25°C—+65°C Lumen:13500-14500lm CRI:>78-85Ra Color temperature:2700-7000K Angle:120°C Lifetime:>50000hrs - 3 Year Warranty	Net weight:7kg/pcs Gross weight:8kg Package sizes:600*270*330mm Color Warm white >> 13500LM(2700K-3900K) Day light>> 14000LM(3900K-6000K) Cool white >> 14500LM(6000K-7000K)		
Pictures	Parameter	Major parameter	Package informations	WHL Price	US\$290.00
	Item NO.: 150W-2	Efficiency:50-60HZ	Package:1pcs/carton		
	LED Type: High power LED quantity:1pcs Chip:Bridgelux (U.S. Made) Power:1*150W Material:Die casting aluminum IP code:IP45 Length:684mm Width:420mm Input voltage:AC85-265V Working voltage:30-36V Driver:Built-in (UL Listed)	Light efficiency:≥95% Power factor:≥0.95 Lumen:90-100lm/W Surface temperature:56°C Working temperature:-40°C—+55°C Storage temperature:-25°C—+65°C Lumen:13500-14500lm CRI:>78-85Ra Color temperature:2700-7000K Angle:45°C Lifetime:>50000hrs - 3 Year Warranty	Net weight:5.8kg/pcs Gross weight:6.6kg Package sizes:470*270*330mm Color Warm white >> 13500LM(2700K-3900K) Day light>> 14000LM(3900K-6000K) Cool white >> 14500LM(6000K-7000K)		
Applications Production workshop, factory buildings, warehouses, highway toll station, gas stations, large supermarket, gymnasium, exhibition hall, the hall, a conference room, market, lighting applications. Freight is additional.					