

Eco-Shake 100% Recycled Plastic Shake Roofing by Eco-\$mart

Fire Resistant

- The Highest possible when installed per manufacturer's instructions
- Class A fire rating (UL® 790)

Durability

- Freeze / Thaw Resistant
- Passes 130mph Uplift, 110 mph Wind Driven Rain Testing
- 110 mph Wind Driven Rain
- Class 4 impact rating (UL® 2218)
- UV Protected
- Color solid throughout (no chipping, peeling, scratching)

Warranty

- 50 Year Limited Transferable Warranty against defects in materials and workmanship
- No maintenance Required

Installation

- 315lbs per 100 sq. feet (square)
- Easily Installed Nailed and screwed or just can be scored and split
- Ridge pieces are pre-molded and flexible
- Pre-packaged in random widths of 5 and 7 inches

Appearance

- Designed to look remarkable like wood shakes
- A natural range of shades can be seen in all color selections
- Individual shake pieces allow for maximum design flexibility

Environment


- 100% recycled material
- Sustainable
- Energy Efficient

Hip and Ridge:


- Pre-molded
- Maximum 10" exposure



Durable, wind and fire-resistant, zero maintenance, affordable alternative to wood shake roofing




Hunter green



Umber



Driftwood



Teak



Charcoal

*Custom Colors Available.





